

# DEALER PRICE BOOK

2025



**MIRAGE**



XE FLAT TOP V-NOSE CARGO TRAILER. . . . .	3
XE FLAT TOP V-NOSE CARGO CAR HAULER . . . . .	15
XPRES FLAT TOP ROUND FRONT CARGO TRAILER. . . . .	19
XPRES FLAT TOP V-NOSE CARGO TRAILER . . . . .	27
XPRES FLAT TOP V-NOSE CAR HAULER . . . . .	45
XPRES FLAT TOP V-NOSE SIDE BY SIDE TRAILER. . . . .	53
XCEL ROUND TOP ROUND FRONT CARGO TRAILER . . . . .	59
XCEL ROUND TOP ROUND FRONT CAR HAULER. . . . .	77
XCEL ROUND TOP ROUND FRONT SIDE BY SIDE TRAILER . . . . .	81
XCEL ROUND TOP V-NOSE SIDE BY SIDE TRAILER . . . . .	87
XTREME SPORT ROUND TOP V-NOSE . . . . .	91
OPTIONS . . . . .	106



## XE CARGO - SINGLE AXLE FLAT TOP V-NOSE 3K

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Model #	RXEV-6008-BP-030	RXEV-6008-BP-035	RXEV-6010-BP-030	RXEV-6010-BP-035	RXEV-7210-BP-035	RXEV-7210-BP-030
SKU #	2M7R00	3M0R75	2M9R25	3M3R00	3M7R00	3M3R25
MSRP	\$3,600	\$4,100	\$3,900	\$4,400	\$4,933	\$4,433
CAPACITIES						
GVWR (lbs)	2990	3500	2990	3500		2990
GAWR (lbs/axle)	3500					
Curb Weight	995	1020	1060	1090	1240	1260
Payload	1995	2480	1930	2410	2260	1730
CHASSIS						
Frame	3" x 2" Steel Tube					
Tongue	3" x 2" Steel Tube					
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	1500 lb. with Assist				2250 lb. with Assist	
Side Door					32" Wide Flush Lock, Wire Holdback	
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake		3500 lb. Drop Spring Idler
Hubs	Easy Lube					
Breakaway		Battery, Switch, and Lanyard		Battery, Switch, and Lanyard		
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws					
Exterior Trim	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop					
Stone Guard	16" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE CARGO - SINGLE AXLE  
FLAT TOP V-NOSE 3K**

	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Flat 4-pin	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade	Flat 4-pin	
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	144"		168"			
Deck Length	108"		132"			
Deck Width	56"				68"	
Deck Height	20"					
Coupler Height	18"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## XE CARGO - SINGLE AXLE FLAT TOP V-NOSE 3K

	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12	7 x 12
Model #	RXEV-7212-BP-035	RXEV-7212-BP-030	RXEV-7214-BP-035	RXEV-7214-BP-030	RXEV-8412-BP-030	RXEV-8412-BP-035
SKU #	3M8R75	3M5R00	4M0R50	3M7R75	3M8R75	4M2R50
MSRP	\$5,166	\$4,666	\$5,400	\$5,033	\$5,166	\$5,666
CAPACITIES						
GVWR (lbs)	3500	2990	3500	2990		3500
GAWR (lbs/axle)	3500					
Curb Weight	1400	1340	1320	1700	1540	1585
Payload	2100	1650	2180	1290	1450	1915
CHASSIS						
Frame	3" x 2" Steel Tube				4" x 2" Steel Tube	
Tongue	3" x 2" Steel Tube				4" x 2" Steel Tube	
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	2250 lb. with Assist					
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler		3500 lb. Drop Spring Brake
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard		Battery, Switch, and Lanyard			Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws					
Exterior Trim	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop					
Stone Guard	16" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE CARGO - SINGLE AXLE  
FLAT TOP V-NOSE 3K**

	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12	7 x 12
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade	
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	192"		216"		192"	
Deck Length	156"		180"		160"	
Deck Width	68"				80"	
Deck Height	20"					
Coupler Height	18"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XE CARGO - SINGLE AXLE  
FLAT TOP V-NOSE 5K**

	6 x 10	6 x 12	6 x 14
<b>Model #</b>	RXEV-7210-BP-050	RXEV-7212-BP-050	RXEV-7214-BP-050
<b>SKU #</b>	3M9R50	4M1R25	4M3R00
<b>MSRP</b>	\$5,266	\$5,500	\$5,733
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>	5200		
<b>GAWR (lbs/axle)</b>	5200		
<b>Curb Weight</b>	1300	1380	1460
<b>Payload</b>	3900	3820	3740
<b>CHASSIS</b>			
<b>Frame</b>	4" x 2" Steel Tube		
<b>Tongue</b>	4" x 2" Steel Tube		
<b>Crossmembers</b>	Formed Steel, 24" On-Center		
<b>Coupler</b>	2" A-Frame		
<b>Safety Chains</b>	DOT Compliant		
<b>Tongue Jack</b>	2K Coupler Mounted		
<b>Wall Studs</b>	Steel Tube, 24" On-Center		
<b>Roof Bows</b>	Steel Tube, 24" On-Center		
<b>Front Profile</b>	V-Nose		
<b>Ramp(s)</b>	2250 lb. with Assist		
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback		
<b>Vents</b>	Sidewall Airflow		
<b>Fenders</b>	Smooth Aluminum		
<b>Axle</b>	5200 lb. Drop Spring Brake		
<b>Hubs</b>	Easy Lube		
<b>Breakaway</b>	Battery, Switch, and Lanyard		
<b>Tires</b>	ST225/75R15D 8-PR		
<b>Wheels</b>	15", 6-Hole Steel		
<b>Exterior Finish</b>	.030" Aluminum		
<b>Undercoating</b>	Asphalt-based		
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel		
<b>Exterior Fastening</b>	Color Matching Screws		
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop		
<b>Stone Guard</b>	16" ATP		
<b>Roof</b>	Flat Top Seamless Aluminum		
<b>Interior Walls</b>	Engineered Wood		
<b>Interior Trim</b>	Vinyl Wall Transitions		
<b>Flooring</b>	3/4" Engineered Wood		
<b>Interior Lights</b>	(1) LED		
<b>Switches</b>	(1) Dome Light, 12V		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE CARGO - SINGLE AXLE  
FLAT TOP V-NOSE 5K**

6 x 10		6 x 12		6 x 14	
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	168"		192"		216"
Deck Length	132"		156"		180"
Deck Width	68"				
Deck Height	20"				
Coupler Height	18"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## XE CARGO - TANDEM AXLE FLAT TOP V-NOSE 7K

	6 x 12	7 x 12	7 x 14	7 x 16	8.5 x 16	8.5 x 18
Model #	RXEV-7212-BP-070	RXEV-8412-BP-070	RXEV-8414-BP-070	RXEV-8416-BP-070	RXEV-10216-BP-070	RXEV-10218-BP-070
SKU #	4M8R75	5M1R55	5M3R50	5M5R45	6M4R00	6M6R50
MSRP	\$6,500	\$6,873	\$7,133	\$7,393	\$8,533	\$8,866
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	1540	1870	1905	2140	2270	2420
Payload	5460	5130	5095	4860	4730	4580
CHASSIS						
Frame	4" x 2" Steel Tube				6" x 2" Steel Tube	
Tongue	4" x 2" Steel Tube				6" x 2" Steel Triple Tube	
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	2250 lb. with Assist				4000 lb. with Assist	
Side Door	32" Wide Flush Lock, Wire Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 3500 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws					
Exterior Trim	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop					
Stone Guard	16" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE CARGO - TANDEM AXLE  
FLAT TOP V-NOSE 7K**

	6 x 12	7 x 12	7 x 14	7 x 16	8.5 x 16	8.5 x 18
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	192"		216"	240"		264"
Deck Length	156"	160"	184"	208"		232"
Deck Width	68"	80"			96"	
Deck Height	20"				22"	
Coupler Height	18"				20"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XE CARGO - TANDEM AXLE  
FLAT TOP V-NOSE 7K**

8.5 x 20	
Model #	RXEV-10220-BP-070
SKU #	6M9R00
MSRP	\$9,200
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
Curb Weight	2570
Payload	4430
CHASSIS	
Frame	6" x 2" Steel Tube
Tongue	6" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 24" On-Center
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 24" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	V-Nose
Ramp(s)	4000 lb. with Assist
Side Door	32" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Fastening	Color Matching Screws
Exterior Trim	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop
Stone Guard	16" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Round 7-pin Blade



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



8.5 x 20	
Exterior Lights	Full LED, DOT Compliant
DIMENSIONS	
Overall Length	288"
Deck Length	256"
Deck Width	96"
Deck Height	22"
Coupler Height	20"





## XE CARGO - TANDEM AXLE FLAT TOP V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	RXEV-10216-BP-100	RXEV-10218-BP-100	RXEV-10220-BP-100	RXEV-10222-BP-100	RXEV-10224-BP-100
<b>SKU #</b>	6M9R25	7M1R75	7M4R25	7M7R75	8M1R25
<b>MSRP</b>	\$9,233	\$9,566	\$9,900	\$10,366	\$10,833
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	9900				
<b>GAWR (lbs/axle)</b>	5200				
<b>Curb Weight</b>	2380	2530	2680	2930	3080
<b>Payload</b>	7520	7370	7220	6970	6820
<b>CHASSIS</b>					
<b>Frame</b>	6" x 2" Steel Tube				
<b>Tongue</b>	6" x 2" Steel Triple Tube				
<b>Crossmembers</b>	Formed Steel, 24" On-Center				
<b>Coupler</b>	2-5/16" A-Frame				
<b>Safety Chains</b>	DOT Compliant				
<b>Tongue Jack</b>	2K Coupler Mounted				
<b>Wall Studs</b>	Steel Tube, 24" On-Center				
<b>Roof Bows</b>	Steel Tube, 24" On-Center				
<b>Front Profile</b>	V-Nose				
<b>Ramp(s)</b>	4000 lb. with Assist				
<b>Side Door</b>	32" Wide Flush Lock, Wire Holdback				
<b>Vents</b>	Sidewall Airflow				
<b>Fenders</b>	Smooth Aluminum				
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake				
<b>Hubs</b>	Easy Lube				
<b>Breakaway</b>	Battery, Switch, and Lanyard				
<b>Tires</b>	ST225/75R15D 8-PR				
<b>Wheels</b>	15", 6-Hole Steel				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Asphalt-based				
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel				
<b>Exterior Fastening</b>	Color Matching Screws				
<b>Exterior Trim</b>	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop				
<b>Stone Guard</b>	16" ATP				
<b>Roof</b>	Flat Top Seamless Aluminum				
<b>Interior Walls</b>	Engineered Wood				
<b>Interior Trim</b>	Vinyl Wall Transitions				
<b>Flooring</b>	3/4" Engineered Wood				
<b>Interior Lights</b>	(1) LED				
<b>Switches</b>	(1) Dome Light, 12V				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE CARGO - TANDEM AXLE  
FLAT TOP V-NOSE 10K**

8.5 x 16		8.5 x 18		8.5 x 20		8.5 x 22		8.5 x 24		
Connector Plug	Round 7-pin Blade									
Exterior Lights	Full LED, DOT Compliant									
DIMENSIONS										
Overall Length	240"		264"		288"		312"		336"	
Deck Length	208"		232"		256"		280"		304"	
Deck Width	96"									
Deck Height	22"									
Coupler Height	20"									



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XE CAR HAULER**  
**FLAT TOP V-NOSE 7K**

	8.5 x 16		8.5 x 18	8.5 x 20
Model #	RXEVCH-10216-BP-070		RXEVCH-10218-BP-070	RXEVCH-10220-BP-070
SKU #	6M6R00		6M8R50	7M1R00
MSRP	\$8,800		\$9,133	\$9,466
CAPACITIES				
GVWR (lbs)	7000			
GAWR (lbs/axle)	3500			
Curb Weight	2270		2885	3200
Payload	4730		4115	3800
CHASSIS				
Frame	6" x 2" Steel Tube			
Tongue	6" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 16" On-Center			
Coupler	2-5/16" A-Frame			
Safety Chains	DOT Compliant			
Tongue Jack	2K Coupler Mounted			
Wall Studs	Steel Tube, 24" On-Center			
Roof Bows	Steel Tube, 24" On-Center			
Front Profile	V-Nose			
Beavertail	32"	48"		
Ramp(s)	4000 lb. with Assist			
Side Door	36" Wide Flush Lock, Wire Holdback			
Vents	Sidewall Airflow			
Fenders	Smooth Aluminum			
Axle	(2) 3500 lb. Drop Spring Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST205/75R15C 6-PR			
Wheels	15", 5-Hole Steel			
Exterior Finish	.030" Aluminum			
Undercoating	Asphalt-based			
Protective Coating(s)	Textured Polyurea all Exposed Steel			
Exterior Fastening	Color Matching Screws			
Exterior Trim	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop			
Stone Guard	16" ATP			
Roof	Flat Top Seamless Aluminum			
Interior Walls	Engineered Wood			
Interior Trim	Vinyl Wall Transitions			
Flooring	3/4" Engineered Wood			
Interior Lights	(1) LED			

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE CAR HAULER  
FLAT TOP V-NOSE 7K**

8.5 x 16		8.5 x 18		8.5 x 20	
Switches	(1) Dome Light, 12V				
Cargo Control	(4) 5000 lb. Recessed D-Rings				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	240"	264"		288"	
Deck Length	208"	232"		256"	
Deck Width	96"				
Deck Height	22"				
Coupler Height	20"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XE CAR HAULER**  
**FLAT TOP V-NOSE 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Model #	RXEVCH-10216-BP-100	RXEVCH-10218-BP-100	RXEVCH-10220-BP-100	RXEVCH-10222-BP-100	RXEVCH-10224-BP-100
SKU #	7M1R25	7M3R75	7M6R25	7M9R75	8M3R25
MSRP	\$9,500	\$9,833	\$10,166	\$10,633	\$11,100
CAPACITIES					
GVWR (lbs)	9900				
GAWR (lbs/axle)	5200				
Curb Weight	2375	2525	3295	2675	3640
Payload	7525	7375	6605	7225	6260
CHASSIS					
Frame	6" x 2" Steel Tube				
Tongue	6" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 16" On-Center				
Coupler	2-5/16" A-Frame				
Safety Chains	DOT Compliant				
Tongue Jack	2K Coupler Mounted				
Wall Studs	Steel Tube, 24" On-Center				
Roof Bows	Steel Tube, 24" On-Center				
Front Profile	V-Nose				
Beavertail	32"	48"			
Ramp(s)	4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Wire Holdback				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	(2) 5200 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST225/75R15D 8-PR				
Wheels	15", 6-Hole Steel				
Exterior Finish	.030" Aluminum				
Undercoating	Asphalt-based				
Protective Coating(s)	Textured Polyurea all Exposed Steel				
Exterior Fastening	Color Matching Screws				
Exterior Trim	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop				
Stone Guard	16" ATP				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Interior Trim	Vinyl Wall Transitions				
Flooring	3/4" Engineered Wood				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XE CAR HAULER  
FLAT TOP V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Interior Lights	(1) LED				
Switches	(1) Dome Light, 12V				
Cargo Control	(4) 5000 lb. Recessed D-Rings				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	240"	264"	288"	312"	336"
Deck Length	208"	232"	256"	280"	304"
Deck Width	96"				
Deck Height	22"				
Coupler Height	20"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XPRES CARGO - SINGLE AXLE  
FLAT TOP ROUND FRONT 3K**

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
Model #	R6008XPSR-030	R6010XPSR-030	R7210XPSR-030	R7212XPSR-030	R7214XPSR-030	R8412XPSR-030
SKU #	3M4R50	3M8R00	4M2R75	4M4R75	4M6R75	4M7R75
MSRP	\$4,600	\$5,066	\$5,700	\$5,966	\$6,233	\$6,366
CAPACITIES						
GVWR (lbs)	2990					
GAWR (lbs/axle)	3500					
Curb Weight	940	1040	1200	1300	1400	1590
Payload	2050	1950	1790	1690	1590	1400
CHASSIS						
Frame	3" x 2" Steel Tube					
Tongue	3" x 2" Steel Tube					4" x 2" Steel Tube
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Round					
Ramp(s)	1150 lb. with Assist		2250 lb. with Assist			
Side Door			32" Wide Flush Lock, Cast Aluminum Holdback			
Fenders	Aluminum Treadplate					
Axle	3500 lb. Spring Idler					
Hubs	Easy Lube					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Galvanized					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Flat 4-pin					
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CARGO - SINGLE AXLE  
FLAT TOP ROUND FRONT 3K

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
DIMENSIONS						
Overall Length	140"	164"		188"	212"	194"
Deck Length	102"	126"		150"	174"	150"
Deck Width	56"			68"		80"
Deck Height			20"			
Coupler Height			18"			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XPRES CARGO - SINGLE AXLE  
FLAT TOP ROUND FRONT 3.5K**

7 x 12	
Model #	R8412XPSR-035
SKU #	5M1R50
MSRP	\$6,866
CAPACITIES	
GVWR (lbs)	3500
GAWR (lbs/axle)	3500
Curb Weight	1640
Payload	1860
CHASSIS	
Frame	3" x 2" Steel Tube
Tongue	4" x 2" Steel Tube
Crossmembers	Formed Steel, 24" On-Center
Coupler	2" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 24" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	Round
Ramp(s)	2250 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback
Fenders	Aluminum Treadplate
Axle	3500 lb. Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)
Exterior Trim	3" Top Extrusion
Stone Guard	24" ATP
Roof	Flat Top Galvanized
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Round 7-pin Blade



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



XPRES CARGO - SINGLE AXLE  
FLAT TOP ROUND FRONT 3.5K

7 x 12	
Exterior Lights	Full LED, DOT Compliant
DIMENSIONS	
Overall Length	194"
Deck Length	150"
Deck Width	80"
Deck Height	20"
Coupler Height	18"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XPRES CARGO - TANDEM AXLE FLAT TOP ROUND FRONT 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
<b>Model #</b>	R7210XPSR-070	R7212XPSR-070	R7214XPSR-070	R8412XPSR-070	R8414XPSR-070	R8416XPSR-070
<b>SKU #</b>	5M9R25	5M7R50	5M9R50	6M1R50	6M4R00	6M6R50
<b>MSRP</b>	\$7,900	\$7,666	\$7,933	\$8,200	\$8,533	\$8,866
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>Curb Weight</b>	1440	1540	1640	1960	2080	2200
<b>Payload</b>	5560	5460	5360	5040	4920	4800
<b>CHASSIS</b>						
<b>Frame</b>	3" x 2" Steel Tube					
<b>Tongue</b>	4" x 2" Steel Tube					
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	Round					
<b>Ramp(s)</b>	2250 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 3500 lb. Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Asphalt-based					
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel					
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
<b>Exterior Trim</b>	3" Top Extrusion					
<b>Stone Guard</b>	24" ATP					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CARGO - TANDEM AXLE  
FLAT TOP ROUND FRONT 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
DIMENSIONS						
Overall Length	164"	188"	212"	194"	218"	242"
Deck Length	126"	150"	174"	150"	174"	198"
Deck Width	68"			80"		
Deck Height				20"		
Coupler Height				18"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## XPRES CARGO - TANDEM AXLE FLAT TOP ROUND FRONT 7K

7 x 18	
Model #	R8418XPSR-070
SKU #	7M2R00
MSRP	\$9,600
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
Curb Weight	2320
Payload	4680
CHASSIS	
Frame	3" x 2" Steel Tube
Tongue	4" x 2" Steel Tube
Crossmembers	Formed Steel, 24" On-Center
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	Round
Ramp(s)	2250 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback
Fenders	Aluminum Treadplate
Axle	(2) 3500 lb. Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)
Exterior Trim	3" Top Extrusion
Stone Guard	24" ATP
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



7 x 18		
DIMENSIONS		
Overall Length		266"
Deck Length		222"
Deck Width		80"
Deck Height		20"
Coupler Height		18"



## XPRES CARGO - SINGLE AXLE FLAT TOP V-NOSE 3K

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
Model #	R6008XPS-030	R6010XPS-030	R7210XPS-030	R7212XPS-030	R7214XPS-030	R8412XPS-030
SKU #	3M1R00	3M3R75	3M9R25	4M1R25	4M3R25	4M4R25
MSRP	\$4,133	\$4,500	\$5,233	\$5,500	\$5,766	\$5,900
CAPACITIES						
GVWR (lbs)	2990					
GAWR (lbs/axle)	3500					
Curb Weight	940	1040	1200	1300	1400	1590
Payload	2050	1950	1790	1690	1590	1400
CHASSIS						
Frame	3" x 2" Steel Tube					
Tongue	3" x 2" Steel Tube					4" x 2" Steel Tube
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Ramp(s)	1150 lb. with Assist		2250 lb. with Assist			
Side Door			32" Wide Flush Lock, Cast Aluminum Holdback			
Fenders	Aluminum Treadplate					
Axle	3500 lb. Spring Idler					
Hubs	Easy Lube					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Galvanized					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Flat 4-pin					
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CARGO - SINGLE AXLE  
FLAT TOP V-NOSE 3K

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
DIMENSIONS						
Overall Length	140"	164"		188"	212"	194"
Deck Length	118"	142"		166"	190"	166"
Deck Width	56"		68"			80"
Deck Height	20"					
Coupler Height	18"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XPRES CARGO - SINGLE AXLE  
FLAT TOP V-NOSE 3.5K**

	6 x 10	7 x 12
<b>Model #</b>	R7210XPS-035	R8412XPS-035
<b>SKU #</b>	4M3R00	4M8R00
<b>MSRP</b>	\$5,733	\$6,400
<b>CAPACITIES</b>		
<b>GVWR (lbs)</b>	3500	
<b>GAWR (lbs/axle)</b>	3500	
<b>Curb Weight</b>	3500	1640
<b>Payload</b>		1860
<b>CHASSIS</b>		
<b>Frame</b>	3" x 2" Steel Tube	
<b>Tongue</b>	3" x 2" Steel Tube	4" x 2" Steel Tube
<b>Crossmembers</b>	Formed Steel, 24" On-Center	
<b>Coupler</b>	2" A-Frame	
<b>Safety Chains</b>	DOT Compliant	
<b>Tongue Jack</b>	2K Coupler Mounted	
<b>Wall Studs</b>	Steel Tube, 24" On-Center	
<b>Roof Bows</b>	Steel Tube, 24" On-Center	
<b>Front Profile</b>	V-Nose	
<b>Ramp(s)</b>	2250 lb. with Assist	
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback	
<b>Fenders</b>	Aluminum Treadplate	
<b>Axle</b>	3500 lb. Spring Brake	
<b>Hubs</b>	Easy Lube	
<b>Breakaway</b>	Battery, Switch, and Lanyard	
<b>Tires</b>	ST205/75R15C 6-PR	
<b>Wheels</b>	15", 5-Hole Steel	
<b>Exterior Finish</b>	.030" Aluminum	
<b>Undercoating</b>	Asphalt-based	
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel	
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)	
<b>Exterior Trim</b>	3" Top Extrusion	
<b>Stone Guard</b>	24" ATP	
<b>Roof</b>	Flat Top Galvanized	
<b>Interior Walls</b>	Engineered Wood	
<b>Interior Trim</b>	Vinyl Wall Transitions	
<b>Flooring</b>	3/4" Engineered Wood	
<b>Interior Lights</b>	(1) LED	
<b>Switches</b>	(1) Dome Light, 12V	
<b>Connector Plug</b>	Round 7-pin Blade	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



XPRES CARGO - SINGLE AXLE  
FLAT TOP V-NOSE 3.5K

6 x 10		7 x 12
Exterior Lights	Full LED, DOT Compliant	
DIMENSIONS		
Overall Length		194"
Deck Length		166"
Deck Width		80"
Deck Height		20"
Coupler Height		18"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XPRES CARGO - SINGLE AXLE FLAT TOP V-NOSE 5K

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14
Model #	R6008XPS-050	R6010XPS-050	R7210XPS-050	R7212XPS-050	R7214XPS-050
SKU #	3M7R25	4M0R75	4M5R50	4M7R50	4M9R50
MSRP	\$4,966	\$5,433	\$6,066	\$6,333	\$6,600
CAPACITIES					
GVWR (lbs)	5000				
GAWR (lbs/axle)	5200				
Curb Weight	1040	1140	1300	1400	1500
Payload	3960	3860	3700	3600	3500
CHASSIS					
Frame	3" x 2" Steel Tube				
Tongue	3" x 2" Steel Tube				
Crossmembers	Formed Steel, 24" On-Center				
Coupler	2" A-Frame				
Safety Chains	DOT Compliant				
Tongue Jack	2K Coupler Mounted				
Wall Studs	Steel Tube, 24" On-Center				
Roof Bows	Steel Tube, 24" On-Center				
Front Profile	V-Nose				
Ramp(s)	1150 lb. with Assist		2250 lb. with Assist		
Side Door			32" Wide Flush Lock, Cast Aluminum Holdback		
Fenders	Aluminum Treadplate				
Axle	5200 lb. Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST225/75R15D 8-PR				
Wheels	15", 6-Hole Steel				
Exterior Finish	.030" Aluminum				
Undercoating	Asphalt-based				
Protective Coating(s)	Textured Polyurea all Exposed Steel				
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)				
Exterior Trim	3" Top Extrusion				
Stone Guard	24" ATP				
Roof	Flat Top Galvanized				
Interior Walls	Engineered Wood				
Interior Trim	Vinyl Wall Transitions				
Flooring	3/4" Engineered Wood				
Interior Lights	(1) LED				
Switches	(1) Dome Light, 12V				
Connector Plug	Round 7-pin Blade				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CARGO - SINGLE AXLE  
FLAT TOP V-NOSE 5K

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14
Exterior Lights	Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	140"	164"		188"	212"
Deck Length	118"	142"		166"	190"
Deck Width	56"		68"		
Deck Height	20"				
Coupler Height	18"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## XPRES CARGO - TANDEM AXLE FLAT TOP V-NOSE 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
<b>Model #</b>	R7210XPS-070	R7212XPS-070	R7214XPS-070	R8412XPS-070	R8414XPS-070	R8416XPS-070
<b>SKU #</b>	5M2R75	5M5R75	5M7R75	5M8R00	6M0R50	6M3R00
<b>MSRP</b>	\$7,033	\$7,433	\$7,700	\$7,733	\$8,066	\$8,400
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>Curb Weight</b>	1440	1540	1640	1960	2080	2200
<b>Payload</b>	5560	5460	5360	5040	4920	4800
<b>CHASSIS</b>						
<b>Frame</b>	3" x 2" Steel Tube					
<b>Tongue</b>	4" x 2" Steel Tube					
<b>Crossmembers</b>	Formed Steel, 24" On-Center					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Ramp(s)</b>	2250 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 3500 lb. Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 6-Hole Aluminum					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Asphalt-based					
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel					
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
<b>Exterior Trim</b>	3" Top Extrusion					
<b>Stone Guard</b>	24" ATP					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CARGO - TANDEM AXLE  
FLAT TOP V-NOSE 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
DIMENSIONS						
Overall Length	164"	188"	212"	194"	218"	242"
Deck Length	142"	166"	190"	166"	190"	214"
Deck Width	68"			80"		
Deck Height				20"		
Coupler Height				18"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XPRES CARGO - TANDEM AXLE FLAT TOP V-NOSE 7K

	7 x 18	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Model #	R8418XPS-070	R10214XPS-070	R10216XPS-070	R10218XPS-070	R10220XPS-070	R10222XPS-070
SKU #	6M8R50	7M3R25	7M4R25	7M7R75	8M1R25	8M4R75
MSRP	\$9,133	\$9,766	\$9,900	\$10,366	\$10,833	\$11,300
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	2320	2050	2380	2530	2950	3190
Payload	4680	4950	4620	4470	4050	3810
CHASSIS						
Frame	3" x 2" Steel Tube	6", 4.4 lb/ft I-Beam				
Tongue	4" x 2" Steel Tube	5" x 2" Steel Tube				
Crossmembers	Formed Steel, 24" On-Center	Steel Formed Channel, 16" On-Center				
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center	Steel Tube, 16" On-Center				
Front Profile	V-Nose					
Ramp(s)	2250 lb. with Assist	4000 lb. with Assist				
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 6-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Top Extrusion					
Stone Guard	24" ATP					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CARGO - TANDEM AXLE  
FLAT TOP V-NOSE 7K

	7 x 18	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
DIMENSIONS						
Overall Length	266"	221"	245"	269"	293"	317"
Deck Length	238"	190"	214"	238"	262"	286"
Deck Width	80"	96"				
Deck Height	20"	22"				
Coupler Height	18"	20"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XPRES CARGO - TANDEM AXLE  
FLAT TOP V-NOSE 7K**

8.5 x 24	
Model #	R10224XPS-070
SKU #	8M8R25
MSRP	\$11,766
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
Curb Weight	3475
Payload	3525
CHASSIS	
Frame	6", 4.4 lb/ft I-Beam
Tongue	5" x 2" Steel Tube
Crossmembers	Steel Formed Channel, 16" On-Center
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	V-Nose
Ramp(s)	4000 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback
Fenders	Aluminum Treadplate
Axle	(2) 3500 lb. Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 6-Hole Aluminum
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)
Exterior Trim	3" Top Extrusion
Stone Guard	24" ATP
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



8.5 x 24	
DIMENSIONS	
Overall Length	341"
Deck Length	310"
Deck Width	96"
Deck Height	22"
Coupler Height	20"



## XPRES CARGO - TANDEM AXLE FLAT TOP V-NOSE 10K

	6 x 16	7 x 14	7 x 16	8.5 x 14	8.5 x 16	8.5 x 18
Model #	R7216XPS-100	R8414XPS-100	R8416XPS-100	R10214XPS-100	R10216XPS-100	R10218XPS-100
SKU #	5M0R62	6M7R00	6M9R50	7M8R50	7M9R50	8M3R00
MSRP	\$6,750	\$8,933	\$9,266	\$10,466	\$10,600	\$11,066
CAPACITIES						
GVWR (lbs)	9900	7000		9900		
GAWR (lbs/axle)	5200					
Curb Weight	2415	2180	2480	2150	2415	2565
Payload	7485	4820	4520	7750	7485	7335
CHASSIS						
Frame	3" x 2" Steel Tube			6", 4.4 lb/ft I-Beam		
Tongue	4" x 2" Steel Tube			5" x 2" Steel Tube		
Crossmembers	Formed Steel, 24" On-Center			Steel Formed Channel, 16" On-Center		
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center			Steel Tube, 16" On-Center		
Front Profile	V-Nose					
Ramp(s)	2250 lb. with Assist			4000 lb. with Assist		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Top Extrusion					
Stone Guard	24" ATP					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CARGO - TANDEM AXLE  
FLAT TOP V-NOSE 10K

	6 x 16	7 x 14	7 x 16	8.5 x 14	8.5 x 16	8.5 x 18
DIMENSIONS						
Overall Length				221"	245"	269"
Deck Length				190"	214"	238"
Deck Width				96"		
Deck Height				22"		
Coupler Height				20"	22"	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## XPRES CARGO - TANDEM AXLE FLAT TOP V-NOSE 10K

	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	R10220XPS-100	R10222XPS-100	R10224XPS-100
<b>SKU #</b>	8M6R50	9M0R00	9M3R50
<b>MSRP</b>	\$11,533	\$12,000	\$12,466
<b>CAPACITIES</b>			
<b>GVWR (lbs)</b>		9900	
<b>GAWR (lbs/axle)</b>		5200	
<b>Curb Weight</b>	2985	3225	3510
<b>Payload</b>	6915	6675	6390
<b>CHASSIS</b>			
<b>Frame</b>		6", 4.4 lb/ft I-Beam	
<b>Tongue</b>		5" x 2" Steel Tube	
<b>Crossmembers</b>		Steel Formed Channel, 16" On-Center	
<b>Coupler</b>		2-5/16" A-Frame	
<b>Safety Chains</b>		DOT Compliant	
<b>Tongue Jack</b>		2K Coupler Mounted	
<b>Wall Studs</b>		Steel Tube, 16" On-Center	
<b>Roof Bows</b>		Steel Tube, 16" On-Center	
<b>Front Profile</b>		V-Nose	
<b>Ramp(s)</b>		4000 lb. with Assist	
<b>Side Door</b>		32" Wide Flush Lock, Cast Aluminum Holdback	
<b>Fenders</b>		Aluminum Treadplate	
<b>Axle</b>		(2) 5200 lb. Spring Brake	
<b>Hubs</b>		Easy Lube	
<b>Breakaway</b>		Battery, Switch, and Lanyard	
<b>Tires</b>		ST225/75R15D 8-PR	
<b>Wheels</b>		15", 6-Hole Steel	
<b>Exterior Finish</b>		.030" Aluminum	
<b>Undercoating</b>		Asphalt-based	
<b>Protective Coating(s)</b>		Textured Polyurea all Exposed Steel	
<b>Exterior Fastening</b>		Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)	
<b>Exterior Trim</b>		3" Top Extrusion	
<b>Stone Guard</b>		24" ATP	
<b>Interior Walls</b>		Engineered Wood	
<b>Interior Trim</b>		Vinyl Wall Transitions	
<b>Flooring</b>		3/4" Engineered Wood	
<b>Interior Lights</b>		(1) LED	
<b>Switches</b>		(1) Dome Light, 12V	
<b>Connector Plug</b>		Round 7-pin Blade	
<b>Exterior Lights</b>		Full LED, DOT Compliant	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



XPRES CARGO - TANDEM AXLE  
FLAT TOP V-NOSE 10K

	8.5 x 20	8.5 x 22	8.5 x 24
DIMENSIONS			
Overall Length	293"	317"	341"
Deck Length	262"	286"	310"
Deck Width	96"		
Deck Height	22"		
Coupler Height	22"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XPRES CARGO - TANDEM AXLE FLAT TOP V-NOSE 14K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 28
Model #	R10216XPS-140	R10218XPS-140	R10220XPS-140	R10222XPS-140	R10224XPS-140	R10228XPS-140
SKU #	9M4R25	9M7R75	1M0R125	1M0R600	1M0R950	1M3R250
MSRP	\$12,566	\$13,033	\$13,500	\$14,133	\$14,600	\$17,666
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
Curb Weight	2465	2615	3035	3275	3560	3235
Payload	11535	11385	10965	10725	10440	10765
CHASSIS						
Frame	8", 6.5 lb/ft I-Beam					
Tongue	6" x 2" Steel Tube					
Crossmembers	Steel Formed Channel, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	V-Nose					
Ramp(s)	4000 lb. with Assist					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	15", 6-Hole Steel, 16", 8-Hole Steel	16", 8-Hole Steel				
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Top Extrusion					
Stone Guard	24" ATP					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CARGO - TANDEM AXLE  
FLAT TOP V-NOSE 14K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 28
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	245"	269"	293"	317"	341"	
Deck Length	214"	238"	262"	286"	310"	
Deck Width	96"					
Deck Height	22"					
Coupler Height	22"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XPRES CAR HAULER - TANDEM AXLE FLAT TOP V-NOSE 7K

	8.5 x 16		8.5 x 18	8.5 x 20
Model #	R10216XPSCH-070		R10218XPSCH-070	R10220XPSCH-070
SKU #	7M4R75		7M8R25	8M1R75
MSRP	\$9,966		\$10,433	\$10,900
CAPACITIES				
GVWR (lbs)	7000			
GAWR (lbs/axle)	3500			
Curb Weight	2580	2730		3150
Payload	4420	4270		3850
CHASSIS				
Frame	8", 6.5 lb/ft I-Beam			
Tongue	6" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 16" On-Center			
Coupler	2-5/16" A-Frame			
Safety Chains	DOT Compliant			
Tongue Jack	2K Coupler Mounted			
Sides	Dust-Proof Walls			
Roof Bows	Steel Tube, 16" On-Center			
Front Profile	V-Nose			
Beavertail	32"	48"		
Ramp(s)	4000 lb. with Assist			
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback			
Vents	(1) Manual Roof			
Fenders	Aluminum Treadplate			
Axle	(2) 3500 lb. Drop Spring Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST205/75R15C 6-PR			
Wheels	15", 5-Hole Steel			
Exterior Finish	.030" Aluminum			
Undercoating	Asphalt-based			
Protective Coating(s)	Textured Polyurea all Exposed Steel			
Exterior Trim	3" Top Extrusion			
Stone Guard	24" ATP			
Roof	Flat Top Galvanized			
Interior Walls	Engineered Wood			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) LED			
Switches	(1) Dome Light, 12V, (1) Load Light, 12V			
Interior Spare Mount	Steel Bolt-on			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XPRES CAR HAULER - TANDEM AXLE  
FLAT TOP V-NOSE 7K**

8.5 x 16		8.5 x 18		8.5 x 20	
Cargo Control	(4) 5000 lb. Recessed D-Rings				
Connector Plug	Round 7-pin Blade				
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	245"	269"		293"	
Deck Length	214"	238"		262"	
Deck Width	96"				
Deck Height	18"				
Coupler Height	20"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XPRES CAR HAULER - TANDEM AXLE FLAT TOP V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	R10216XPSCH-100	R10218XPSCH-100	R10220XPSCH-100	R10222XPSCH-100	R10224XPSCH-100	R10226XPSCH-100
SKU #	8M0R00	8M3R50	8M7R00	9M0R50	9M4R00	9M8R50
MSRP	\$10,666	\$11,133	\$11,600	\$12,066	\$12,533	\$13,133
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5200					
Curb Weight	2410	2530	2615	2765	3185	3800
Payload	7490	7370	7285	7135	6715	6100
CHASSIS						
Frame	8", 6.5 lb/ft I-Beam					
Tongue	6" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Sides	Dust-Proof Walls					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	V-Nose					
Beavertail	32"	48"				
Ramp(s)	4000 lb. with Assist					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Vents	(1) Manual Roof					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Trim	3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Galvanized					
Interior Walls	Engineered Wood					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V, (1) Load Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CAR HAULER - TANDEM AXLE  
FLAT TOP V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Interior Spare Mount	Steel Bolt-on					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	245"	269"	293"	317"	341"	365"
Deck Length	214"	238"	262"	286"	310"	334"
Deck Width	96"					
Deck Height	18"					
Coupler Height	20"	22"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## XPRES CAR HAULER - TANDEM AXLE FLAT TOP V-NOSE 10K

8.5 x 28	
Model #	R10228XPSCHE-100
SKU #	1M1R650
MSRP	\$15,533
CAPACITIES	
GVWR (lbs)	9900
GAWR (lbs/axle)	5200
Curb Weight	3850
Payload	6050
CHASSIS	
Frame	8", 6.5 lb/ft I-Beam
Tongue	6" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Sides	Dust-Proof Walls
Roof Bows	Steel Tube, 16" On-Center
Front Profile	V-Nose
Beavertail	48"
Ramp(s)	4000 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback
Vents	(1) Manual Roof
Fenders	Aluminum Treadplate
Axle	(2) 5200 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST225/75R15D 8-PR
Wheels	15", 6-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Trim	3" Top Extrusion
Stone Guard	24" ATP
Roof	Flat Top Galvanized
Interior Walls	Engineered Wood
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V, (1) Load Light, 12V
Interior Spare Mount	Steel Bolt-on
Cargo Control	(4) 5000 lb. Recessed D-Rings

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES CAR HAULER - TANDEM AXLE  
FLAT TOP V-NOSE 10K

8.5 x 28	
Connector Plug	Round 7-pin Blade
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XPRES CAR HAULER - TANDEM AXLE FLAT TOP V-NOSE 14K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 28	8.5 x 30
<b>Model #</b>	R10220XPSCHE-140	R10222XPSCHE-140	R10224XPSCHE-140	R10228XPSCHE-140	R10230XPSCHE-140
<b>SKU #</b>	1M0R175	1M0R525	1M0R750	1M3R150	1M3R550
<b>MSRP</b>	\$13,566	\$14,033	\$14,333	\$17,533	\$18,066
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	14000				
<b>GAWR (lbs/axle)</b>	7000				
<b>Curb Weight</b>	2665	2815	3235	3435	
<b>Payload</b>	11335	11185	10765	10565	
<b>CHASSIS</b>					
<b>Frame</b>	8", 6.5 lb/ft I-Beam				
<b>Tongue</b>	6" x 2" Steel Triple Tube				
<b>Crossmembers</b>	Formed Steel, 16" On-Center				
<b>Coupler</b>	2-5/16" A-Frame				
<b>Safety Chains</b>	DOT Compliant				
<b>Tongue Jack</b>	2K Coupler Mounted				
<b>Sides</b>	Dust-Proof Walls				
<b>Roof Bows</b>	Steel Tube, 16" On-Center				
<b>Front Profile</b>	V-Nose				
<b>Beavertail</b>	48"				
<b>Ramp(s)</b>	4000 lb. with Assist				
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback				
<b>Vents</b>	(1) Manual Roof				
<b>Fenders</b>	Aluminum Treadplate				
<b>Axle</b>	(2) 7000 lb. Drop Spring Brake				
<b>Hubs</b>	Easy Lube				
<b>Breakaway</b>	Battery, Switch, and Lanyard				
<b>Tires</b>	ST235/80R16E 10-PR				
<b>Wheels</b>	16", 8-Hole Steel				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Asphalt-based				
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel				
<b>Exterior Trim</b>	3" Top Extrusion				
<b>Stone Guard</b>	24" ATP				
<b>Roof</b>	Flat Top Galvanized				
<b>Interior Walls</b>	Engineered Wood				
<b>Flooring</b>	3/4" Engineered Wood				
<b>Interior Lights</b>	(2) LED				
<b>Switches</b>	(1) Dome Light, 12V, (1) Load Light, 12V				
<b>Interior Spare Mount</b>	Steel Bolt-on				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XPRES CAR HAULER - TANDEM AXLE  
FLAT TOP V-NOSE 14K**

8.5 x 20		8.5 x 22		8.5 x 24		8.5 x 28		8.5 x 30	
Cargo Control	(4) 5000 lb. Recessed D-Rings								
Connector Plug	Round 7-pin Blade								
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant								
DIMENSIONS									
Overall Length	293"	317"	341"					413"	
Deck Length	262"	286"	310"					358"	
Deck Width	96"						96"		
Deck Height	18"						18"		
Coupler Height	22"						22"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XPRES SIDE BY SIDE  
FLAT TOP V-NOSE 7K**

	7 x 14	7 x 16	7 x 18	8.5 x 14	8.5 x 16	8.5 x 18
Model #	R8414XPSSBS-070	R8416XPSSBS-070	R8418XPSSBS-070	R10214XPSSBS-070	R10216XPSSBS-070	R10218XPSSBS-070
SKU #	6M4R00	6M7R50	7M1R00	7M3R75	7M7R25	8M0R75
MSRP	\$8,533	\$9,000	\$9,466	\$9,833	\$10,300	\$10,766
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	2255	2375	2495	2050	2380	2530
Payload	4745	4625	4505	4950	4620	4470
CHASSIS						
Frame	3" x 2" Steel Tube			6", 4.4 lb/ft I-Beam		
Tongue	4" x 2" Steel Tube			5" x 2" Steel Tube		
Crossmembers	Formed Steel, 24" On-Center			Formed Steel, 16" On-Center		
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center			Steel Tube, 16" On-Center		
Front Profile	V-Nose					
Stabilizers	Rear Fold-Down Jacks					
Ramp(s)	2250 lb. with Wood Transition Flap			4000 lb. with Assist		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)					
Vents	(1) Manual Roof, Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	3" Top Extrusion					
Stone Guard	24" ATP					
Roof	Flat Top Galvanized					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XPRES SIDE BY SIDE  
FLAT TOP V-NOSE 7K**

	7 x 14	7 x 16	7 x 18	8.5 x 14	8.5 x 16	8.5 x 18
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Interior Spare Mount	Steel Bolt-on					
Cargo Control	(4) 5000 lb. Recessed D-Rings, (4) Surface Mount Rope Ties					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	218"	242"	266"	221"	245"	269"
Deck Length	190"	214"	238"	190"	214"	238"
Deck Width	80"			96"		
Deck Height	20"			22"		
Coupler Height	18"			20"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XPRES SIDE BY SIDE  
FLAT TOP V-NOSE 7K**

8.5 x 20	
Model #	R10220XPSSBS-070
SKU #	8M4R75
MSRP	\$11,300
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
Curb Weight	2950
Payload	4050
CHASSIS	
Frame	6", 4.4 lb/ft I-Beam
Tongue	5" x 2" Steel Tube
Crossmembers	Formed Steel, 16" On-Center
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	V-Nose
Stabilizers	Rear Fold-Down Jacks
Ramp(s)	4000 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)
Vents	(1) Manual Roof, Sidewall Airflow
Fenders	Aluminum Treadplate
Axle	(2) 3500 lb. Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)
Exterior Trim	3" Top Extrusion
Stone Guard	24" ATP
Roof	Flat Top Galvanized
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



8.5 x 20	
Interior Spare Mount	Steel Bolt-on
Cargo Control	(4) 5000 lb. Recessed D-Rings, (4) Surface Mount Rope Ties
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant
DIMENSIONS	
Overall Length	293"
Deck Length	262"
Deck Width	96"
Deck Height	22"
Coupler Height	20"





**XPRES SIDE BY SIDE  
FLAT TOP V-NOSE 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
<b>Model #</b>	R10216XPSSBS-100	R10218XPSSBS-100	R10220XPSSBS-100	R10222XPSSBS-100	R10224XPSSBS-100	R10226XPSSBS-100
<b>SKU #</b>	8M2R50	8M6R00	9M0R00	9M2R50	9M5R00	9M7R50
<b>MSRP</b>	\$11,000	\$11,466	\$12,000	\$12,333	\$12,666	\$13,000
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	9900					
<b>GAWR (lbs/axle)</b>	5200					
<b>Curb Weight</b>	2480	2610	3085	3185	3295	3395
<b>Payload</b>	7420	7290	6815	6715	6605	6505
<b>CHASSIS</b>						
<b>Frame</b>	6", 4.4 lb/ft I-Beam					
<b>Tongue</b>	5" x 2" Steel Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 16" On-Center					
<b>Front Profile</b>	V-Nose					
<b>Stabilizers</b>	Rear Fold-Down Jacks					
<b>Ramp(s)</b>	4000 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)					
<b>Vents</b>	(1) Manual Roof, Sidewall Airflow					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 5200 lb. Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST225/75R15D 8-PR					
<b>Wheels</b>	15", 6-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Asphalt-based					
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel					
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
<b>Exterior Trim</b>	3" Top Extrusion					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Flat Top Galvanized					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Flooring</b>	3/4" Engineered Wood					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XPRES SIDE BY SIDE  
FLAT TOP V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Interior Spare Mount	Steel Bolt-on					
Cargo Control	(4) 5000 lb. Recessed D-Rings, (4) Surface Mount Rope Ties					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	245"	269"	293"	317"	341"	365"
Deck Length	214"	238"	262"	286"	310"	334"
Deck Width	96"					
Deck Height	22"					
Coupler Height	20"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XCEL CARGO - SINGLE AXLE ROUND TOP ROUND FRONT 3K

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
Model #	R6008XL-030	R6010XL-030	R7210XL-030	R7212XL-030	R7214XL-030	R8412XL-030
SKU #	3M4R50	3M7R25	4M2R75	4M4R75	4M6R75	4M7R75
MSRP	\$4,600	\$4,966	\$5,700	\$5,966	\$6,233	\$6,366
CAPACITIES						
GVWR (lbs)	2990					
GAWR (lbs/axle)	3500					
Curb Weight	940	1040	1290	1490	1690	1790
Payload	2050	1950	1700	1500	1300	1200
CHASSIS						
Frame	3" x 2" Steel Tube					
Tongue	3" x 2" Steel Tube					
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Round					
Ramp(s)	1500 lb. with Assist		2250 lb. with Assist			
Side Door			32" Wide Flush Lock, Cast Aluminum Holdback			
Fenders	Aluminum Treadplate					
Axle	3500 lb. Spring Idler					
Hubs	Easy Lube					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove					
Stone Guard	24" ATP					
Roof	Round Top Galvanized					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					
Connector Plug	Flat 4-pin					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XCEL CARGO - SINGLE AXLE  
ROUND TOP ROUND FRONT 3K

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	139"	163"	168"	192"	216"	192"
Deck Length	102"	126"		150"	174"	150"
Deck Width	56"		68"			80"
Deck Height	20"					
Coupler Height	18"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XCEL CARGO - SINGLE AXLE  
ROUND TOP ROUND FRONT 3.5K**

7 x 12	
Model #	R8412XL-035
SKU #	5M1R50
MSRP	\$6,866
CAPACITIES	
GVWR (lbs)	3500
GAWR (lbs/axle)	3500
Curb Weight	1690
Payload	1810
CHASSIS	
Frame	3" x 2" Steel Tube
Tongue	4" x 2" Steel Tube
Crossmembers	Formed Steel, 24" On-Center
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 24" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	Round
Ramp(s)	2250 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback
Fenders	Aluminum Treadplate
Axle	3500 lb. Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)
Exterior Trim	.080 Aluminum Roof Cove
Stone Guard	24" ATP
Roof	Round Top Galvanized
Roof Cap	TPO
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XCEL CARGO - SINGLE AXLE  
ROUND TOP ROUND FRONT 3.5K**

7 x 12	
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant
DIMENSIONS	
Overall Length	192"
Deck Length	150"
Deck Width	80"
Deck Height	20"
Coupler Height	18"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XCEL CARGO - SINGLE AXLE ROUND TOP ROUND FRONT 5K

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
Model #	R6008XL-050	R6010XL-050	R7210XL-050	R7212XL-050	R7214XL-050	R8412XL-050
SKU #	4M0R75	4M3R50	4M9R00	5M1R00	5M3R00	5M4R00
MSRP	\$5,433	\$5,800	\$6,533	\$6,800	\$7,066	\$7,200
CAPACITIES						
GVWR (lbs)	5000					
GAWR (lbs/axle)	5200					
Curb Weight	1090	1190	1400	1600	1800	1790
Payload	3910	3810	3600	3400	3200	3210
CHASSIS						
Frame	3" x 2" Steel Tube					
Tongue	4" x 2" Steel Tube					
Crossmembers	Formed Steel, 24" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 24" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Round					
Ramp(s)	1500 lb. with Assist		2250 lb. with Assist			
Side Door			32" Wide Flush Lock, Cast Aluminum Holdback			
Fenders	Aluminum Treadplate					
Axle	5200 lb. Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove					
Stone Guard	24" ATP					
Roof	Round Top Galvanized					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XCEL CARGO - SINGLE AXLE  
ROUND TOP ROUND FRONT 5K**

	5 x 8	5 x 10	6 x 10	6 x 12	6 x 14	7 x 12
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	139"	163"	168"	192"	216"	192"
Deck Length	102"	126"		150"	174"	150"
Deck Width	56"		68"			80"
Deck Height	20"					
Coupler Height	18"					20"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## XCEL CARGO - TANDEM AXLE ROUND TOP ROUND FRONT 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
<b>Model #</b>	R7210XL-070	R7212XL-070	R7214XL-070	R8412XL-070	R8414XL-070	R8416XL-070
<b>SKU #</b>	5M7R25	5M9R25	6M1R25	6M1R50	6M4R00	6M6R50
<b>MSRP</b>	\$7,633	\$7,900	\$8,166	\$8,200	\$8,533	\$8,866
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	7000					
<b>GAWR (lbs/axle)</b>	3500					
<b>Curb Weight</b>	1400	1600	1800	2200	2300	2400
<b>Payload</b>	5600	5400	5200	4800	4700	4600
<b>CHASSIS</b>						
<b>Frame</b>	3" x 2" Steel Tube					
<b>Tongue</b>	4" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Steel Formed Channel, 24" On-Center					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	Round					
<b>Ramp(s)</b>	2250 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 3500 lb. Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST205/75R15C 6-PR					
<b>Wheels</b>	15", 5-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Asphalt-based					
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel					
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
<b>Exterior Trim</b>	.080 Aluminum Roof Cove					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Round Top Galvanized					
<b>Roof Cap</b>	TPO					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XCEL CARGO - TANDEM AXLE  
ROUND TOP ROUND FRONT 7K

	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	168"	192"	216"	192"	216"	240"
Deck Length	126"	150"	174"	150"	174"	198"
Deck Width	68"			80"		
Deck Height	20"					
Coupler Height	18"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XCEL CARGO - TANDEM AXLE ROUND TOP ROUND FRONT 7K

	7 x 18	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Model #	R8418XL-070	R10214XL-070	R10216XL-070	R10218XL-070	R10220XL-070	R10222XL-070
SKU #	7M2R00	7M4R25	7M7R75	8M1R25	8M4R75	8M8R25
MSRP	\$9,600	\$9,900	\$10,366	\$10,833	\$11,300	\$11,766
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	2500	2550	2700	2850	3000	3150
Payload	4500	4450	4300	4150	4000	3850
CHASSIS						
Frame	3" x 2" Steel Tube	6", 4.4 lb/ft I-Beam				
Tongue	4" x 2" Steel Triple Tube	5" x 2" Steel Tube				
Crossmembers	Steel Formed Channel, 24" On-Center	Steel Formed Channel, 16" On-Center				
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Round					
Ramp(s)	2250 lb. with Assist	4000 lb. with Assist				
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove					
Stone Guard	24" ATP					
Roof	Round Top Galvanized					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XCEL CARGO - TANDEM AXLE  
ROUND TOP ROUND FRONT 7K**

7 x 18		8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Switches	(1) Dome Light, 12V					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	264"	221"	245"	269"	293"	317"
Deck Length	222"	174"	198"	222"	246"	270"
Deck Width	80"	96"				
Deck Height	20"	22"				
Coupler Height	18"	20"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XCEL CARGO - TANDEM AXLE ROUND TOP ROUND FRONT 7K

8.5 x 24	
Model #	R10224XL-070
SKU #	9M1R75
MSRP	\$12,233
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
Curb Weight	3365
Payload	3635
CHASSIS	
Frame	6", 4.4 lb/ft I-Beam
Tongue	5" x 2" Steel Tube
Crossmembers	Steel Formed Channel, 16" On-Center
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	Round
Ramp(s)	4000 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback
Fenders	Aluminum Treadplate
Axle	(2) 3500 lb. Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)
Exterior Trim	.080 Aluminum Roof Cove
Stone Guard	24" ATP
Roof	Round Top Galvanized
Roof Cap	TPO
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Round 7-pin Blade



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



XCEL CARGO - TANDEM AXLE  
ROUND TOP ROUND FRONT 7K

8.5 x 24	
Exterior Lights	Full LED, DOT Compliant
DIMENSIONS	
Overall Length	341"
Deck Length	294"
Deck Width	96"
Deck Height	22"
Coupler Height	22"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XCEL CARGO - TANDEM AXLE ROUND TOP ROUND FRONT 10K

	7 x 14	7 x 18	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Model #	R8414XL-100	R8418XL-100	R10216XL-100	R10218XL-100	R10220XL-100	R10222XL-100
SKU #	7M0R50	7M6R50	8M3R00	8M6R50	9M0R00	9M3R50
MSRP	\$9,400	\$10,200	\$11,066	\$11,533	\$12,000	\$12,466
CAPACITIES						
GVWR (lbs)	9900	9990	9900			
GAWR (lbs/axle)	5200	3500	5200			
Curb Weight	2400	2600	2800	2950	3100	3250
Payload	7500	7390	7100	6950	6800	6650
CHASSIS						
Frame	4" x 2" Steel Tube		6", 4.4 lb/ft I-Beam			
Tongue	4" x 2" Steel Tube		5" x 2" Steel Tube			
Crossmembers	Steel Formed Channel, 24" On-Center		Steel Formed Channel, 16" On-Center			
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Round					
Ramp(s)	2250 lb. with Assist		4000 lb. with Assist			
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove					
Stone Guard	24" ATP					
Roof	Round Top Galvanized					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					
Interior Lights	(1) LED					
Switches	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XCEL CARGO - TANDEM AXLE  
ROUND TOP ROUND FRONT 10K**

7 x 14		7 x 18		8.5 x 16		8.5 x 18		8.5 x 20		8.5 x 22		
Connector Plug	Round 7-pin Blade											
Exterior Lights	Full LED, DOT Compliant											
DIMENSIONS												
Overall Length	216"		264"		245"		269"		293"		317"	
Deck Length	174"		222"		198"		222"		246"		270"	
Deck Width	80"				96"							
Deck Height	20"				22"							
Coupler Height	18"				22"							



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## XCEL CARGO - TANDEM AXLE ROUND TOP ROUND FRONT 10K

8.5 x 24	
Model #	R10224XL-100
SKU #	9M7R00
MSRP	\$12,933
CAPACITIES	
GVWR (lbs)	9900
GAWR (lbs/axle)	5200
Curb Weight	3400
Payload	6500
CHASSIS	
Frame	6", 4.4 lb/ft I-Beam
Tongue	5" x 2" Steel Tube
Crossmembers	Steel Formed Channel, 16" On-Center
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	Round
Ramp(s)	4000 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback
Fenders	Aluminum Treadplate
Axle	(2) 5200 lb. Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST225/75R15D 8-PR
Wheels	15", 6-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)
Exterior Trim	.080 Aluminum Roof Cove
Stone Guard	24" ATP
Roof	Round Top Galvanized
Roof Cap	TPO
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Round 7-pin Blade

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XCEL CARGO - TANDEM AXLE  
ROUND TOP ROUND FRONT 10K

8.5 x 24	
Exterior Lights	Full LED, DOT Compliant
DIMENSIONS	
Overall Length	341"
Deck Length	294"
Deck Width	96"
Deck Height	22"
Coupler Height	22"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## XCEL CARGO - TANDEM AXLE ROUND TOP ROUND FRONT 14K

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	R10214XL-140	R10216XL-140	R10218XL-140	R10220XL-140	R10222XL-140	R10224XL-140
<b>SKU #</b>	8M4R75	8M7R25	9M0R75	9M3R75	9M7R25	1M0R075
<b>MSRP</b>	\$11,300	\$11,633	\$12,100	\$12,500	\$12,966	\$13,433
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	14000					
<b>GAWR (lbs/axle)</b>	7000					
<b>Curb Weight</b>	2750	2950	3100	3250	3400	3550
<b>Payload</b>	11250	11050	10900	10750	10600	10450
<b>CHASSIS</b>						
<b>Frame</b>	8", 6.5 lb/ft I-Beam					
<b>Tongue</b>	6" x 2" Steel Tube					
<b>Crossmembers</b>	Steel Formed Channel, 16" On-Center					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	Round					
<b>Ramp(s)</b>	4000 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Fenders</b>	Aluminum Treadplate					
<b>Axle</b>	(2) 7000 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST235/80R16E 10-PR					
<b>Wheels</b>	16", 8-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Asphalt-based					
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel					
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
<b>Exterior Trim</b>	.080 Aluminum Roof Cove					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Round Top Galvanized					
<b>Roof Cap</b>	TPO					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Flooring</b>	3/4" Engineered Wood					
<b>Interior Lights</b>	(1) LED					
<b>Switches</b>	(1) Dome Light, 12V					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XCEL CARGO - TANDEM AXLE  
ROUND TOP ROUND FRONT 14K

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	221"	245"	269"	293"	317"	341"
Deck Length	174"	198"	222"	246"	270"	294"
Deck Width	96"					
Deck Height	22"					
Coupler Height	20"	22"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# XCEL CAR HAULER - TANDEM AXLE ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20
Model #	R10216XLCH-070	R10218XLCH-070	R10220XLCH-070
SKU #	7M8R25	8M1R75	8M5R25
MSRP	\$10,433	\$10,900	\$11,366
CAPACITIES			
GVWR (lbs)	7000		
GAWR (lbs/axle)	3500		
Curb Weight	2900	3050	3200
Payload	4100	3950	3800
CHASSIS			
Frame	8", 6.5 lb/ft I-Beam		
Tongue	6" x 2" Steel Triple Tube		
Crossmembers	Formed Steel, 16" On-Center		
Coupler	2-5/16" A-Frame		
Safety Chains	DOT Compliant		
Tongue Jack	2K Coupler Mounted		
Sides	Dust-Proof Walls		
Wall Studs	Steel Tube, 16" On-Center		
Roof Bows	Steel Tube, 24" On-Center		
Front Profile	Round		
Beavertail	32"	48"	
Ramp(s)	4000 lb. with Assist		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback		
Vents	(1) Manual Roof		
Axle	(2) 3500 lb. Drop Spring Brake		
Hubs	Easy Lube		
Breakaway	Battery, Switch, and Lanyard		
Tires	ST205/75R15C 6-PR		
Wheels	15", 5-Hole Steel		
Exterior Finish	.030" Aluminum		
Undercoating	Asphalt-based		
Protective Coating(s)	Textured Polyurea all Exposed Steel		
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)		
Exterior Trim	.080 Aluminum Roof Cove		
Stone Guard	24" ATP		
Roof	Round Top Galvanized		
Roof Cap	TPO		
Interior Walls	Engineered Wood		
Interior Trim	Vinyl Wall Transitions		
Flooring	3/4" Engineered Wood		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





## XCEL CAR HAULER - TANDEM AXLE ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20
Interior Lights	(2) LED		
Switches	(1) Dome Light, 12V, (1) Load Light, 12V		
Interior Spare Mount	Steel Bolt-on		
Cargo Control	(4) 5000 lb. Recessed D-Rings		
Connector Plug	Round 7-pin Blade		
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant		
DIMENSIONS			
Overall Length	245"	269"	293"
Deck Length	198"	222"	246"
Deck Width	96"		
Deck Height	18"		
Coupler Height	20"		



## XCEL CAR HAULER - TANDEM AXLE ROUND TOP ROUND FRONT 10K

	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28
<b>Model #</b>	R10218XLCH-100	R10220XLCH-100	R10222XLCH-100	R10224XLCH-100	R10226XLCH-100	R10228XLCH-100
<b>SKU #</b>	8M7R00	9M0R50	9M4R00	9M7R50	1M0R200	1M2R000
<b>MSRP</b>	\$11,600	\$12,066	\$12,533	\$13,000	\$13,600	\$16,000
<b>CAPACITIES</b>						
<b>GVWR (lbs)</b>	9900					
<b>GAWR (lbs/axle)</b>	5200					
<b>Curb Weight</b>	2805	2935	3085	3235	3385	3500
<b>Payload</b>	7095	6965	6815	6665	6515	6400
<b>CHASSIS</b>						
<b>Frame</b>	8", 6.5 lb/ft I-Beam					
<b>Tongue</b>	6" x 2" Steel Triple Tube					
<b>Crossmembers</b>	Formed Steel, 16" On-Center					
<b>Coupler</b>	2-5/16" A-Frame					
<b>Safety Chains</b>	DOT Compliant					
<b>Tongue Jack</b>	2K Coupler Mounted					
<b>Sides</b>	Dust-Proof Walls					
<b>Wall Studs</b>	Steel Tube, 16" On-Center					
<b>Roof Bows</b>	Steel Tube, 24" On-Center					
<b>Front Profile</b>	Round					
<b>Beavertail</b>	48"					
<b>Ramp(s)</b>	4000 lb. with Assist					
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback					
<b>Vents</b>	(1) Manual Roof					
<b>Axle</b>	(2) 5200 lb. Drop Spring Brake					
<b>Hubs</b>	Easy Lube					
<b>Breakaway</b>	Battery, Switch, and Lanyard					
<b>Tires</b>	ST225/75R15D 8-PR					
<b>Wheels</b>	15", 6-Hole Steel					
<b>Exterior Finish</b>	.030" Aluminum					
<b>Undercoating</b>	Asphalt-based					
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel					
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
<b>Exterior Trim</b>	.080 Aluminum Roof Cove					
<b>Stone Guard</b>	24" ATP					
<b>Roof</b>	Round Top Galvanized					
<b>Roof Cap</b>	TPO					
<b>Interior Walls</b>	Engineered Wood					
<b>Interior Trim</b>	Vinyl Wall Transitions					
<b>Flooring</b>	3/4" Engineered Wood					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XCEL CAR HAULER - TANDEM AXLE  
ROUND TOP ROUND FRONT 10K

	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V, (1) Load Light, 12V					
Interior Spare Mount	Steel Bolt-on					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(1) Rear LED Loading, Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	269"	293"	317"	341"	365"	389"
Deck Length	222"	246"	270"	294"	318"	342"
Deck Width	96"					
Deck Height	18"					
Coupler Height	22"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XCEL SIDE BY SIDE**  
**ROUND TOP ROUND FRONT 7K**

	7 x 14	7 x 16	7 x 18	8.5 x 14	8.5 x 16	8.5 x 18
Model #	R8414XLSBS-070	R8416XLSBS-070	R8418XLSBS-070	R10214XLSBS-070	R10216XLSBS-070	R10218XLSBS-070
SKU #	6M6R00	6M8R50	7M2R50	7M6R75	7M9R75	8M2R75
MSRP	\$8,800	\$9,133	\$9,666	\$10,233	\$10,633	\$11,033
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	2475	2575	2675	2600	2700	2850
Payload	4525	4425	4325	4400	4300	4150
CHASSIS						
Frame	3" x 2" Steel Tube			6", 4.4 lb/ft I-Beam		
Tongue	4" x 2" Steel Tube			5" x 2" Steel Tube		
Crossmembers	Formed Steel, 24" On-Center			Formed Steel, 16" On-Center		
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	Round					
Stabilizers	Rear Fold-Down Jacks					
Ramp(s)	2250 lb. with Assist			4000 lb. with Assist		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)					
Vents	(1) Manual Roof, Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove					
Stone Guard	24" ATP					
Roof	Round Top Galvanized					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Flooring	3/4" Engineered Wood					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XCEL SIDE BY SIDE**  
**ROUND TOP ROUND FRONT 7K**

	7 x 14	7 x 16	7 x 18	8.5 x 14	8.5 x 16	8.5 x 18
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Interior Spare Mount	Steel Bolt-on					
Cargo Control	(4) 5000 lb. Recessed D-Rings, (4) Surface Mount Rope Ties					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	216"	240"	264"	221"	245"	269"
Deck Length	174"	198"	222"	174"	198"	222"
Deck Width	80"			96"		
Deck Height	20"					
Coupler Height	18"			20"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XCEL SIDE BY SIDE  
ROUND TOP ROUND FRONT 7K**

8.5 x 20	
Model #	R10220XLSBS-070
SKU #	8M5R75
MSRP	\$11,433
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
Curb Weight	3000
Payload	4000
CHASSIS	
Frame	6", 4.4 lb/ft I-Beam
Tongue	5" x 2" Steel Tube
Crossmembers	Formed Steel, 16" On-Center
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	Round
Stabilizers	Rear Fold-Down Jacks
Ramp(s)	4000 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)
Vents	(1) Manual Roof, Sidewall Airflow
Fenders	Aluminum Treadplate
Axle	(2) 3500 lb. Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Asphalt-based
Protective Coating(s)	Textured Polyurea all Exposed Steel
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)
Exterior Trim	.080 Aluminum Roof Cove
Stone Guard	24" ATP
Roof	Round Top Galvanized
Roof Cap	TPO
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XCEL SIDE BY SIDE  
ROUND TOP ROUND FRONT 7K**

8.5 x 20	
Switches	(1) Dome Light, 12V
Interior Spare Mount	Steel Bolt-on
Cargo Control	(4) 5000 lb. Recessed D-Rings, (4) Surface Mount Rope Ties
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant
DIMENSIONS	
Overall Length	293"
Deck Length	246"
Deck Width	96"
Deck Height	20"
Coupler Height	20"



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# XCEL SIDE BY SIDE ROUND TOP ROUND FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	R10216XLSBS-100	R10218XLSBS-100	R10220XLSBS-100	R10222XLSBS-100	R10224XLSBS-100
<b>SKU #</b>	8M5R00	8M8R00	9M1R00	9M4R00	9M7R00
<b>MSRP</b>	\$11,333	\$11,733	\$12,133	\$12,533	\$12,933
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	9900				
<b>GAWR (lbs/axle)</b>	5200				
<b>Curb Weight</b>	3000	3150	3100	3250	3400
<b>Payload</b>	6900	6750	6800	6650	6500
<b>CHASSIS</b>					
<b>Frame</b>	6", 4.4 lb/ft I-Beam				
<b>Tongue</b>	5" x 2" Steel Tube				
<b>Crossmembers</b>	Formed Steel, 16" On-Center				
<b>Coupler</b>	2-5/16" A-Frame				
<b>Safety Chains</b>	DOT Compliant				
<b>Tongue Jack</b>	2K Coupler Mounted				
<b>Wall Studs</b>	Steel Tube, 16" On-Center				
<b>Roof Bows</b>	Steel Tube, 24" On-Center				
<b>Front Profile</b>	Round				
<b>Stabilizers</b>	Rear Fold-Down Jacks				
<b>Ramp(s)</b>	4000 lb. with Assist				
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)				
<b>Vents</b>	(1) Manual Roof, Sidewall Airflow				
<b>Fenders</b>	Aluminum Treadplate				
<b>Axle</b>	(2) 5200 lb. Spring Brake				
<b>Hubs</b>	Easy Lube				
<b>Breakaway</b>	Battery, Switch, and Lanyard				
<b>Tires</b>	ST225/75R15D 8-PR				
<b>Wheels</b>	15", 6-Hole Steel				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Asphalt-based				
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel				
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)				
<b>Exterior Trim</b>	.080 Aluminum Roof Cove				
<b>Stone Guard</b>	24" ATP				
<b>Roof</b>	Round Top Galvanized				
<b>Roof Cap</b>	TPO				
<b>Interior Walls</b>	Engineered Wood				
<b>Interior Trim</b>	Vinyl Wall Transitions				
<b>Flooring</b>	3/4" Engineered Wood				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XCEL SIDE BY SIDE  
ROUND TOP ROUND FRONT 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Interior Lights	(2) LED				
Switches	(1) Dome Light, 12V				
Interior Spare Mount	Steel Bolt-on				
Cargo Control	(4) 5000 lb. Recessed D-Rings, (4) Surface Mount Rope Ties				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	245"	269"	293"	317"	341"
Deck Length	198"	222"	246"	270"	294"
Deck Width	96"				
Deck Height	20"				
Coupler Height	20"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XCEL SIDE BY SIDE  
ROUND TOP V-NOSE 7K**

	7 x 14	7 x 16	7 x 18	8.5 x 16	8.5 x 18	8.5 x 20
Model #	R8414XLSBSV-070	R8416XLSBSV-070	R8418XLSBSV-070	R10216XLSBSV-070	R10218XLSBSV-070	R10220XLSBSV-070
SKU #	6M7R00	7M0R00	7M3R00	8M1R25	8M5R25	8M8R25
MSRP	\$8,933	\$9,333	\$9,733	\$10,833	\$11,366	\$11,766
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	2475	2575	2675	2900	3050	3200
Payload	4525	4425	4325	4100	3950	3800
CHASSIS						
Frame	3" x 2" Steel Tube			6", 4.4 lb/ft I-Beam		
Tongue	4" x 2" Steel Tube			5" x 2" Steel Tube		
Crossmembers	Formed Steel, 24" On-Center			Formed Steel, 16" On-Center		
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	2K Coupler Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 24" On-Center					
Front Profile	V-Nose					
Stabilizers	Rear Fold-Down Jacks					
Ramp(s)	2250 lb. with Assist			4000 lb. with Assist		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)					
Vents	(1) Manual Roof, Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel					
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove					
Stone Guard	24" ATP					
Roof	Round Top Galvanized					
Roof Cap	TPO					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XCEL SIDE BY SIDE  
ROUND TOP V-NOSE 7K

	7 x 14	7 x 16	7 x 18	8.5 x 16	8.5 x 18	8.5 x 20
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Interior Spare Mount	Steel Bolt-on					
Cargo Control	(4) 5000 lb. Recessed D-Rings, (4) Surface Mount Rope Ties					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant					
DIMENSIONS						
Overall Length	216"	240"	264"	245"	269"	293"
Deck Length	190"	214"	238"	214"	238"	262"
Deck Width	80"			96"		
Deck Height	20"					
Coupler Height	18"			20"		



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XCEL SIDE BY SIDE  
ROUND TOP V-NOSE 10K**

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
<b>Model #</b>	R10216XLSBSV-100	R10218XLSBSV-100	R10220XLSBSV-100	R10222XLSBSV-100	R10224XLSBSV-100
<b>SKU #</b>	8M6R50	9M0R50	9M3R50	9M6R00	1M0R000
<b>MSRP</b>	\$11,533	\$12,066	\$12,466	\$12,800	\$13,333
<b>CAPACITIES</b>					
<b>GVWR (lbs)</b>	9900				
<b>GAWR (lbs/axle)</b>	5200				
<b>Curb Weight</b>	3000	3150	3300	3450	3600
<b>Payload</b>	6900	6750	6600	6450	6300
<b>CHASSIS</b>					
<b>Frame</b>	6", 4.4 lb/ft I-Beam				
<b>Tongue</b>	5" x 2" Steel Tube				
<b>Crossmembers</b>	Formed Steel, 16" On-Center				
<b>Coupler</b>	2-5/16" A-Frame				
<b>Safety Chains</b>	DOT Compliant				
<b>Tongue Jack</b>	2K Coupler Mounted				
<b>Wall Studs</b>	Steel Tube, 16" On-Center				
<b>Roof Bows</b>	Steel Tube, 24" On-Center				
<b>Front Profile</b>	V-Nose				
<b>Stabilizers</b>	Rear Fold-Down Jacks				
<b>Ramp(s)</b>	4000 lb. with Assist				
<b>Side Door</b>	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)				
<b>Vents</b>	(1) Manual Roof, Sidewall Airflow				
<b>Fenders</b>	Aluminum Treadplate				
<b>Axle</b>	(2) 5200 lb. Spring Brake				
<b>Hubs</b>	Easy Lube				
<b>Breakaway</b>	Battery, Switch, and Lanyard				
<b>Tires</b>	ST225/75R15D 8-PR				
<b>Wheels</b>	15", 6-Hole Steel				
<b>Exterior Finish</b>	.030" Aluminum				
<b>Undercoating</b>	Asphalt-based				
<b>Protective Coating(s)</b>	Textured Polyurea all Exposed Steel				
<b>Exterior Fastening</b>	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)				
<b>Exterior Trim</b>	.080 Aluminum Roof Cove				
<b>Stone Guard</b>	24" ATP				
<b>Roof</b>	Round Top Galvanized				
<b>Roof Cap</b>	TPO				
<b>Interior Walls</b>	Engineered Wood				
<b>Interior Trim</b>	Vinyl Wall Transitions				
<b>Flooring</b>	3/4" Engineered Wood				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





XCEL SIDE BY SIDE  
ROUND TOP V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Interior Lights	(2) LED				
Switches	(1) Dome Light, 12V				
Interior Spare Mount	Steel Bolt-on				
Cargo Control	(4) 5000 lb. Recessed D-Rings, (4) Surface Mount Rope Ties				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant				
DIMENSIONS					
Overall Length	245"	269"	293"	317"	341"
Deck Length	214"	238"	262"	286"	310"
Deck Width	96"				
Deck Height	20"				
Coupler Height	20"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# XTREME SPORT ROUND TOP V-NOSE 7K

	8.5 x 20	8.5 x 20	8.5 x 20	8.5 x 24	8.5 x 24	8.5 x 24
Model #	R10220XTSPD-070	R10220XTSP-070	R10220XTSPH-070	R10224XTSPD-070	R10224XTSPH-070	R10224XTSP-070
SKU #	1M6R000	1M3R550	2M1R500	1M7R400	2M2R500	1M4R850
MSRP	\$21,333	\$18,066	\$28,666	\$23,200	\$30,000	\$19,800
CAPACITIES						
GVWR (lbs)	7000					
GAWR (lbs/axle)	3500					
Curb Weight	3100	2800	3100	3500		3200
Payload	3900	4200	3900	3500		3800
CHASSIS						
Frame	6", 4.4 lb/ft I-Beam					
Tongue	6" x 2" Steel Triple Tube, 6" x 2" Steel Tube with Center Drawbar					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop-Leg, Frame Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Galvanized Steel Tube, 16" On-Center					
Front Profile	48" Aero Wedge					
Beavertail	32"			48"		
Ramp(s)	4000 lb. with Assist, 72" Front Wedge Wrap Around with Assist, Edge Glide Hinge Covers (Both Ramps), Traction Bars (Both Ramps)					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)					
Access Doors	14" x 14" Fuel					
Vents	(2) Manual Roof, Sidewall Airflow	(2) 12V Roof, Sidewall Airflow	(2) Manual Roof, Sidewall Airflow	(2) 12V Roof, Sidewall Airflow	(2) Manual Roof, Sidewall Airflow	
Fenders	Aluminum Treadplate					
Axle	(2) 3500 lb. Torsion Brake, (45° Down)					
Hubs	Easy Lube					
Tires	ST205/75R15C 6-PR					
Wheels	15", 5-Hole Steel	15", 5-Hole Aluminum	15", 5-Hole Steel	15", 5-Hole Aluminum	15", 5-Hole Steel	
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 6" ATP Bottom Skirting, Color Matching Rear Hoop					
Stone Guard	24" ATP, ATP Front Ramp Hinge Cover					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XTREME SPORT  
ROUND TOP V-NOSE 7K**

	8.5 x 20	8.5 x 20	8.5 x 20	8.5 x 24	8.5 x 24	8.5 x 24
<b>Roof</b>	Round Top Galvanized					
<b>Roof Cap</b>	Custom Formed Fiberglass					
<b>Exterior Storage</b>	Under-Chassis Spare Tire Winch					
<b>Interior Walls</b>	Insulation, White Azdel Onboard® Composite					
<b>Interior Trim</b>	ATP Kickplate, 12" Tall, Vinyl Wall Transitions					
<b>Ceiling</b>	Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with ABS Coves					
<b>Flooring</b>	3/4" Poly-Tread Laminate					
<b>Wheel Box</b>	4" Tapered Drive-over with Ski Guides					
<b>Interior Lights</b>	(4) LED Low Profile Strip	(2) LED Low Profile Strip	(6) LED Low Profile Strip	(4) LED Low Profile Strip	(6) LED Low Profile Strip	(2) LED Low Profile Strip
<b>Fixtures</b>	4' Helmet Cabinet, Fold-Away Aluminum Work Bench, Utility Shelf with Coat Rack and Removable Bin		8' Heated Helmet Cabinet with Stereo Cubby, Fold-Away Aluminum Work Bench, Fold-Away Padded Sitting Bench, Utility Shelf with Coat Rack and Removable Bin	4' Helmet Cabinet, Fold-Away Aluminum Work Bench, Utility Shelf with Coat Rack and Removable Bin	8' Heated Helmet Cabinet with Stereo Cubby, Fold-Away Aluminum Work Bench, Fold-Away Padded Sitting Bench, Utility Shelf with Coat Rack and Removable Bin	
<b>Cargo Control</b>	(3) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(12) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(3) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(12) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings
<b>Interior Accessories</b>			Brite Aluminum Mirror, Cup Holder		Brite Aluminum Mirror, Cup Holder	
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	(1) Front LED Loading, (2) Rear LED Loading	(1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant	(1) Front LED Loading, (2) Rear LED Loading			(1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant
<b>12v Electrical</b>	USB Port and Receptacle		12 Volt DC 24 Battery, 38 Gallon Fuel System, 45 Amp Charge Wizard, Master Shutoff Switch, Stereo with 4 Speakers, USB Port and Receptacle	USB Port and Receptacle	12 Volt DC 24 Battery, 38 Gallon Fuel System, 45 Amp Charge Wizard, Master Shutoff Switch, Stereo with 4 Speakers, USB Port and Receptacle	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XTREME SPORT  
ROUND TOP V-NOSE 7K**

8.5 x 20		8.5 x 20		8.5 x 20		8.5 x 24		8.5 x 24		8.5 x 24	
110v Electrical				15 Amp Inlet and Interior Outlet				15 Amp Inlet and Interior Outlet			
HVAC	(2) 30 lb. Propane Bottles (Tongue Mounted), 8,000 BTU Radiant Heater			(2) 30 lb. Propane Bottles (Tongue Mounted), 40,000 BTU Forced Air Furnace, Boot and Glove Dryer		(2) 30 lb. Propane Bottles (Tongue Mounted), 8,000 BTU Radiant Heater		(2) 30 lb. Propane Bottles (Tongue Mounted), 40,000 BTU Forced Air Furnace, Boot and Glove Dryer			
DIMENSIONS											
Overall Length	272"					320"					
Deck Length	238"	240"		238"	286"					288"	
Deck Width	96"										
Deck Height	22"										
Coupler Height	17 - 24"										



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# XTREME SPORT ROUND TOP V-NOSE 7K

8.5 x 28		8.5 x 28		8.5 x 28	
Model #	R10228XTSPD-070		R10228XTSPH-070		R10228XTSP-070
SKU #	1M8R400		2M3R500		1M5R950
MSRP	\$24,533		\$31,333		\$21,266
CAPACITIES					
GVWR (lbs)	7000				
GAWR (lbs/axle)	3500				
Curb Weight	3900				3600
Payload	3100				3400
CHASSIS					
Frame	6", 4.4 lb/ft I-Beam				
Tongue	6" x 2" Steel Triple Tube, 6" x 2" Steel Tube with Center Drawbar				
Crossmembers	Formed Steel, 16" On-Center				
Coupler	2-5/16" Adjustable				
Safety Chains	DOT Compliant				
Tongue Jack	7K Drop-Leg, Frame Mounted				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Galvanized Steel Tube, 16" On-Center				
Front Profile	48" Aero Wedge				
Beavertail	48"				
Ramp(s)	4000 lb. with Assist, 72" Front Wedge Wrap Around with Assist, Edge Glide Hinge Covers (Both Ramps), Traction Bars (Both Ramps)				
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)				
Access Doors	14" x 14" Fuel				
Vents	(2) Manual Roof, Sidewall Airflow	(2) 12V Roof, Sidewall Airflow			(2) Manual Roof, Sidewall Airflow
Fenders	Aluminum Treadplate				
Axle	(2) 3500 lb. Torsion Brake, (45° Down)				
Hubs	Easy Lube				
Tires	ST205/75R15C 6-PR				
Wheels	15", 5-Hole Steel	15", 5-Hole Aluminum			15", 5-Hole Steel
Exterior Finish	.030" Aluminum				
Undercoating	Asphalt-based				
Protective Coating(s)	Textured Polyurea all Exposed Steel				
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)				
Exterior Trim	.080 Aluminum Roof Cove, 6" ATP Bottom Skirting, Color Matching Rear Hoop				
Stone Guard	24" ATP, ATP Front Ramp Hinge Cover				
Roof	Round Top Galvanized				
Roof Cap	Custom Formed Fiberglass				
Exterior Storage	Under-Chassis Spare Tire Winch				
Interior Walls	Insulation, White Azdel Onboard® Composite				

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





# XTREME SPORT ROUND TOP V-NOSE 7K

8.5 x 28		8.5 x 28		8.5 x 28	
Interior Trim	ATP Kickplate, 12" Tall, Vinyl Wall Transitions				
Ceiling	Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with ABS Coves				
Flooring	3/4" Poly-Tread Laminate				
Wheel Box	4" Tapered Drive-over with Ski Guides				
Interior Lights	(4) LED Low Profile Strip	(6) LED Low Profile Strip		(2) LED Low Profile Strip	
Fixtures	4' Helmet Cabinet, Fold-Away Aluminum Work Bench, Utility Shelf with Coat Rack and Removable Bin	8' Heated Helmet Cabinet with Stereo Cubby, Fold-Away Aluminum Work Bench, Fold-Away Padded Sitting Bench, Utility Shelf with Coat Rack and Removable Bin			
Cargo Control	(3) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(12) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings		(4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	
Interior Accessories		Brite Aluminum Mirror, Cup Holder			
Connector Plug	Round 7-pin Blade				
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading			(1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant	
12v Electrical	USB Port and Receptacle	12 Volt DC 24 Battery, 38 Gallon Fuel System, 45 Amp Charge Wizard, Master Shutoff Switch, Stereo with 4 Speakers, USB Port and Receptacle			
110v Electrical		15 Amp Inlet and Interior Outlet			
HVAC	(2) 30 lb. Propane Bottles (Tongue Mounted), 8,000 BTU Radiant Heater	(2) 30 lb. Propane Bottles (Tongue Mounted), 40,000 BTU Forced Air Furnace, Boot and Glove Dryer			
DIMENSIONS					
Overall Length	368"				
Deck Length	334"			336"	
Deck Width	96"				
Deck Height	22"				
Coupler Height	17 - 24"				



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# XTREME SPORT ROUND TOP V-NOSE 10K

	8.5 x 20	8.5 x 20	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 24
Model #	R10220XTSPH-100	R10220XTSPD-100	R10220XTSP-100	R10222XTSPH-100	R10224XTSPD-100	R10224XTSP-100
SKU #	2M2R100	1M6R600	1M4R350	2M2R000	1M8R000	1M5R375
MSRP	\$29,466	\$22,133	\$19,133	\$29,333	\$24,000	\$20,500
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5200					
Curb Weight	3390		3090	3390	3790	3490
Payload	6510		6810	6510	6110	6410
CHASSIS						
Frame	6", 4.4 lb/ft I-Beam					
Tongue	6" x 2" Steel Triple Tube, 6" x 2" Steel Tube with Center Drawbar					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop-Leg, Frame Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Galvanized Steel Tube, 16" On-Center					
Front Profile	48" Aero Wedge					
Beavertail	32"			48"		
Ramp(s)	4000 lb. with Assist, 72" Front Wedge Wrap Around with Assist, Edge Glide Hinge Covers (Both Ramps), Traction Bars (Both Ramps)					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)					
Access Doors	14" x 14" Fuel					
Vents	(2) 12V Roof, Sidewall Airflow	(2) Manual Roof, Sidewall Airflow		(2) 12V Roof, Sidewall Airflow	(2) Manual Roof, Sidewall Airflow	
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Torsion Brake, (45° Down)					
Hubs	Easy Lube					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Aluminum	15", 6-Hole Steel		15", 6-Hole Aluminum	15", 6-Hole Steel	
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 6" ATP Bottom Skirting, Color Matching Rear Hoop					
Stone Guard	24" ATP, ATP Front Ramp Hinge Cover					
Roof	Round Top Galvanized					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.







**XTREME SPORT  
ROUND TOP V-NOSE 10K**

	8.5 x 20	8.5 x 20	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 24
<b>Roof Cap</b>	Custom Formed Fiberglass					
<b>Exterior Storage</b>	Under-Chassis Spare Tire Winch					
<b>Interior Walls</b>	Insulation, White Azdel Onboard® Composite					
<b>Interior Trim</b>	ATP Kickplate, 12" Tall, Vinyl Wall Transitions					
<b>Ceiling</b>	Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with ABS Coves					
<b>Flooring</b>	3/4" Poly-Tread Laminate					
<b>Wheel Box</b>	4" Tapered Drive-over with Ski Guides					
<b>Interior Lights</b>	(6) LED Low Profile Strip	(4) LED Low Profile Strip	(2) LED Low Profile Strip	(6) LED Low Profile Strip	(4) LED Low Profile Strip	(2) LED Low Profile Strip
<b>Fixtures</b>	8' Heated Helmet Cabinet with Stereo Cubby, Fold-Away Aluminum Work Bench, Fold-Away Padded Sitting Bench, Utility Shelf with Coat Rack and Removable Bin	4' Helmet Cabinet, Fold-Away Aluminum Work Bench, Utility Shelf with Coat Rack and Removable Bin		8' Heated Helmet Cabinet with Stereo Cubby, Fold-Away Aluminum Work Bench, Fold-Away Padded Sitting Bench, Utility Shelf with Coat Rack and Removable Bin	4' Helmet Cabinet, Fold-Away Aluminum Work Bench, Utility Shelf with Coat Rack and Removable Bin	
<b>Cargo Control</b>	(12) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(3) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(12) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(3) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings
<b>Interior Accessories</b>	Brite Aluminum Mirror, Cup Holder			Brite Aluminum Mirror, Cup Holder		
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	(1) Front LED Loading, (2) Rear LED Loading		(1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant	(1) Front LED Loading, (2) Rear LED Loading		(1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant
<b>12v Electrical</b>	12 Volt DC 24 Battery, 38 Gallon Fuel System, 45 Amp Charge Wizard, Master Shutoff Switch, Stereo with 4 Speakers, USB Port and Receptacle	USB Port and Receptacle		12 Volt DC 24 Battery, 38 Gallon Fuel System, 45 Amp Charge Wizard, Master Shutoff Switch, Stereo with 4 Speakers, USB Port and Receptacle	USB Port and Receptacle	

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**XTREME SPORT  
ROUND TOP V-NOSE 10K**

	8.5 x 20	8.5 x 20	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 24
<b>110v Electrical</b>	15 Amp Inlet and Interior Outlet			15 Amp Inlet and Interior Outlet		
<b>HVAC</b>	(2) 30 lb. Propane Bottles (Tongue Mounted), 40,000 BTU Forced Air Furnace, Boot and Glove Dryer	(2) 30 lb. Propane Bottles (Tongue Mounted), 8,000 BTU Radiant Heater		(2) 30 lb. Propane Bottles (Tongue Mounted), 40,000 BTU Forced Air Furnace, Boot and Glove Dryer	(2) 30 lb. Propane Bottles (Tongue Mounted), 8,000 BTU Radiant Heater	
<b>DIMENSIONS</b>						
<b>Overall Length</b>	272"			296"	320"	
<b>Deck Length</b>	238"		240"	262"	286"	288"
<b>Deck Width</b>	96"					
<b>Deck Height</b>	22"					
<b>Coupler Height</b>	17 - 24"					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# XTREME SPORT ROUND TOP V-NOSE 10K

	8.5 x 24	8.5 x 28	8.5 x 28	8.5 x 28
Model #	R10224XTSPH-100	R10228XTSPH-100	R10228XTSP-100	R10228XTSPD-100
SKU #	2M3R100	2M4R100	1M6R350	1M9R000
MSRP	\$30,800	\$32,133	\$21,800	\$25,333
CAPACITIES				
GVWR (lbs)	9900			
GAWR (lbs/axle)	5200			
Curb Weight	3790	4190	3890	4190
Payload	6110	5710	6010	5710
CHASSIS				
Frame	6", 4.4 lb/ft I-Beam			
Tongue	6" x 2" Steel Triple Tube, 6" x 2" Steel Tube with Center Drawbar			
Crossmembers	Formed Steel, 16" On-Center			
Coupler	2-5/16" Adjustable			
Safety Chains	DOT Compliant			
Tongue Jack	7K Drop-Leg, Frame Mounted			
Wall Studs	Steel Tube, 16" On-Center			
Roof Bows	Galvanized Steel Tube, 16" On-Center			
Front Profile	48" Aero Wedge			
Beavertail	48"			
Ramp(s)	4000 lb. with Assist, 72" Front Wedge Wrap Around with Assist, Edge Glide Hinge Covers (Both Ramps), Traction Bars (Both Ramps)			
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)			
Access Doors	14" x 14" Fuel			
Vents	(2) 12V Roof, Sidewall Airflow		(2) Manual Roof, Sidewall Airflow	
Fenders	Aluminum Treadplate			
Axle	(2) 5200 lb. Torsion Brake, (45° Down)			
Hubs	Easy Lube			
Tires	ST225/75R15D 8-PR			
Wheels	15", 6-Hole Aluminum		15", 6-Hole Steel	
Exterior Finish	.030" Aluminum			
Undercoating	Asphalt-based			
Protective Coating(s)	Textured Polyurea all Exposed Steel			
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)			
Exterior Trim	.080 Aluminum Roof Cove, 6" ATP Bottom Skirting, Color Matching Rear Hoop			
Stone Guard	24" ATP, ATP Front Ramp Hinge Cover			
Roof	Round Top Galvanized			
Roof Cap	Custom Formed Fiberglass			
Exterior Storage	Under-Chassis Spare Tire Winch			
Interior Walls	Insulation, White Azdel Onboard® Composite			
Interior Trim	ATP Kickplate, 12" Tall, Vinyl Wall Transitions			

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





# XTREME SPORT ROUND TOP V-NOSE 10K

8.5 x 24		8.5 x 28		8.5 x 28		8.5 x 28		
Ceiling	Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with ABS Coves							
Flooring	3/4" Poly-Tread Laminate							
Wheel Box	4" Tapered Drive-over with Ski Guides							
Interior Lights	(6) LED Low Profile Strip			(2) LED Low Profile Strip		(4) LED Low Profile Strip		
Fixtures	8' Heated Helmet Cabinet with Stereo Cubby, Fold-Away Aluminum Work Bench, Fold-Away Padded Sitting Bench, Utility Shelf with Coat Rack and Removable Bin					4' Helmet Cabinet, Fold-Away Aluminum Work Bench, Utility Shelf with Coat Rack and Removable Bin		
Cargo Control	(12) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings			(4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings		(3) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings		
Interior Accessories	Brite Aluminum Mirror, Cup Holder							
Connector Plug	Round 7-pin Blade							
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading			(1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant		(1) Front LED Loading, (2) Rear LED Loading		
12v Electrical	12 Volt DC 24 Battery, 38 Gallon Fuel System, 45 Amp Charge Wizard, Master Shutoff Switch, Stereo with 4 Speakers, USB Port and Receptacle					USB Port and Receptacle		
110v Electrical	15 Amp Inlet and Interior Outlet							
HVAC	(2) 30 lb. Propane Bottles (Tongue Mounted), 40,000 BTU Forced Air Furnace, Boot and Glove Dryer					(2) 30 lb. Propane Bottles (Tongue Mounted), 8,000 BTU Radiant Heater		
DIMENSIONS								
Overall Length	320"		368"					
Deck Length	286"		334"		336"		334"	
Deck Width	96"							
Deck Height	22"							
Coupler Height	17 - 24"							

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





# XTREME SPORT ROUND TOP V-NOSE 14K

	8.5 x 20	8.5 x 20	8.5 x 20	8.5 x 24	8.5 x 24	8.5 x 24
Model #	R10220XTSP-140	R10220XTSPH-140	R10220XTSPD-140	R10224XTSPH-140	R10224XTSP-140	R10224XTSPD-140
SKU #	1M5R000	2M3R000	1M7R500	2M4R000	1M6R000	1M8R500
MSRP	\$20,000	\$30,666	\$23,333	\$32,000	\$21,333	\$24,666
CAPACITIES						
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
Curb Weight	3140	3440		3840	3540	3840
Payload	10860	10560		10160	10460	10160
CHASSIS						
Frame	6", 4.4 lb/ft I-Beam					
Tongue	6" x 2" Steel Triple Tube, 6" x 2" Steel Tube with Center Drawbar					
Crossmembers	Formed Steel, 16" On-Center					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop-Leg, Frame Mounted					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Galvanized Steel Tube, 16" On-Center					
Front Profile	48" Aero Wedge					
Beavertail	32"			48"		
Ramp(s)	4000 lb. with Assist, 72" Front Wedge Wrap Around with Assist, Edge Glide Hinge Covers (Both Ramps), Traction Bars (Both Ramps)					
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)					
Access Doors	14" x 14" Fuel					
Vents	(2) Manual Roof, Sidewall Airflow	(2) 12V Roof, Sidewall Airflow	(2) Manual Roof, Sidewall Airflow	(2) 12V Roof, Sidewall Airflow	(2) Manual Roof, Sidewall Airflow	
Fenders	Aluminum Treadplate					
Axle	(2) 7000 lb. Torsion Brake, (45° Down)					
Hubs	Easy Lube					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Steel	16", 8-Hole Aluminum	16", 8-Hole Steel	16", 8-Hole Aluminum	16", 8-Hole Steel	
Exterior Finish	.030" Aluminum					
Undercoating	Asphalt-based					
Protective Coating(s)	Textured Polyurea all Exposed Steel					
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)					
Exterior Trim	.080 Aluminum Roof Cove, 6" ATP Bottom Skirting, Color Matching Rear Hoop					
Stone Guard	24" ATP, ATP Front Ramp Hinge Cover					

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XTREME SPORT  
ROUND TOP V-NOSE 14K**

	8.5 x 20	8.5 x 20	8.5 x 20	8.5 x 24	8.5 x 24	8.5 x 24
<b>Roof</b>	Round Top Galvanized					
<b>Roof Cap</b>	Custom Formed Fiberglass					
<b>Exterior Storage</b>	Under-Chassis Spare Tire Winch					
<b>Interior Walls</b>	Insulation, White Azdel Onboard® Composite					
<b>Interior Trim</b>	ATP Kickplate, 12" Tall, Vinyl Wall Transitions					
<b>Ceiling</b>	Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with ABS Coves					
<b>Flooring</b>	3/4" Poly-Tread Laminate					
<b>Wheel Box</b>	4" Tapered Drive-over with Ski Guides					
<b>Interior Lights</b>	(2) LED Low Profile Strip	(6) LED Low Profile Strip	(4) LED Low Profile Strip	(6) LED Low Profile Strip	(2) LED Low Profile Strip	(4) LED Low Profile Strip
<b>Fixtures</b>		8' Heated Helmet Cabinet with Stereo Cubby, Fold-Away Aluminum Work Bench, Fold-Away Padded Sitting Bench, Utility Shelf with Coat Rack and Removable Bin	4' Helmet Cabinet, Fold-Away Aluminum Work Bench, Utility Shelf with Coat Rack and Removable Bin	8' Heated Helmet Cabinet with Stereo Cubby, Fold-Away Aluminum Work Bench, Fold-Away Padded Sitting Bench, Utility Shelf with Coat Rack and Removable Bin		4' Helmet Cabinet, Fold-Away Aluminum Work Bench, Utility Shelf with Coat Rack and Removable Bin
<b>Cargo Control</b>	(4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(12) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(3) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(12) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(3) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings
<b>Interior Accessories</b>		Brite Aluminum Mirror, Cup Holder		Brite Aluminum Mirror, Cup Holder		
<b>Connector Plug</b>	Round 7-pin Blade					
<b>Exterior Lights</b>	(1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant	(1) Front LED Loading, (2) Rear LED Loading			(1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant	(1) Front LED Loading, (2) Rear LED Loading
<b>12v Electrical</b>		12 Volt DC 24 Battery, 38 Gallon Fuel System, 45 Amp Charge Wizard, Master Shutoff Switch, Stereo with 4 Speakers, USB Port and Receptacle	USB Port and Receptacle	12 Volt DC 24 Battery, 38 Gallon Fuel System, 45 Amp Charge Wizard, Master Shutoff Switch, Stereo with 4 Speakers, USB Port and Receptacle		USB Port and Receptacle

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**XTREME SPORT  
ROUND TOP V-NOSE 14K**

	8.5 x 20	8.5 x 20	8.5 x 20	8.5 x 24	8.5 x 24	8.5 x 24
<b>110v Electrical</b>		15 Amp Inlet and Interior Outlet		15 Amp Inlet and Interior Outlet		
<b>HVAC</b>		(2) 30 lb. Propane Bottles (Tongue Mounted), 40,000 BTU Forced Air Furnace, Boot and Glove Dryer	(2) 30 lb. Propane Bottles (Tongue Mounted), 8,000 BTU Radiant Heater	(2) 30 lb. Propane Bottles (Tongue Mounted), 40,000 BTU Forced Air Furnace, Boot and Glove Dryer		(2) 30 lb. Propane Bottles (Tongue Mounted), 8,000 BTU Radiant Heater
<b>DIMENSIONS</b>						
<b>Overall Length</b>		272"		320"		
<b>Deck Length</b>	240"	238"		286"	288"	286"
<b>Deck Width</b>			96"			
<b>Deck Height</b>			22"			
<b>Coupler Height</b>			17 - 24"			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



# XTREME SPORT ROUND TOP V-NOSE 14K

	8.5 x 28	8.5 x 28	8.5 x 28
Model #	R10228XTSPH-140	R10228XTSPD-140	R10228XTSP-140
SKU #	2M5R000	1M9R500	1M7R000
MSRP	\$33,333	\$26,000	\$22,666
CAPACITIES			
GVWR (lbs)	14000		
GAWR (lbs/axle)	7000		
Curb Weight	3940	4240	3940
Payload	10060	9760	10060
CHASSIS			
Frame	6", 4.4 lb/ft I-Beam		
Tongue	6" x 2" Steel Triple Tube, 6" x 2" Steel Tube with Center Drawbar		
Crossmembers	Formed Steel, 16" On-Center		
Coupler	2-5/16" Adjustable		
Safety Chains	DOT Compliant		
Tongue Jack	7K Drop-Leg, Frame Mounted		
Wall Studs	Steel Tube, 16" On-Center		
Roof Bows	Galvanized Steel Tube, 16" On-Center		
Front Profile	48" Aero Wedge		
Beavertail	48"		
Ramp(s)	4000 lb. with Assist, 72" Front Wedge Wrap Around with Assist, Edge Glide Hinge Covers (Both Ramps), Traction Bars (Both Ramps)		
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback, Installed Roadside (Driver Side)		
Access Doors	14" x 14" Fuel		
Vents	(2) 12V Roof, Sidewall Airflow	(2) Manual Roof, Sidewall Airflow	
Fenders	Aluminum Treadplate		
Axle	(2) 7000 lb. Torsion Brake, (45° Down)		
Hubs	Easy Lube		
Tires	ST235/80R16E 10-PR		
Wheels	16", 8-Hole Aluminum	16", 8-Hole Steel	
Exterior Finish	.030" Aluminum		
Undercoating	Asphalt-based		
Protective Coating(s)	Textured Polyurea all Exposed Steel		
Exterior Fastening	Color Matching Screws on Seams, VHB Bonded Field (Semi-Screwless)		
Exterior Trim	.080 Aluminum Roof Cove, 6" ATP Bottom Skirting, Color Matching Rear Hoop		
Stone Guard	24" ATP, ATP Front Ramp Hinge Cover		
Roof	Round Top Galvanized		
Roof Cap	Custom Formed Fiberglass		
Exterior Storage	Under-Chassis Spare Tire Winch		
Interior Walls	Insulation, White Azdel Onboard® Composite		
Interior Trim	ATP Kickplate, 12" Tall, Vinyl Wall Transitions		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.







**XTREME SPORT  
ROUND TOP V-NOSE 14K**

	8.5 x 28	8.5 x 28	8.5 x 28
<b>Ceiling</b>	Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with ABS Coves		
<b>Flooring</b>	3/4" Poly-Tread Laminate		
<b>Wheel Box</b>	4" Tapered Drive-over with Ski Guides		
<b>Interior Lights</b>	(6) LED Low Profile Strip	(4) LED Low Profile Strip	(2) LED Low Profile Strip
<b>Fixtures</b>	8' Heated Helmet Cabinet with Stereo Cubby, Fold-Away Aluminum Work Bench, Fold-Away Padded Sitting Bench, Utility Shelf with Coat Rack and Removable Bin	4' Helmet Cabinet, Fold-Away Aluminum Work Bench, Utility Shelf with Coat Rack and Removable Bin	
<b>Cargo Control</b>	(12) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(3) Forged Hooks, (4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings	(4) 5000 lb. Recessed D-Rings, Xtreme Slide Track with (8) D-Rings
<b>Interior Accessories</b>	Brite Aluminum Mirror, Cup Holder		
<b>Connector Plug</b>	Round 7-pin Blade		
<b>Exterior Lights</b>	(1) Front LED Loading, (2) Rear LED Loading		(1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant
<b>12v Electrical</b>	12 Volt DC 24 Battery, 38 Gallon Fuel System, 45 Amp Charge Wizard, Master Shutoff Switch, Stereo with 4 Speakers, USB Port and Receptacle	USB Port and Receptacle	
<b>110v Electrical</b>	15 Amp Inlet and Interior Outlet		
<b>HVAC</b>	(2) 30 lb. Propane Bottles (Tongue Mounted), 40,000 BTU Forced Air Furnace, Boot and Glove Dryer	(2) 30 lb. Propane Bottles (Tongue Mounted), 8,000 BTU Radiant Heater	
<b>DIMENSIONS</b>			
<b>Overall Length</b>	368"		
<b>Deck Length</b>	334"		336"
<b>Deck Width</b>	96"		
<b>Deck Height</b>	22"		
<b>Coupler Height</b>	17 - 24"		

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**PACKAGES**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M2R	RUPGEN1012	Exterior Blackout Package	\$46	FT
		Black ATP Stoneguard, Fenders, and 6" Bottom Skirting		
		Black Top Rail/Roof Cove, Drip Rail, Ramp Rail, and J-Rail Extrusions		
		Black Door Frame, Hasps, Barlocks, Ramp Handles	\$500	KIT
		Blackout Xtreme Sport Snow Vinyl Graphics		
1M1R00	RUPGEN1013	Diamond Peak Off-Road Package	\$1,571	EA
		Apex Off-Road Tires on Black Steel Wheels		
		30"W x 15"H Window, 15" Fuel Door		
		4' ATP Helmet Cabinet, Dual Fuel Can and Broom Holders		
		Available on Side by Side Trailers Only		
4M0R	RUPGEN1015	Interior Accent Package	\$57	FT
		Specify Match Exterior Color or Black on the Following:		
		Interior Ceiling Cove		
		Interior Ramp Spring Covers and Interior Trim		
		Aluminum Cabinets (Where Applicable)		

**COUPLER**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
2M2R5	RUPGEN1050	Adjustable 2-5/16 Coupler w/7K Dropleg Jack	\$321	EA
2M2R5	RUPGEN1051	Adjustable Pintle w/7K Dropleg Jack	\$321	EA
5M6R5	RUPGEN1052	Upgrade to Bulldog Adjustable Coupler XTSP	\$807	EA

**TONGUE**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
9M0R	RUPGEN1053	Extended Tongue 6 inch	\$129	EA
1M1R0	RUPGEN1054	Extended Tongue 12 Inch	\$157	EA
1M2R5	RUPGEN1049	Third Member added to Standard Tongue	\$179	EA

**TONGUE JACKS**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M0R	RUPGEN1209	Setback Jack, 2K	\$43	EA
1M1R5	RUPGEN1043	Dropleg Jack 7K	\$164	EA
3M2R5	RUPGEN1047	Electric Tongue Jack 3.5K (Connected to 7-Way)	\$464	EA
7M5R0	RUPGEN1048	Electric Tongue Jack w/Battery 3.5K	\$1,071	EA

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

**FRAME**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
1M5R	RUPGEN1058	Reduce Height 6 inch	\$21	FT
1M6R	RUPGEN1059	Additional Height 6 Inch	\$22	FT
2M6R	RUPGEN1060	Additional Height 12 Inch	\$37	FT
3M6R	RUPGEN1061	Additional Height 18 Inch	\$51	FT
7M0R	RUPGEN1062	Additional Height 24 Inch	\$100	FT
8MR	RUPGEN1217	Wind Bracing of Side Walls or Ceiling	\$11	FT
9MR	RUPGEN1218	Gusset Wall Posts to Frame Structure	\$13	FT
8MR	RUPGEN1055	Crossmember Upgrade, 24in OC to 16in OC	\$11	FT
1M2R	RUPGEN1056	Crossmember Upgrade, 24in OC to 12in OC	\$17	FT
8MR	RUPGEN1057	Crossmember Upgrade, 16in OC to 12in OC	\$11	FT
8MR	RUPGEN1212	Roof Bow Upgrade, 16in OC to 12in OC	\$11	FT
8MR	RUPGEN1017	Roof Bow Upgrade, 24in OC to 16in OC	\$11	FT
8MR	RUPGEN1018	Roof Bow Upgrade, 24in OC to 12in OC	\$11	FT
7MR	RUPGEN1020	Wall Stud Upgrade, 24in OC to 16in OC	\$10	FT
8MR	RUPGEN1021	Wall Stud Upgrade, 16in OC to 12in OC	\$11	FT
3M0R	RUPGEN1063	Dust Resistant Side Walls	\$43	FT
2M6R0	RUPGEN1022	Frame Lift 4 inch	\$371	EA
1M7R0	RUPGEN1016	Rear Bogey Wheels, Casters Under Frame	\$243	PAIR

**AXLE**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M0R5	RUPGEN1023	Equa-Flex Spring Equalizer Upgrade	\$436	KIT
1M7R0	RUPGEN1225	Torsion Idler Axle Upgrade 3K GVWR (3.5K x 1)	\$243	EA
1M7R0	RUPGEN1225	Torsion Brake Axle Upgrade 3.5K GVWR (3.5K x 1)	\$243	EA
3M3R0	RUPGEN1024	Torsion Axle Upgrade 7K GVWR (3.5K x 2)	\$471	EA
5M7R0	RUPGEN1025	Torsion Axle Upgrade 10K GVWR( 5.2K x 2)	\$814	EA
6M0R0	RUPGEN1026	Torsion Axle Upgrade 14K GVWR (7K x 2)	\$857	EA
7M2R5	RUPGEN1246	Surge Brake Upgrade	\$1,036	EA

**WHEELS**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
1M4R0	RUPGEN1276	Upgrade to Aluminum Wheels (205/75R14 LRC)	\$200	AXLE
1M2R0	RUPGEN1028	Upgrade to Aluminum Wheels (205/75R15 LRC)	\$171	AXLE
1M4R0	RUPGEN1029	Upgrade to Aluminum Wheels (225/75R15 LRD)	\$200	AXLE
1M6R5	RUPGEN1030	Upgrade to Aluminum Wheels (235/80R16 LRE)	\$236	AXLE
2M4R5	RUPGEN1031	Upgrade to Apex Off-Road Tires	\$350	AXLE

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## SPARE TIRES

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
1M3R5	RUPGEN1035	Spare Wheel Assembly Black Steel 205/75R15 LRC 1820 lb	\$193	EA
1M6R5	RUPGEN1036	Spare Wheel Assembly Black Steel 225/75R15 LRD 2540 lb	\$236	EA
1M9R5	RUPGEN1037	Spare Wheel Assembly Black Steel 235/80R16 LRE 3500 lb	\$279	EA
2M0R5	RUPGEN1038	Spare Wheel Assembly Black Alum 205/75R15 LRC 1820 lb	\$293	EA
2M2R5	RUPGEN1039	Spare Wheel Assembly Black Alum 225/75R15 LRD 2540 lb	\$321	EA
2M7R5	RUPGEN1040	Spare Wheel Assembly Black Alum 235/80R16 LRE 3500 lb	\$393	EA
3M7R7	RUPGEN1243	Spare Wheel Assembly Silver Steel 215/75R17.5 LTH 4805 lb	\$539	EA
3M0R0	RUPGEN1041	Spare Wheel Assembly Black Steel Apex 5 Lug 235/75R15 LRC 2420 lb	\$429	EA
3M0R0	RUPGEN1042	Spare Wheel Assembly Black Steel Apex 6 Lug 235/75R15 LRD 2910 lb	\$429	EA

## TORQUE VALUES

STUD SIZE	LUG TYPE	TORQUE (FT LBS)	TIRE SIZE	WHEEL TYPE	BOLT PATTERN
1/2"	Coned	75 - 85	14"	Steel/Aluminum	5 on 4 1/2"
1/2"	Coned	90 - 120	15"	Steel	5 on 4 1/2" or 6 on 5 1/2"
1/2"	Coned	90 - 100	15"	Aluminum	5 on 4 1/2" or 6 on 5 1/2"
9/16"	Coned	120 - 140	16"	Steel/Aluminum	8 on 6 1/2"

## TIRE LOAD RANGE CHART

TIRE SIZE	LOAD RANGE	LOAD RATING
20.5x8-10	E 10-PLY	1650 @ 90 PSI
175/85R13	C 6-PLY	1360 @ 50 PSI
205/75R14	C 6-PLY	1760 @ 50 PSI
205/75R15	C 6-PLY	1820 @ 50 PSI
225/75R15	D 8-PLY	2540 @ 50 PSI
235/75R15	D 8-PLY	2910 @ 65 PSI
235/80R16	E 10-PLY	3520 @ 80 PSI
235/85R16	G 14-PLY	3750 @ 110 PSI
215/75R17.5	H 16-PLY	4805 @ 125 PSI

## SPARE MOUNTS

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
9M0R	RUPGEN1032	Interior Spare Tire Mount	\$129	EA
1M1R3	RUPGEN1033	Exterior Spare Tire Mount	\$161	EA
0MR	RUPGEN1034	Move Spare Mount from Standard Location	\$0	EA
3M0R0	RUPGEN1239	Spare Tire Winch Mounted Under Chassis (I-Beam Frame Only)	\$429	EA
8M5R	RUPGEN1242	Spare Tire Mount on Tongue	\$121	EA

### SPARE MOUNTS:

INTERIOR - roadside, rear of trailer as high as possible

## REAR JACKS

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
4M5R	RUPGEN1044	Stabilizer Jacks, 1K Fold-Down	\$64	PAIR
1M3R0	RUPGEN1045	Stabilizer Jacks, HD 7K (Scissor Style)	\$186	PAIR

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## EXTERIOR COLORS

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
0MR	RUPGEN1000	Color Option, 030 Crystal White	\$0	FT
0MR	RUPGEN1001	Color Option, 030 Black	\$0	FT
0MR	RUPGEN1003	Color Option, 030 Silver	\$0	FT
0MR	RUPGEN1004	Color Option, 030 Charcoal	\$0	FT
8MR	RUPGEN1005	Color Option, 030 Victory Red	\$11	FT
8MR	RUPGEN1008	Color Option, 030 Dove Gray	\$11	FT
8MR	RUPGEN1009	Color Option, 030 Indigo Blue	\$11	FT
8MR	RUPGEN1010	Color Option, 030 Champagne Beige	\$11	FT
8MR	RUPGEN1002	Color Option, 030 Matte Black	\$11	FT
8MR	RUPGEN1006	Color Option, 030 Schneider Orange	\$11	FT
8MR	RUPGEN1007	Color Option, 030 Penske Yellow	\$11	FT
5M0R	RUPGEN1011	Color Option, 050 White	\$71	FT

BRANDYWINE	CHAMPAGNE BEIGE	CHARCOAL	SILVER	DOVE GRAY	BLACK
WHITE	INDIGO BLUE	MATTE BLACK	PENSKE YELLOW	SCHNEIDER ORANGE	VICTORY READ

## EXTERIOR UPGRADES

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
1M5R	RUPGEN1019	Screwless Bonded Exterior VHB	\$21	FT
8MR	RUPGEN1220	Two Tone Exterior Color	\$11	FT
1M5R0	RUPGEN1248	Upgrade to 36 Inch Stoneguard	\$214	EA
1M5R0	RUPGEN1226	Upgrade to 48in Stone Guard	\$214	EA
2M2R5	RUPGEN1068	Round Front Bright Anodized Corners	\$321	EA
1M5R0	RUPGEN1069	V-Nose Bright Anodized Cap	\$214	EA
1M0R	RUPGEN1070	ATP Skirting/Trim 6 Inch	\$14	FT
3M5R	RUPGEN1071	ATP Skirting/Trim 24 Inch	\$50	FT

**SIDE DOORS**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
1M5R0	RUPGEN1120	Upgrade 32 Inch Prehung Door to 36 Inch Prehung Door	\$214	EA
2M0R0	RUPGEN1227	Upgrade 32 IN Prehung Door to 48 IN	\$286	EA
5M2R5	RUPGEN1117	Upgrade Prehung Door to RV Door w/ Window and Screen Door	\$750	EA
4M4R5	RUPGEN1228	Add Entry Door to 5 Wide (Add 6 Hgt to Xpres, Add 12 Hgt to Xcel Required)	\$636	EA
4M8R5	RUPGEN1118	Additional 32 Inch Wide Prehung Door	\$693	EA
5M2R5	RUPGEN1213	Additional 36 Inch Wide Prehung Door	\$750	EA
7M2R5	RUPGEN1119	Additional 32 Inch RV Door w/Window and Screen Door	\$1,036	EA
8M1R5	RUPGEN1214	Additional 36 Inch RV Door w/Window and Screen Door	\$1,164	EA
-M5R5	RUPGEN1121	Delete Entry Door	-\$79	EA
1M5R0	RUPGEN1234	Delete Interior Step at Side Entry Door	\$214	EA
1M0R0	RUPGEN1241	Move Side Door From Standard Curbside/Roadside Location to Opposite Side	\$143	EA
1M7R5	RUPGEN1126	RV Pull-Out Single Step	\$250	EA
7M5R	RUPGEN1115	Add 45 Inch Barlock to Prehung Side Door	\$107	EA
1M2R5	RUPGEN1235	Barlock over Entry Door w/ Vice Lock	\$179	EA
1M0R0	RUPGEN1125	Key all Lock Cylinders on All Doors Alike	\$143	EA
9M5R0	RUPGEN1129	Side Ramp Door	\$1,357	EA
1M0R75	RUPGEN1127	Double Prehung Door 60 Inch	\$1,536	EA
4M0R0	RUPGEN1128	Prehung Escape Door w/Flushlock , 48 x 54 Inch	\$571	EA
1M2R5	RUPGEN1130	Fuel Door 15 x 15 w/Flush Lock	\$179	EA

**ESCAPE DOOR STANDARD LOCATION:**

48 x 54" - roadside, centered over fender, 2" above fender.

**RAMP DOOR CAPACITIES**

	8.5w	8.5w SD	6w/7w	6w SD	7w SD	SBS	SBS SD
STD Hgt	4000	5028	2298	2769	5245	3019	4845
+6 Hgt	3695	4645	2116	2550	4829	2797	4488
+12 Hgt	3433	4316	1961	2363	4475	2605	4181
+18 Hgt	3206	4031	1827	2201	4169	n/a	n/a

**WINDOWS**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M5R0	RUPGEN1162	Sliding Window 30 Wide x 15 Tall Horizontal	\$500	EA
3M5R0	RUPGEN1163	Sliding Window 30 Wide x 22 Tall Horizontal	\$500	EA
4M1R5	RUPGEN1164	Sliding Window 46 Wide x 22 Tall Horizontal	\$593	EA
3M7R5	RUPGEN1165	Sliding Window w/ Egress 30 Wide x 22 Tall Horizontal	\$536	EA
4M1R5	RUPGEN1166	Sliding Window w/Egress 46 Wde x 22 Tall Horizontal	\$593	EA

**WINDOWS STANDARD LOCATION:**

Any size - roadside or curbside, centered over fender, 6" from top wall

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

**VENTS**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M0R	RUPGEN1101	Plastic Sidewall Scoop Vent	\$43	PAIR
1M3R5	RUPGEN1102	Pop-Out Side Vent, 2-Way (Salem Vent)	\$193	PAIR
4M5R	RUPGEN1103	Roof Vent, 14 x 14 Non-Powered w/Int Garnish	\$64	EA
1M0R0	RUPGEN1104	Roof Vent, 14 x 14 12 Volt Powered w/Int Garnish	\$143	EA
4M5R0	RUPGEN1105	Roof Vent, Fantastic 14 x 14 12 Volt Powered w/Int Garnish	\$643	EA
4M5R0	RUPGEN1221	Roof Vent, Fantastic 14 x 14 12 Volt Powered ILO Standard	\$643	EA
1M0R0	RUPGEN1222	Roof Vent, 14 x 14 12 Volt Powered ILO Standard	\$143	EA

**ROOF VENT STANDARD LOCATION:**

- (1) EA. - 3rd roof bay from the front  
(2) EA. - 2nd roof bay from the front and 2nd roof bay from the rear  
(3) EA. - (1) at 2nd roof bay from the front and (1) from the rear, and (1) centered along length of the trailer.

**WALLS**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M0R	RUPGEN1064	Wall Paneling Upgrade, 3/4 Inch from 3/8 Inch	\$43	FT
3M0R	RUPGEN1065	Azdel Superlite Walls in Lieu of 3/8 Walls	\$43	FT
3M5R	RUPGEN1066	Azdel Superlite Overlay	\$50	FT
5M0R	RUPGEN1067	White Aluminum Overlay	\$71	FT
1M5R	RUPGEN1098	Insulate Wall w/ R-6 Reflectix	\$21	FT

**PARTITIONS**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
5M0R0	RUPGEN1142	Solid Partition Wall	\$714	EA
6M2R5	RUPGEN1143	Partition Wall w/Prehung RV Door	\$893	EA
7M0R0	RUPGEN1144	Partition Wall with Pocket Door	\$1,000	EA

**CEILINGS**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M8R	RUPGEN1094	White Vinyl Coated Finished Ceiling	\$54	FT
5M5R	RUPGEN1095	White Aluminum Ceiling Liner	\$79	FT
2M5R	RUPGEN1096	Upgrade to White Aluminum Ceiling from White Vinyl Ceiling	\$36	FT
5MR	RUPGEN1097	Insulate Ceiling w/ R-6 Reflectix	\$7	FT
2M3R	RUPGEN1100	Insulate Ceiling w/ R-6 Reflectix and White Vinyl Ceiling Liner	\$33	FT

**FLOORING**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M8R	RUPGEN1072	Flooring, 2-Layer Engineered Wood	\$54	FT
4M0R	RUPGEN1073	Flooring, Superstratum Laminate Upgrade	\$57	FT
7M0R	RUPGEN1244	Flooring, 2-Layer Eng Wood with Superstratum	\$100	FT
4M0R	RUPGEN1074	Flooring, Black Raised Diamond Tread TPO	\$57	FT
4M5R	RUPGEN1076	ATP 045 over Standard Flooring Upgrade	\$64	FT
3M5R0	RUPGEN1106	ATP 045 over Standard Ramp Flooring Only	\$500	EA
3M5R	RUPGEN1236	Black and White Checker Vinyl Floor	\$50	FT
1M5R	RUPGEN1099	Insulate Floor w/ R-6 Reflectix and Metal Liner	\$21	FT

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



## FIXTURES

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M3R5	RUPGEN1131	Fold-Away Aluminum Work Bench	\$479	EA
3M3R5	RUPGEN1132	Fold-Away Padded Aluminum Sitting Bench	\$479	EA
3M0R0	RUPGEN1133	Aluminum Utility Shelf w/Removable Tray	\$429	EA
4M3R5	RUPGEN1134	ATP 48 Inch Utility Cabinet	\$621	EA
9M2R5	RUPGEN1135	Base Cabinet w/Laminate Countertop 7 Ft	\$1,321	EA
1M0R50	RUPGEN1136	Base Cabinet w/Laminate Countertop 8 Ft	\$1,500	EA
1M4R00	RUPGEN1137	L-Shaped Base Cabinet w/Laminate Countertop	\$2,000	EA
6M0R0	RUPGEN1138	Overhead Wall Cabinet 5 Ft (2-Door)	\$857	EA
6M5R0	RUPGEN1139	Overhead Wall Cabinet 6 Ft (2-Door)	\$929	EA
7M0R0	RUPGEN1140	Overhead Wall Cabinet 7 Ft (3-Door)	\$1,000	EA
7M6R0	RUPGEN1141	Overhead Wall Cabinet 8 Ft (3-Door)	\$1,086	EA

## AWNINGS

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
1M3R25	RUPGEN1147	Manual Awning 12 Ft	\$1,893	EA
1M3R75	RUPGEN1148	Manual Awning 14 Ft	\$1,964	EA
1M4R25	RUPGEN1149	Manual Awning 16 Ft	\$2,036	EA
1M5R00	RUPGEN1150	Manual Awning 18 Ft	\$2,143	EA
1M5R75	RUPGEN1151	Manual Awning 20 Ft	\$2,250	EA

## CARGO CONTROL

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
2M0R	RUPGEN1232	Surface Mount Floor Tie Downs	\$29	EA
1M0R	RUPGEN1233	Surface Mount Wall Rope Ties	\$14	EA
2M5R	RUPGEN1079	Recessed 6K D-Ring w/Weld-In Backer	\$36	EA
4M5R	RUPGEN1080	HD Swivel 6K D-Ring w/Weld-In Backer (16 OC Crossmembers)	\$64	EA
2M3R	RUPGEN1082	E-Track Recessed In Floor	\$33	FT
2M1R	RUPGEN1083	E-Track Recessed In Wall	\$30	FT
1M7R	RUPGEN1084	E-Track Surface Mounted on Floor	\$24	FT
1M5R	RUPGEN1085	E-Track Surface Mounted on Wall	\$21	FT
1M5R	RUPGEN1086	Xtreme Track In Floor	\$21	FT
1M5R	RUPGEN1087	Xtreme Track In Wall	\$21	FT
2M0R	RUPGEN1088	Xtreme Track Floor D-Ring	\$29	EA
2M0R	RUPGEN1089	Xtreme Track Wall Rope Tie	\$29	EA
8M5R	RUPGEN1090	Aluminum Ladder Rack Side Mount	\$121	PAIR
1M3R0	RUPGEN1091	Aluminum Ladder Rack Roof Mount	\$186	EA
1M2R0	RUPGEN1092	Winch Plate Mounted Under Flooring	\$171	EA

## FLOOR D-RINGS STANDARD LOCATION:

- (2) EA. - centered side to side, 4" from front of box and 4" from rear
- (4) EA. - 4 corners of box (>18' length - 1' from rear and 18' from rear.2nd roof bay from the front and 2nd roof bay from the rear
- (6) EA. - 4 corners of box and (2) centered on length of box

## E-TRACK, XTREME TRACK STANDARD LOCATION:

FLOOR - 12" from outside walls on each side to center of track

WALL - 24" above finished floor each side to center of track

## LADDER RACK STANDARD LOCATION:

- (2) EA. - 6" from front and rear of box
- (3) EA. - 6" from front and rear of box and (1) centered
- (4) EA. - 6" from front and rear of box and equally spaced

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.





**ELECTRICAL PACKAGES**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
9M5R0	RUPGEN1202	Electrical Package, 30 Amp 45A RV Panel Converter/Charger w/ 30A Inlet, and 25ft 30A Shore Cable (2) 48" Wraparound LED Lights w/ (1) Switch (2) 15A Interior Outlets	\$1,357	EA
1M7R00	RUPGEN1203	Electrical Package, 50 Amp 60A RV Panel Converter/Charger w/ 50A Inlet, and 25ft 50A Shore Cable (4) 48" Wraparound LED Lights w/ (2) Switches (4) 15A Interior Outlets and (2) 15A Exterior GFCI Outlets	\$2,429	EA
2M3R50	RUPGEN1204	Electrical Package, 60 Amp (12V) 60A RV Panel Converter/Charger w/ 50A Inlet, and 25ft 50A Shore Cable (4) 48" Wraparound LED Lights w/ (2) Switches (4) 15A Interior Outlets and (2) 15A Exterior GFCI Outlets Recessed 12v Deep Cycle Battery and Master Shutoff Switch	\$3,357	EA
1M4R50	RUPGEN1205	Electrical Package, 45 Amp (12V) 45A RV Panel Converter/Charger w/ 30A Inlet, and 25ft 30A Shore Cable (2) 48" Wraparound LED Lights w/ (1) Switch (2) 15A Interior Outlets Recessed 12v Deep Cycle Battery and Master Shutoff Switch	\$2,071	EA
1M7R25	RUPGEN1206	Electrical Package, 12 Volt Recessed 12v Deep Cycle Battery and Master Shutoff Switch 45A Charge Wizard Power Center/Converter/Charger 15A Motorbase Plug w/ Interior Receptacle USB/12v Combo Charger Outlet	\$2,464	EA

**ELECTRICAL PACKAGE STANDARD LOCATION:**

RV LOADCENTER - Curbside between side door and front of box, 6" from top of wall  
MOTORBASE PLUG - Between side door and front of box, 12" from bottom of exterior wall  
4' LIGHTS - Centered side to side on ceiling, evenly spaced front to rear  
INTERIOR OUTLETS -  
• (2) ea. - (1) next to motorbase, (1) on rear curbside wall 12" above finished floor  
• (4) ea. - (2) on roadside wall and (2) on curbside wall, all 12" above finished floor  
3-WAY WALL SWITCHES - (2) ea. curbside, (1) behind side door and (1) 12" from rear, 36" above floor  
GFCI EXTERIOR OUTLETS - Curbside, behind side door, 12" from bottom of exterior wall

**12V UPGRADES**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
2M7R5	RUPGEN1186	Internal 12 Volt Battery w/Vented Box	\$393	EA
3M7R5	RUPGEN1188	Internal Recessed 12 Volt Battery	\$536	EA
6M0R0	RUPGEN1249	Internal Dual Recessed 12 Volt Batteries	\$857	EA
2M9R5	RUPGEN1263	Tongue Mounted 12 Volt Battery w/Vented Box	\$421	EA
3M0R0	RUPGEN1190	Battery Charger/Converter, 45 Amp (Charge Wizard)	\$429	EA
3M0R	RUPGEN1238	Upgrade to 7-Way plug from STD 4-Way on Single Axle	\$43	EA
1M1R05	RUPGEN1183	Stereo Entertainment Center w/4 Speakers Includes Cabinet	\$1,579	EA
7M0R	RUPGEN1185	Charger w/USB Ports, 12V	\$100	EA

**RECESSED BATTERY BOX STANDARD LOCATION:**

INTERIOR - curbside floor in front of entry door

**STEREO SYSTEM:**

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



**SWITCHES**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M5R	RUPGEN1174	Light Switch w/ Cover Plate, 12 Volt or 120 Volt	\$50	EA
7M5R	RUPGEN1175	Light Switch 3-Way, 12 Volt or 120 Volt (Pair)	\$107	PAIR

**LIGHTS**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
3M5R	RUPGEN1167	Extra Dome Light 2.5 Inch x 5.75 Inch LED	\$50	EA
4M0R	RUPGEN1168	Upgrade Standard Dome Light to 20 Inch Low Profile LED Strip Light	\$57	EA
7M5R	RUPGEN1169	Low Pro Deluxe LED Strip Light w/Switch 20 Inch	\$107	EA
1M3R5	RUPGEN1245	Recessed Interior Lights in Aluminum Coving (Round Top w/ Ceiling Liner Only)	\$193	EA
2M2R0	RUPGEN1215	Light, 48in Wraparound LED Fixture	\$314	EA
4M5R	RUPGEN1170	Loading/Porch Light w/Switch	\$64	EA
7M5R	RUPGEN1216	Additional Taillights	\$107	PAIR
7M5R	RUPGEN1173	Upgrade Stop/Turn/Tail Light to Stop/Turn/Tail/Backup	\$107	PAIR
1M2R	RUPGEN1171	Extra Amber LED Bullet Marker/Clearance Light	\$17	EA
1M2R	RUPGEN1172	Extra Red LED Bullet Marker/Clearance Light	\$17	EA
3M0R0	RUPGEN1176	LED Scene Light w/Switch, 12 Volt	\$429	EA

**12V LIGHTS STANDARD LOCATION:**

LOAD LIGHTS - rear header above ramp door or rear doors

PORCH LIGHTS - behind side door even with top of door

**120V UPGRADES**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
8M5R0	RUPGEN1177	Generator Prep Package	\$1,214	EA
2M5R00	RUPGEN1178	Generator Prep Package w/Fuel Tank	\$3,571	EA
7M5R00	RUPGEN1179	Onan Gas Generator Package 5,500 Watt	\$10,714	EA
9M0R	RUPGEN1191	Motorbase Plug w/Interior Outlet, 15 Amp	\$129	EA
1M3R5	RUPGEN1194	Shore Cord 30 Amp 25 ft	\$193	EA
2M1R0	RUPGEN1195	Shore Cord 50 Amp 25 Ft	\$300	EA
3M2R5	RUPGEN1192	Shore Connector w/Panel, 30 Amp	\$464	EA
3M7R5	RUPGEN1193	Shore Connector w/Panel, 50 Amp	\$536	EA
6M0R0	RUPGEN1196	AC/DC RV Loadcenter Charger/Converter, 45 Amp	\$857	EA
7M5R0	RUPGEN1197	AC/DC RV Loadcenter Charger/Converter, 60 Amp	\$1,071	EA
4M0R	RUPGEN1198	Interior Receptacle, 120 Volt	\$57	EA
9M5R	RUPGEN1199	GFCI Exterior Outlet, 120 Volt	\$136	EA
9M5R	RUPGEN1200	GFCI Interior Outlet, 120 Volt	\$136	EA

**GENERATOR BOX STANDARD LOCATION:**

INTERIOR - roadside, front of box on floor

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

**HVAC**

SKU	UPGRADE CODE	DESCRIPTION	MSRP	UOM
1M8R5	RUPGEN1152	Propane Stub	\$264	EA
4M8R5	RUPGEN1153	Twin 30 lb. Propane Tanks w/Tongue Install Kit	\$693	EA
1M2R0	RUPGEN1154	Brace and Wire for Future HVAC (Includes Manual Roof Vent)	\$171	EA
1M1R00	RUPGEN1155	Roof Mounted 13,500 BTU HVAC Unit w/Heat Strip	\$1,571	EA
1M2R00	RUPGEN1156	Roof Mounted 15,000 BTU HVAC Unit w/Heat Strip	\$1,714	EA
2M2R5	RUPGEN1157	Add Remote Wall-Mounted Thermostat for HVAC	\$321	EA
3M6R0	RUPGEN1201	Baseboard Heater w/Thermostat, 4 Ft	\$514	EA
2M6R00	RUPGEN1240	Forced Air Furnace in ATP Box w/ LPG Tanks on Tongue	\$3,714	EA

**HEATER STANDARD LOCATION:**

40K FORCED AIR - curbside, 6" behind door, as high as possible

8K CATALYTIC - curbside, centered between side door and rear of trailer

**AIR CONDITIONER STANDARD LOCATION:**

(1) UNIT (assuming no roof vents) - centered on length of trailer

(2) UNITS (required 50A service) - spaced evenly