



DEALER PRICE BOOK 2025



OUTBACK® DLX CARGO TRAILER
OUTBACK® DLX FLAT TOP V-NOSE CAR HAULER
JOURNEY® SE ROUND TOP ROUND FRONT CARGO TRAILER 19
JOURNEY® SE FLAT TOP V-NOSE CARGO TRAILER
JOURNEY® SE ROUND TOP ROUND FRONT CAR HAULER
JOURNEY® SE FLAT TOP SLOPED V-NOSE CAR HAULER
JOURNEY® SE FLAT TOP V-NOSE MOTORSPORT TRAILER 6
CARGOSPORT® ROUND TOP ROUND FRONT CARGO TRAILER
CARGOSPORT® FLAT TOP AERO WEDGE CARGO TRAILER
CARGOSPORT® FLAT TOP SLOPED V-NOSE ALUMINUM CARGO TRAILER 104
CARGOSPORT® FLAT TOP FLAT FRONT GOOSENECK CARGO TRAILER 11
CARGOSPORT® ROUND TOP ROUND FRONT CAR HAULER
CARGOSPORT® FLAT TOP FLAT FRONT GOOSENECK CAR HAULER 129
CARGOSPORT® FLAT TOP AERO WEDGE CAR HAULER
CARGOSPORT® FLAT TOP V-NOSE ALUMINUM CAR HAULER
CARGOSPORT® FLAT TOP FLAT FRONT RACE TRAILER 15





CARGOSPORT® FLAT TOP FLAT FRONT ALUMINUM RACE TRAILER 176
CARGOSPORT® PURESPORT FLAT TOP AERO WEDGE TRAILER 182
PXT FLAT TOP ROUND FRONT CARGO TRAILER
PXT HAMMER FLAT TOP ROUND FRONT CARGO TRAILER 202
LANDSCAPER ROUND TOP ROUND FRONT CARGO TRAILER 210
SHADOW® GT FLAT TOP FLAT FRONT RACE TRAILER
SHADOW® GT FLAT TOP FLAT FRONT GOOSENECK RACE TRAILER 232
SHADOW® GT FLAT TOP FLAT FRONT STACKER RACE TRAILER 248
HIGHMARK FLAT TOP SLOPED V-NOSE SNOW TRAILER 252
HIGHMARK DELUXE FLAT TOP AERO WEDGE SNOW TRAILER
MOAB UTV TRAILER
OPTIONS 266

Journey, Cargosport, Shadow, Pace American, and Novae are registered trademarks of Novae LLC.





	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Model #	KP6008STSV-030	KP6008STSV-035	KP6010STSV-030	KP6010STSV-035	KP7210STSV-050	KP7210STSV-035
SKU #	2L6P25	3L0P00	2L8P50	3L2P25	3L8P75	3L6P25
MSRP	\$3,500	\$4,000	\$3,800	\$4,300	\$5,166	\$4,833
CAPACITIES						
GVWR (lbs)	2990	3500	2990	3500	5000	3500
GAWR (lbs/axle)		35	00		5200	3500
CHASSIS						
Frame		3" x 2" S	teel Tube		4" x 2" Steel Tube	3" x 2" Steel Tube
Tongue		3" x 2" S	4" x 2" Steel Tube	3" x 2" Steel Tube		
Crossmembers			Formed Steel	, 24" On-Center		
Coupler			2" A	-Frame		
Safety Chains			DOT C	ompliant		
Tongue Jack			2K Coupl	er Mounted		
Wall Studs			Steel Tube,	24" On-Center		
Roof Bows			Steel Tube,	24" On-Center		
Front Profile			V -I	Nose		
Ramp(s)			1500 lb.	with Assist		
Side Door					32" Wide Flush Lo	ck, Wire Holdback
Vents			Sidewa	II Airflow		
Fenders			Smooth	Aluminum		
Axle	3500 lb. Drop	3500 lb. Drop	3500 lb. Drop	3500 lb. Drop	5200 lb. Drop	3500 lb. Drop
	Spring Idler	Spring Brake	Spring Idler	Spring Brake	Spring Brake	Spring Brake
Hubs			Eas	y Lube		
Breakaway		Battery, Switch, and Lanyard		Bar	ttery, Switch, and Lan	yard
Tires		ST205/75	R15C 6-PR		ST225/75R15D 8- PR	ST205/75R15C 6- PR
Wheels		15", 5-H	ole Steel		15", 6-Hole Steel	15", 5-Hole Steel
Exterior Finish		·		luminum		1
Undercoating			Auto	motive		
Exterior Fastening			Color Mate	ching Screws		
Exterior Trim		1.5" Bottom l	Extrusion, 1.5" Top E	xtrusion, Color Matcl	ning Rear Hoop	
Stone Guard			16'	" ATP		
Roof			Flat Top Sean	nless Aluminum		
Interior Walls			Engine	ered Wood		
Interior Trim			Vinyl Wall	Transitions		
Ceiling			Laua	n Strip		
Flooring			3/4" Engir	neered Wood		
Interior Lights			(1)	LED		







	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Switches	(1) Dome Light, 12V					
Connector Plug	Flat 4-pin	Round 7-pin Blade	Flat 4-pin		Round 7-pin Blade	
Exterior Lights	Full LED, DOT Compliant					



2025 Pricing



	6 x 10	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12			
Model #	KP7210STSV- 030	KP7212STSV- 030	KP7212STSV-035	KP7214STSV-030	KP7214STSV- 035	KP8412STSV-035			
SKU #	3L2P50	3L4P25	3L8P00	3L6P00	3L9P75	4L1P75			
MSRP	\$4,333	\$4,566	\$5,066	\$4,800	\$5,300	\$5,566			
CAPACITIES									
GVWR (lbs)	29	2990 3500 2990 3500							
GAWR (lbs/axle)		3500							
CHASSIS									
Frame			3" x 2" Steel Tube			4" x 2" Steel Tube			
Tongue			3" x 2" Steel Tube			4" x 2" Steel Tube			
Crossmembers			Formed Steel,	24" On-Center					
Coupler			2" A-I	rame					
Safety Chains			DOT Co	mpliant					
Tongue Jack			2K Couple	r Mounted					
Wall Studs			Steel Tube, 2	4" On-Center					
Roof Bows			Steel Tube, 2	4" On-Center					
Front Profile			V-N	ose					
Ramp(s)			1500 lb. with Assist			2500 lb. with Assist			
Side Door			32" Wide Flush Lo	ck, Wire Holdback					
Vents			Sidewal	l Airflow					
Fenders			Smooth A	Aluminum					
Axle	3500 lb. Dro	p Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Dro	op Spring Brake			
Hubs			Easy	Lube					
Breakaway			Battery, Switch, and Lanyard		Battery, Swit	ch, and Lanyard			
Tires			ST205/75	R15C 6-PR					
Wheels			15", 5-H	ole Steel					
Exterior Finish			.030" Al	uminum					
Undercoating			Auton	notive					
Exterior Fastening			Color Matcl	ning Screws					
Exterior Trim		1.5" Bott	om Extrusion, 1.5" Top Ex	trusion, Color Matching	Rear Hoop				
Stone Guard			16"	ATP					
Roof			Flat Top Seam	less Aluminum					
Interior Walls				ed Wood					
Interior Trim			Vinyl Wall	Transitions					
Ceiling				n Strip					
Flooring			-	eered Wood					
Interior Lights			(1)	LED					





9/16/24 | 7



OUTBACK DLX FLAT TOP V-NOSE 3K

	6 x 10	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12	
Switches	(1) Dome Light, 12V						
Connector Plug	Flat 4-pin		Round 7-pin Blade Flat 4-pin Round 7-pin Blad				
Exterior Lights	Full LED, DOT Compliant						





	7 x 12
Model #	KP8412STSV-030
SKU #	3L8P00
MSRP	\$5,066
CAPACITIES	
GVWR (lbs)	2990
GAWR (lbs/axle)	3500
CHASSIS	
Frame	3" x 2" Steel Tube, 4" x 2" Steel Tube
Tongue	3" x 2" Steel Tube
Crossmembers	Formed Steel, 24" On-Center
Coupler	2" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 24" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	V-Nose
Ramp(s)	2500 lb. with Assist
Side Door	32" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	3500 lb. Drop Spring Idler
Hubs	Easy Lube
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	Color Matching Screws
Exterior Trim	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop
Stone Guard	16" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Ceiling	Lauan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Flat 4-pin
Exterior Lights	Full LED, DOT Compliant





	6 x 12	6 x 14					
Model #	KP7212STSV-050	KP7214STSV-050					
SKU #	4L0P50	4L2P25					
MSRP	\$5,400	\$5,633					
CAPACITIES							
GVWR (lbs)		5000					
GAWR (lbs/axle)		5200					
CHASSIS							
Frame		4" x 2" Steel Tube					
Tongue		4" x 2" Steel Tube					
Crossmembers	Forn	ned Steel, 24" On-Center					
Coupler		2" A-Frame					
Safety Chains		DOT Compliant					
Tongue Jack		2K Coupler Mounted					
Wall Studs	Ste	eel Tube, 24" On-Center					
Roof Bows	Ste	eel Tube, 24" On-Center					
Front Profile		V-Nose					
Ramp(s)		1500 lb. with Assist					
Side Door	32" Wid	e Flush Lock, Wire Holdback					
Vents		Sidewall Airflow					
Fenders		Smooth Aluminum					
Axle	520	00 lb. Drop Spring Brake					
Hubs		Easy Lube					
Breakaway	Batt	ery, Switch, and Lanyard					
Tires		ST225/75R15D 8-PR					
Wheels		15", 6-Hole Steel					
Exterior Finish		.030" Aluminum					
Undercoating		Automotive					
Exterior Fastening	С	olor Matching Screws					
Exterior Trim	1.5" Bottom Extrusion, 1	.5" Top Extrusion, Color Matching Rear Hoop					
Stone Guard		16" ATP					
Roof	Flat	Top Seamless Aluminum					
Interior Walls		Engineered Wood					
Interior Trim	\	/inyl Wall Transitions					
Ceiling		Lauan Strip					
Flooring	3	3/4" Engineered Wood					
Interior Lights		(1) LED					
Switches		(1) Dome Light, 12V					
Connector Plug		Round 7-pin Blade					
Exterior Lights	Fu	ıll LED, DOT Compliant					





	6 x 12	7 x 12	7 x 14	7 x 16	8.5 x 16	8.5 x 18			
Model #	KP7212STSV-070	KP8412STSV-070	KP8414STSV-070	KP8416STSV-070	KP10216STSV-070	KP10218STSV-070			
SKU #	4L7P75	5L0P55	5L2P50	5L4P45	6L3P00	6L5P50			
MSRP	\$6,366	\$6,740	\$7,000	\$7,260	\$8,400	\$8,733			
CAPACITIES									
GVWR (lbs)			70	00					
GAWR (lbs/axle)		3500							
CHASSIS									
Frame		4" x 2" Sto	eel Tube		6" x 2" S	teel Tube			
Tongue	4" x 2" Steel Tube		6" x 2" Steel Tube		6" x 2" Stee	l Triple Tube			
Crossmembers			Formed Steel,	24" On-Center					
Integrated Step(s)					Interior I	Recessed			
Coupler			2-5/16"	A-Frame					
Safety Chains			DOT Co	mpliant					
Tongue Jack			2K Couple	r Mounted					
Wall Studs			Steel Tube, 2	4" On-Center					
Roof Bows			Steel Tube, 2	4" On-Center					
Front Profile			V-N	lose					
Ramp(s)	1500 lb. with Assist		2500 lb. with Assist		4000 lb. with Assist				
Side Door		32" Wide Flush Loc	k, Wire Holdback		36" Wide Flush Lock, Wire Holdback				
Vents			Sidewal	l Airflow					
Fenders			Smooth /	Aluminum					
Axle			(2) 3500 lb. Dro	op Spring Brake					
Hubs			Easy	Lube					
Breakaway			Battery, Switc	h, and Lanyard					
Tires			ST205/75	R15C 6-PR					
Wheels			15", 5-H	ole Steel					
Exterior Finish			.030" A	uminum					
Undercoating			Autor	notive					
Exterior Fastening			Color Matc	hing Screws					
Exterior Trim		1.5" Bottom E	xtrusion, 1.5" Top Ex	trusion, Color Matcl	hing Rear Hoop				
Stone Guard			16"	ATP					
Roof			Flat Top Seam	less Aluminum					
Interior Walls				ed Wood					
Interior Trim			Vinyl Wall	Transitions					
Ceiling				n Strip					
Flooring			3/4" Engino	eered Wood					
Interior Lights			(1)	LED					
Switches			(1) Dome	Light, 12V					
Connector Plug			Round 7-	pin Blade					







	6 x 12	7 x 12	7 x 14	7 x 16	8.5 x 16	8.5 x 18
Exterior Lights			Full LED, DO	OT Compliant		





	8.5 x 20
Model #	KP10220STSV-070
SKU #	6L8P00
MSRP	\$9,066
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
CHASSIS	
Frame	6" x 2" Steel Tube
Tongue	6" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 24" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	2K Coupler Mounted
Wall Studs	Steel Tube, 24" On-Center
Roof Bows	Steel Tube, 24" On-Center
Front Profile	V-Nose
Ramp(s)	4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	Color Matching Screws
Exterior Trim	1.5" Bottom Extrusion, 1.5" Top Extrusion, Color Matching Rear Hoop
Stone Guard	16" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Ceiling	Lauan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(1) LED
Switches	(1) Dome Light, 12V
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24						
Model #	KP10216STSV-100	KP10218STSV-100	KP10220STSV-100	KP10222STSV-100	KP10224STSV-100						
SKU #	6L8P25	7L0P75	7L3P25	7L6P75	8L0P25						
MSRP	\$9,100	\$9,433	\$9,766	\$10,233	\$10,700						
CAPACITIES											
GVWR (lbs)			9900								
GAWR (lbs/axle)			5000								
CHASSIS											
Frame		6" x 2" Steel Tube									
Tongue			6" x 2" Steel Triple Tube								
Crossmembers		F	ormed Steel, 16" On-Cent	er							
Integrated Step(s)			Interior Recessed								
Coupler			2-5/16" A-Frame								
Safety Chains			DOT Compliant								
Tongue Jack			2K Coupler Mounted								
Wall Studs			Steel Tube, 24" On-Cente	r							
Roof Bows			Steel Tube, 24" On-Cente	r							
Front Profile			V-Nose								
Ramp(s)			4000 lb. with Assist								
Side Door		36" V	Vide Flush Lock, Wire Hol	dback							
Vents			Sidewall Airflow								
Fenders			Smooth Aluminum								
Axle		(2) 5200 lb. Drop Spring Bra	ake							
Hubs			Easy Lube								
Breakaway		В	attery, Switch, and Lanya	rd							
Tires			ST225/75R15D 8-PR								
Wheels			15", 6-Hole Steel								
Exterior Finish			.030" Aluminum								
Undercoating			Automotive								
Exterior Fastening			Color Matching Screws								
Exterior Trim		1.5" Bottom Extrusion	ı, 1.5" Top Extrusion, Colo	or Matching Rear Hoop							
Stone Guard			16" ATP								
Roof		F	at Top Seamless Aluminu	ım							
Interior Walls			Engineered Wood								
Interior Trim			Vinyl Wall Transitions								
Ceiling			Lauan Strip								
Flooring			3/4" Engineered Wood								
Interior Lights			(1) LED								
Switches			(1) Dome Light, 12V								
Connector Plug			Round 7-pin Blade								







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Exterior Lights			Full LED, DOT Compliant		







OUTBACK DLX CAR HAULER OUTBACK DLX FLAT TOP V-NOSE 7K

	8.5 x 16	8.5 x 18	8.5 x 20					
Model #	KP10216STSVCH-070	KP10218STSVCH-070	KP10220STSVCH-070					
KU #	6L5P00	6L7P50	7L0P00					
MSRP	\$8,666	\$9,000	\$9,333					
CAPACITIES								
GVWR (lbs)		7000						
GAWR (Ibs/axle)		3500						
CHASSIS								
Tongue		6" x 2" Steel Triple Tube						
Crossmembers		Formed Steel, 16" On-Center						
Integrated Step(s)		Interior Recessed						
Coupler		2-5/16" A-Frame						
Safety Chains		DOT Compliant						
Tongue Jack		2K Coupler Mounted						
Wall Studs		Steel Tube, 24" On-Center						
Roof Bows		Steel Tube, 24" On-Center						
Front Profile		V-Nose						
Beavertail	32"	48	II					
Ramp(s)		4000 lb. with Assist						
Side Door		36" Wide Flush Lock, Wire Holdback						
/ents		Sidewall Airflow						
Fenders		Smooth Aluminum						
Axle		(2) 3500 lb. Drop Spring Brake						
Hubs		Easy Lube						
Breakaway		Battery, Switch, and Lanyard						
Tires		ST205/75R15C 6-PR						
Exterior Finish		.030" Aluminum						
Undercoating		Automotive						
Exterior Fastening		Color Matching Screws						
Exterior Trim	1.5" Bottom	Extrusion, 1.5" Top Extrusion, Color Matchii	ng Rear Hoop					
Stone Guard		16" ATP						
Roof		Flat Top Seamless Aluminum						
nterior Walls		Engineered Wood						
Interior Trim		Vinyl Wall Transitions						
Ceiling		Lauan Strip						
Flooring		3/4" Engineered Wood						
Interior Lights		(2) LED						
Switches		(1) Dome Light, 12V						
Cargo Control		(4) 5000 lb. Recessed D-Rings						
Connector Plug		Round 7-pin Blade						





	8.5 x 16	8.5 x 18	8.5 x 20
Exterior Lights		Full LED, DOT Compliant	







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24						
Model #	KP10216STSVCH-100	KP10218STSVCH-100	KP10220STSVCH-100	KP10222STSVCH-100	KP10224STSVCH-100						
SKU #	7L0P25	7L2P75	7L5P25	7L8P75	8L2P25						
MSRP	\$9,366	\$9,700	\$10,033	\$10,500	\$10,966						
CAPACITIES											
GVWR (lbs)			9900								
GAWR (lbs/axle)		5000									
CHASSIS											
Tongue			6" x 2" Steel Triple Tube								
Crossmembers		F	ormed Steel, 16" On-Cent	er							
Integrated Step(s)			Interior Recessed								
Coupler			2-5/16" A-Frame								
Safety Chains			DOT Compliant								
Tongue Jack			2K Coupler Mounted								
Wall Studs			Steel Tube, 24" On-Cente	r							
Roof Bows			Steel Tube, 24" On-Cente	T							
Front Profile		V-Nose									
Beavertail	32"		4	8"							
Ramp(s)			4000 lb. with Assist								
Side Door		36" V	ide Flush Lock, Wire Hol	dback							
Vents			Sidewall Airflow								
Fenders			Smooth Aluminum								
Axle		(2)) 5200 lb. Drop Spring Bra	ike							
Hubs			Easy Lube								
Breakaway		В	attery, Switch, and Lanya	rd							
Tires			ST225/75R15D 8-PR								
Exterior Finish			.030" Aluminum								
Undercoating			Automotive								
Exterior Fastening			Color Matching Screws								
Exterior Trim		1.5" Bottom Extrusion	ı, 1.5" Top Extrusion, Colo	r Matching Rear Hoop							
Stone Guard			16" ATP								
Roof		Fl	at Top Seamless Aluminu	ım							
Interior Walls			Engineered Wood								
Interior Trim			Vinyl Wall Transitions								
Ceiling			Lauan Strip								
Flooring			3/4" Engineered Wood								
Interior Lights			(2) LED								
Switches			(1) Dome Light, 12V								
Cargo Control		(4)) 5000 lb. Recessed D-Rir	igs							
Connector Plug			Round 7-pin Blade								





OUTBACK DLX CAR HAULER OUTBACK DLX FLAT TOP V-NOSE 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Exterior Lights			Full LED, DOT Compliant		





JOURNEY SE ROUND TOP ROUND FRONT 3K

	6 x 10	6 x 12	6 x 14	7 x 12				
Model #	KP7210SERF-030	KP7212SERF-030	KP7214SERF-030	KP8412SERF-035				
SKU #	4L2P00	4L4P00	4L6P00	5L0P75				
MSRP	\$5,600	\$5,866	\$6,133	\$6,766				
CAPACITIES								
GVWR (lbs)		2990		3500				
GAWR (lbs/axle)			350	0				
CHASSIS								
Frame		3" x 2" Steel Tube		4" x 2" Steel Tube				
Tongue		3" x 2" Steel Tube		6" x 2" Steel Tube				
Crossmembers			Formed Steel, 1	6" On-Center				
Coupler			2" A-Fr	rame				
Safety Chains			DOT Con	npliant				
Tongue Jack			2K Coupler	Mounted				
Roof Bows			Steel Tube, 24	" On-Center				
Front Profile			Roui					
Ramp(s)	12" Ex	tension, 1500 lb. with		12" Extension, 2500 lb. with Assist				
Side Door		32" Wide Flush Lock, Wire Holdback						
Vents			Sidewall					
Fenders			Smooth Al					
Axle	35	500 lb. Drop Spring Id		3500 lb. Drop Spring Brake				
Hubs			Easy L					
Breakaway				Battery, Switch, and Lanyard				
Tires			ST205/75R					
Wheels			15", 5-Ho					
Exterior Finish			.030" Alu					
Undercoating			Automo					
Exterior Fastening		000 Aluminum De	VHB Bonded	•				
Exterior Trim Stone Guard		.vov Aluminum Ko	or Cove, 1.5 Bottom 24" A	Extrusion, Color Matching Rear Hoop				
Roof			Round Top Seam					
Roof Cap			TP(
Interior Walls			Engineere					
Interior Trim			Vinyl Wall T					
Ceiling			Lauan					
Flooring			3/4" Engine	•				
Interior Lights			(1) L					
Switches			(1) Dome L					
Connector Plug		Flat 4-pin	.,	Round 7-pin Blade				
Exterior Lights	F	ull LED, DOT Complia	nt	Full LED, DOT Compliant, Integrated Backup/Taillights				





JOURNEY SE ROUND TOP ROUND FRONT 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20		
Model #	KP7212SERF-070	KP8412SERF- 070	KP8414SERF- 070	KP8416SERF- 070	KP8418SERF- 070	KP8420SERF- 070		
SKU #	5L7P50	5L9P75	6L2P25	6L4P75	7L0P25	7L3P25		
MSRP	\$7,666	\$7,966	\$8,300	\$8,633	\$9,366	\$9,766		
CAPACITIES								
GVWR (lbs)			7000					
GAWR (lbs/axle)			3500					
CHASSIS								
Frame		4" x 2" Steel Tu	be		6" x 2" S	teel Tube		
Tongue	4" x 2" Steel Tube			6" x 2" Steel Tube				
Crossmembers		Fo	ormed Steel, 16" Or	ı-Center				
Coupler			2-5/16" A-Fran	ne				
Safety Chains			DOT Complian	t				
Tongue Jack			2K Coupler Mour	nted				
Wall Studs			Steel Tube, 16" On-	Center				
Roof Bows			Steel Tube, 24" On-	Center				
Front Profile		Round						
Ramp(s)	12" Extension, 1500 lb. with Assist		12" Exte	ension, 2500 lb. wit	th Assist			
Side Door		32" W	ide Flush Lock, Wii	e Holdback				
Vents			Sidewall Airflo	w				
Fenders			Smooth Alumin	um				
Axle		(2)	3500 lb. Drop Spri	ng Brake				
Hubs			Easy Lube					
Breakaway		Ва	attery, Switch, and	Lanyard				
Tires			ST205/75R15C 6	-PR				
Wheels			15", 5-Hole Ste					
Exterior Finish			.030" Aluminu	m				
Undercoating			Automotive					
Exterior Fastening			VHB Bonded (Scre	•				
Exterior Trim	.080 Alı	ıminum Roof Cove	, 1.5" Bottom Extru	sion, Color Matchi	ng Rear Hoop			
Stone Guard			24" ATP					
Roof		Rou	ind Top Seamless A	Aluminum				
Roof Cap			TP0					
Interior Walls			Engineered Wo					
Interior Trim			Vinyl Wall Transit	ions				
Ceiling ·			Lauan Strip					
Flooring			3/4" Engineered V	Vood				
Interior Lights			(1) LED					





9/16/24 | 21



JOURNEY SE ROUND TOP ROUND FRONT 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	
Switches	(1) Dome Light, 12V						
Connector Plug	Round 7-pin Blade						
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights						





JOURNEY SE ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24							
Model #	KP10216SERF-070	KP10218SERF-070	KP10220SERF-070	KP10222SERF-070	KP10224SERF-070							
SKU #	7L4P00	7L7P50	8L1P00	8L4P50	8L8P00							
MSRP	\$9,866	\$10,333	\$10,800	\$11,266	\$11,733							
CAPACITIES												
GVWR (lbs)		7000										
GAWR (lbs/axle)		3500										
CHASSIS												
Frame			6" x 2" Steel Tube									
Tongue			6" x 2" Steel Triple Tube									
Crossmembers		F	ormed Steel, 16" On-Cent	er								
Integrated Step(s)			Interior Recessed									
Coupler			2-5/16" A-Frame									
Safety Chains			DOT Compliant									
Tongue Jack			2K Coupler Mounted									
Wall Studs			Steel Tube, 16" On-Center	r								
Roof Bows			Steel Tube, 16" On-Center	r								
ront Profile			Round									
Ramp(s)		12" I	Extension, 4000 lb. with A	ssist								
Side Door		36" V	ide Flush Lock, Wire Hold	dback								
/ents			Sidewall Airflow									
enders			Smooth Aluminum									
\xle		(2	3500 lb. Drop Spring Bra	ıke								
lubs			Easy Lube									
Breakaway		В	attery, Switch, and Lanya	rd								
Γires			ST205/75R15C 6-PR									
Wheels			15", 5-Hole Steel									
Exterior Finish			.030" Aluminum									
Jndercoating			Automotive									
Exterior Fastening			VHB Bonded (Screwless)									
Exterior Trim		080 Aluminum Roof Cove	e, 1.5" Bottom Extrusion, (Color Matching Rear Hoo	р							
Stone Guard			24" ATP									
Roof		Ro	und Top Seamless Alumin	um								
Roof Cap			TP0									
nterior Walls			Engineered Wood									
nterior Trim			Vinyl Wall Transitions									
Ceiling			Lauan Strip									
Flooring			3/4" Engineered Wood									
Interior Lights			(1) LED									
Switches			(1) Dome Light, 12V									
Connector Plug			Round 7-pin Blade									







JOURNEY SE ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24				
Exterior Lights		Full LED, DOT (Full LED, DOT Compliant, Integrated Backup/Taillights						





JOURNEY SE ROUND TOP ROUND FRONT 10K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
Model #	KP8414SERF-100	KP8416SERF-100	KP8418SERF-100	KP8420SERF-100	KP10216SERF-100	KP10218SERF-100
SKU #	6L8P75	7L1P25	7L4P75	7L7P75	8L1P25	8L4P75
MSRP	\$9,166	\$9,500	\$9,966	\$10,366	\$10,833	\$11,300
CAPACITIES						
GVWR (lbs)			9	900		
GAWR (lbs/axle)			5	000		
CHASSIS						
Frame			6" x 2"	Steel Tube		
Tongue		6" x 2" S	teel Tube		6" x 2" Stee	l Triple Tube
Crossmembers			Steel Formed Cha	annel, 16" On-Center		
Integrated Step(s)					Interior F	Recessed
Coupler			2-5/16	" A-Frame		
Safety Chains			DOT C	ompliant		
Tongue Jack			2K Coup	er Mounted		
Wall Studs			Steel Tube,	16" On-Center		
Roof Bows		Steel Tube, 2	4" On-Center		Steel Tube, 1	6" On-Center
Front Profile			R	ound		
Ramp(s)		·	00 lb. with Assist		·	00 lb. with Assist
Side Door		32" Wide Flush Lo	ck, Wire Holdback		36" Wide Flush Lo	ck, Wire Holdback
Vents				all Airflow		
Fenders				Aluminum		
Axle			· ·	rop Spring Brake		
Hubs				y Lube		
Breakaway			•	ch, and Lanyard		
Tires			·	5R15D 8-PR		
Wheels			•	Hole Steel		
Exterior Finish				Aluminum		
Undercoating				omotive		
Exterior Fastening		000 Aluminum I		ed (Screwless)	Actobing Door Hoon	
Exterior Trim Stone Guard		.vov Aluminum i	Roof Cove, 1.5" Botto	om Extrusion, Color i " ATP	иаксину кеаг ноор	
Roof				amless Aluminum		
Roof Cap			•	TPO		
Interior Walls				ered Wood		
Interior Trim				l Transitions		
Ceiling			•	an Strip		
Flooring				neered Wood		
Interior Lights) LED		
Switches				e Light, 12V		





9/16/24 | **25**



JOURNEY SE ROUND TOP ROUND FRONT 10K

	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18			
Connector Plug		Round 7-pin Blade							
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights								





JOURNEY SE ROUND TOP ROUND FRONT 10K

	8.5 x 20	8.5 x 22	8.5 x 24							
Model #	KP10220SERF-100	KP10222SERF-100	KP10224SERF-100							
KU #	8L8P25	9L1P75	9L5P25							
ISRP	\$11,766	\$12,233	\$12,700							
CAPACITIES										
VWR (lbs)		9900								
GAWR (Ibs/axle)		5000								
CHASSIS										
rame		6" x 2" Steel Tube								
ongue		6" x 2" Steel Triple Tube								
Crossmembers		Steel Formed Channel, 16" On-Center								
ntegrated Step(s)		Interior Recessed								
Coupler		2-5/16" A-Frame								
Safety Chains		DOT Compliant								
Tongue Jack		2K Coupler Mounted								
Wall Studs		Steel Tube, 16" On-Center								
Roof Bows		Steel Tube, 16" On-Center								
Front Profile		Round								
Ramp(s)		12" Extension, 4000 lb. with Assist								
Side Door		36" Wide Flush Lock, Wire Holdback								
/ents		Sidewall Airflow								
enders		Smooth Aluminum								
\xle		(2) 5200 lb. Drop Spring Brake								
lubs		Easy Lube								
Breakaway		Battery, Switch, and Lanyard								
Tires		ST225/75R15D 8-PR								
Vheels		15", 6-Hole Steel								
Exterior Finish		.030" Aluminum								
Jndercoating		Automotive								
Exterior Fastening		VHB Bonded (Screwless)								
Exterior Trim	.080 Aluminur	n Roof Cove, 1.5" Bottom Extrusion, Color Matc	ching Rear Hoop							
Stone Guard		24" ATP								
Roof		Round Top Seamless Aluminum								
Roof Cap		TP0								
nterior Walls		Engineered Wood								
nterior Trim		Vinyl Wall Transitions								
Ceiling		Lauan Strip								
looring		3/4" Engineered Wood								
nterior Lights		(1) LED								
Switches		(1) Dome Light, 12V								
Connector Plug		Round 7-pin Blade								





9/16/24 | 27



JOURNEY SE ROUND TOP ROUND FRONT 10K

	8.5 x 20	8.5 x 22	8.5 x 24		
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights				





JOURNEY SE ROUND TOP ROUND FRONT 3K

	6 x 10	6 x 12	6 x 14	- 7 x 12		
Model #	KP7210SERF-030	KP7212SERF-030	KP7214SERF-030	KP8412SERF-035		
SKU #	4L2P00	4L4P00	4L6P00	5L0P75		
MSRP	\$5,600	\$5,866	\$6,133	\$6,766		
CAPACITIES						
GVWR (lbs)		2990		3500		
GAWR (lbs/axle)			350	0		
CHASSIS						
Frame		3" x 2" Steel Tube		4" x 2" Steel Tube		
Tongue	3" x 2" Steel Tube			6" x 2" Steel Tube		
Crossmembers			Formed Steel, 1	6" On-Center		
Coupler			2" A-Fı			
Safety Chains			DOT Con	npliant		
Tongue Jack			2K Coupler	Mounted		
Roof Bows			Steel Tube, 24	" On-Center		
Front Profile			Rou	nd		
Ramp(s)	12" Ex	tension, 1500 lb. with	Assist	12" Extension, 2500 lb. with Assist		
Side Door			32" Wide Flush Loc	k, Wire Holdback		
Vents			Sidewall	Airflow		
Fenders			Smooth Al	uminum		
Axle	3!	500 lb. Drop Spring Id	ler	3500 lb. Drop Spring Brake		
Hubs			Easy L	ube		
Breakaway				Battery, Switch, and Lanyard		
Tires			ST205/75R	15C 6-PR		
Wheels			15", 5-Ho			
Exterior Finish			.030" Alu			
Undercoating			Autom			
Exterior Fastening			VHB Bonded			
Exterior Trim		.080 Aluminum Ro		Extrusion, Color Matching Rear Hoop		
Stone Guard			24" A			
Roof			Round Top Seam			
Roof Cap			TP(
Interior Walls			Engineere			
Interior Trim			Vinyl Wall T			
Ceiling			Lauan			
Flooring			3/4" Engine			
Interior Lights Switches			(1) L (1) Dome L			
Connector Plug		Flat 4-pin	(1) Doine L	Round 7-pin Blade		
Exterior Lights			nt	Full LED, DOT Compliant, Integrated Backup/Taillights		
LACETION LIGHTS	Full LED, DOT Compliant			Tun LED, DOT Compliant, integrated backup/ failingnts		





JOURNEY SE ROUND TOP ROUND FRONT 3K

	6 x 10	6 x 12	6 x 14	7 x 12			
Model #	KP7210SERF-030	KP7212SERF-030	KP7214SERF-030	KP8412SERF-035			
SKU #	4L2P00	4L4P00	4L6P00	5L0P75			
MSRP	\$5,600	\$5,866	\$6,133	\$6,766			
CAPACITIES							
GVWR (lbs)		2990		3500			
GAWR (lbs/axle)			350	0			
CHASSIS							
Frame		3" x 2" Steel Tube		4" x 2" Steel Tube			
Tongue	3" x 2" Steel Tube			6" x 2" Steel Tube			
Crossmembers			Formed Steel, 1	6" On-Center			
Coupler			2" A-Fr	rame			
Safety Chains			DOT Con	npliant			
Tongue Jack			2K Coupler	Mounted			
Roof Bows			Steel Tube, 24	" On-Center			
Front Profile			Roui				
Ramp(s)	12" Ex	tension, 1500 lb. with		12" Extension, 2500 lb. with Assist			
Side Door		32" Wide Flush Lock, Wire Holdback					
Vents			Sidewall				
Fenders			Smooth Al				
Axle	35	500 lb. Drop Spring Id		3500 lb. Drop Spring Brake			
Hubs			Easy L				
Breakaway				Battery, Switch, and Lanyard			
Tires			ST205/75R				
Wheels			15", 5-Ho				
Exterior Finish			.030" Alu				
Undercoating			Automo				
Exterior Fastening		000 Alamiaaa Da	VHB Bonded (· · · · · · · · · · · · · · · · · · ·			
Exterior Trim Stone Guard		.vov Aluminum Ko	or Cove, 1.5" Bottom 24" A	Extrusion, Color Matching Rear Hoop			
Roof			Round Top Seam				
Roof Cap			TP(
Interior Walls			Engineere				
Interior Trim			Vinyl Wall T				
Ceiling			Lauan				
Flooring		3/4" Engineered Wood					
Interior Lights	(1) LED						
Switches			(1) Dome L				
Connector Plug		Flat 4-pin	.,	Round 7-pin Blade			
Exterior Lights	F	ull LED, DOT Complia	nt	Full LED, DOT Compliant, Integrated Backup/Taillights			





	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Model #	KP6008SESV- 030	KP6008SESV- 035	KP6010SESV- 035	KP6010SESV- 030	KP7210SESV-035	KP7210SESV- 030
SKU #	3L1P00	3L4P75	3L6P75	3L3P00	4L2P00	3L8P25
MSRP	\$4,133	\$4,633	\$4,900	\$4,400	\$5,600	\$5,100
CAPACITIES						
GVWR (lbs)	2990	35	500	2990	3500	2990
GAWR (lbs/axle)				3500		
CHASSIS						
Frame			3":	x 2" Steel Tube		
Tongue			3":	x 2" Steel Tube		
Crossmembers			Formed	Steel, 16" On-Cente	er	
Coupler				2" A-Frame		
Safety Chains			D	OT Compliant		
Tongue Jack			2K C	oupler Mounted		
Wall Studs			Steel T	ube, 16" On-Center		
Roof Bows			Steel T	ube, 24" On-Center		
Front Profile			24" Slope	d V-Nose with 6" Dr	ор	
Ramp(s)			12" Extensi	on, 1500 lb. with As	ssist	
Side Door					32" Wide Flush Lock, W	ire Holdback
Vents			Si	dewall Airflow		
Fenders			Sm	ooth Aluminum		
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop	Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler
Hubs				Easy Lube		
Breakaway		Battery, Switc	h, and Lanyard		Battery, Switch, and Lanyard	
Tires			ST20	05/75R15C 6-PR		
Wheels			15	", 5-Hole Steel		
Exterior Finish			.0	30" Aluminum		
Undercoating				Automotive		
Exterior Fastening				onded (Screwless)		
Exterior Trim		1.5" Bottom Extru	ısion, 2.5" Top Extr		p, Color Matching Rear Hoop	
Stone Guard				24" ATP		
Roof			·	Seamless Aluminui	n	
Interior Walls				gineered Wood		
Interior Trim			•	Wall Transitions		
Ceiling ·				Lauan Strip		
Flooring			3/4"	Engineered Wood		
Interior Lights				(1) LED		







	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10	
Switches	(1) Dome Light, 12V						
Connector Plug	Flat 4-pin	Round 7-pin Blade		Flat 4-pin Round 7-pin Blade		Flat 4-pin	
Exterior Lights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights		Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant	





	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12			
Model #	KP7212SESV-030	KP7212SESV-035	KP7214SESV-035	KP7214SESV-030	KP8412SESV-035			
SKU #	4L0P25	4L4P00	4L6P00	4L2P25	4L7P00			
MSRP	\$5,366	\$5,866	\$6,133	\$5,633	\$6,266			
CAPACITIES								
GVWR (lbs)	2990	35	00	2990	3500			
GAWR (lbs/axle)			3500					
CHASSIS								
Frame		3" x 2" S	teel Tube		4" x 2" Steel Tube			
Tongue		3" x 2" S		6" x 2" Steel Tube				
Crossmembers			Formed Steel, 16	" On-Center				
Coupler			2" A-Fra	me				
Safety Chains			DOT Comp	oliant				
Tongue Jack			2K Coupler N	lounted				
Wall Studs			Steel Tube, 16"	On-Center				
Roof Bows			Steel Tube, 24"	On-Center				
Front Profile			24" Sloped V-Nose	with 6" Drop				
Ramp(s)		12" Extension, 15	00 lb. with Assist		12" Extension, 2500 lb. with Assist			
Side Door			32" Wide Flush Lock	, Wire Holdback				
Vents			Sidewall A	irflow				
Fenders			Smooth Alu	minum				
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop	Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake			
Hubs			Easy Lu	be				
Breakaway		Battery, Switc	h, and Lanyard		Battery, Switch, and Lanyard			
Tires			ST205/75R1	5C 6-PR				
Wheels			15", 5-Hole	Steel				
Exterior Finish			.030" Alum	ninum				
Undercoating			Automot	ive				
Exterior Fastening			VHB Bonded (S	crewless)				
Exterior Trim	1	.5" Bottom Extrusion,	2.5" Top Extrusion, AT	P Nose Cap, Color M	atching Rear Hoop			
Stone Guard			24" AT	Р				
Roof			Flat Top Seamles					
Interior Walls		Engineered Wood						
Interior Trim		Vinyl Wall Transitions						
Ceiling		Lauan Strip						
Flooring		3/4" Engineered Wood						
Interior Lights			(1) LE					
Switches			(1) Dome Lig					
Connector Plug	Flat 4-pin	Round 7-	pin Blade	Flat 4-pin	Round 7-pin Blade			







	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12	
Futorior Linkto	Full LED, DOT	Full LED, DOT Compliant, Integrated		Full LED, DOT	Full LED, DOT Compliant, Integrate	
Exterior Lights	Compliant	Backup/Taillights		Compliant	Backup/Taillights	





	6 x 10	6 x 12	6 x 14						
Model #	KP7210SESV-050	KP7212SESV-050	KP7214SESV-050						
SKU #	4L4P50	4L6P50	4L8P50						
MSRP	\$5,933	\$6,200	\$6,466						
CAPACITIES									
GVWR (lbs)		5000							
GAWR (lbs/axle)		5000							
CHASSIS									
Frame		4" x 2" Steel Tube							
Tongue		4" x 2" Steel Tube							
Crossmembers		Formed Steel, 16" On-Center							
Coupler		2" A-Frame							
Safety Chains		DOT Compliant							
Tongue Jack		2K Coupler Mounted							
Wall Studs		Steel Tube, 16" On-Center							
Roof Bows		Steel Tube, 24" On-Center							
Front Profile		24" Sloped V-Nose with 6" Drop							
Ramp(s)		12" Extension, 1500 lb. with Assist							
Side Door		32" Wide Flush Lock, Wire Holdback							
Vents		Sidewall Airflow							
Fenders		Smooth Aluminum							
Axle		5200 lb. Drop Spring Brake							
Hubs		Easy Lube							
Breakaway		Battery, Switch, and Lanyard							
Tires		ST225/75R15D 8-PR							
Wheels		15", 6-Hole Steel							
Exterior Finish		.030" Aluminum							
Undercoating		Automotive							
Exterior Fastening		VHB Bonded (Screwless)							
Exterior Trim	1.5" Bottom Extrus	ion, 2.5" Top Extrusion, ATP Nose Cap, Color I	Matching Rear Hoop						
Stone Guard		24" ATP							
Roof		Flat Top Seamless Aluminum							
Interior Walls		Engineered Wood							
Interior Trim		Vinyl Wall Transitions							
Ceiling	Lauan Strip								
Flooring Interior Lights		3/4" Engineered Wood (1) LED							
Connector Plug		Round 7-pin Blade							
Exterior Lights	Cull	Round 7-pin Blade LED, DOT Compliant, Integrated Backup/Tailli	ahte						
LACCION LIGHTS	ruii	i EED, DOT Comphant, integrated backup/ fami	yiis						





	6 x 10	6 x 12	6 x 14	7 x 12	7 x 14	7 x 16			
Model #	KP7210SESV-070	KP7212SESV-070	KP7214SESV-070	KP8412SESV-070	KP8414SESV-070	KP8416SESV-070			
SKU #	5L1P00	5L4P00	5L6P00	5L6P25	5L8P75	6L1P25			
MSRP	\$6,800	\$7,200	\$7,466	\$7,500	\$7,833	\$8,166			
CAPACITIES									
GVWR (lbs)			70	100					
GAWR (lbs/axle)		3500							
CHASSIS									
Frame		4" x 2" Steel Tube							
Tongue		4" x 2" Steel Tube			6" x 2" Steel Tube				
Crossmembers			Formed Steel,	16" On-Center					
Coupler			2-5/16"	A-Frame					
Safety Chains			DOT Co	mpliant					
Tongue Jack			2K Couple	er Mounted					
Wall Studs			•	6" On-Center					
Roof Bows			•	24" On-Center					
Front Profile			•	ose with 6" Drop					
Ramp(s)	12" Ext	ension, 1500 lb. with			tension, 2500 lb. with	Assist			
Side Door				ck, Wire Holdback					
Vents				l Airflow					
Fenders				Aluminum					
Axle				op Spring Brake					
Hubs			·	Lube					
Breakaway			•	h, and Lanyard					
Tires			· · · · · · · · · · · · · · · · · · ·	R15C 6-PR					
Wheels Exterior Finish			·	ole Steel Iuminum					
				notive					
Undercoating Exterior Fastening				l (Screwless)					
Exterior Trim		1 5" Rottom Extrusion	n, 2.5" Top Extrusion,	•	r Matching Rear Hoo	n			
Stone Guard		Dottom Extrusion	•	ATP Nose Cap, Colo	matering Real 1100	Y			
Roof				less Aluminum					
Interior Walls			•	red Wood					
Interior Trim				Transitions					
Ceiling			•	n Strip					
Flooring			3/4" Engin	eered Wood					
Interior Lights				LED					
Switches			(1) Dome	Light, 12V					
Connector Plug			Round 7-	pin Blade					
Exterior Lights		Full L	ED, DOT Compliant, II	ntegrated Backup/Tai	llights				





	7 x 18	7 x 20	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20			
Model #	KP8418SESV-070	KP8420SESV-070	KP9014SESV-070	KP9016SESV-070	KP9018SESV-070	KP9020SESV-070			
SKU #	6L6P75	6L9P75	6L6P25	6L8P75	7L1P25	7L3P75			
MSRP	\$8,900	\$9,300	\$8,833	\$9,166	\$9,500	\$9,833			
CAPACITIES									
GVWR (lbs)			70	00					
GAWR (lbs/axle)			35	00					
CHASSIS									
Frame		6" x 2" Steel Tube							
Tongue			6" x 2" S	teel Tube					
Crossmembers			Formed Steel,	16" On-Center					
Coupler			2-5/16"	A-Frame					
Safety Chains			DOT Co	mpliant					
Tongue Jack			2K Couple	r Mounted					
Wall Studs			Steel Tube, 1	6" On-Center					
Roof Bows			·	4" On-Center					
Front Profile			•	ose with 6" Drop					
Ramp(s)			-	00 lb. with Assist					
Side Door				ck, Wire Holdback					
Vents				l Airflow					
Fenders				Aluminum					
Axle			· •	op Spring Brake					
Hubs			•	Lube					
Breakaway			•	h, and Lanyard					
Tires				R15C 6-PR					
Wheels			·	ole Steel					
Exterior Finish				uminum					
Undercoating				notive					
Exterior Fastening		4 E'' D E		(Screwless)	14 · 1: D 11				
Exterior Trim		1.5" Bottom Extrusion	· · · · · · · · · · · · · · · · · · ·	ATP Nose Cap, Colo	r Matching Rear Hoo	p			
Stone Guard Roof									
Interior Walls			•	less Aluminum ed Wood					
Interior Walls Interior Trim				rea wood Transitions					
Ceiling				1 Strip					
Flooring				eered Wood					
Interior Lights			-	LED					
Switches			• • •	Light, 12V					
Connector Plug			, ,	pin Blade					
Exterior Lights		Full I	ED, DOT Compliant, In	•	Illiahts				





	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22		
Model #	KP10212SESV-070	KP10214SESV-070	KP10216SESV-070	KP10218SESV-070	KP10220SESV-070	KP10222SESV-070		
SKU #	6L5P50	6L8P00	7L1P50	7L4P00	7L6P50	7L9P00		
MSRP	\$8,733	\$9,066	\$9,533	\$9,866	\$10,200	\$10,533		
CAPACITIES								
GVWR (lbs)			70	00				
GAWR (lbs/axle)			35	00				
CHASSIS								
Frame		6" x 2" Steel Tube						
Tongue			6" x 2" Stee	l Triple Tube				
Crossmembers			Formed Steel,	16" On-Center				
Integrated Step(s)			Interior F	Recessed				
Coupler			2-5/16"	A-Frame				
Safety Chains			DOT Co	mpliant				
Tongue Jack			2K Couple	r Mounted				
Wall Studs			Steel Tube, 1	6" On-Center				
Roof Bows		Steel Tube, 16" On-Center						
Front Profile	30" Sloped V-Nose with 6" Drop							
Ramp(s)	12" Extension, 4000 lb. with Assist							
Side Door	36" Wide Flush Lock, Wire Holdback							
Vents		Sidewall Airflow						
Fenders			Smooth A	Aluminum				
Axle			(2) 3500 lb. Dro	op Spring Brake				
Hubs			Easy	Lube				
Breakaway			Battery, Switc	h, and Lanyard				
Tires			ST205/75	R15C 6-PR				
Wheels			·	ole Steel				
Exterior Finish				uminum				
Undercoating				notive				
Exterior Fastening				(Screwless)				
Exterior Trim		1.5" Bottom Extrusion	· ·	•	r Matching Rear Hoo	0		
Stone Guard				ATP				
Roof			•	less Aluminum				
Interior Walls				ed Wood				
Interior Trim			•	Transitions				
Ceiling				n Strip				
Flooring				eered Wood				
Interior Lights			· ·	LED				
Switches			, ,	Light, 12V				
Connector Plug				pin Blade				
Exterior Lights		Full L	ED, DOT Compliant, Ir	ntegrated Backup/Tai	llights			





	ERICAN							
	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34		
Model #	KP10224SESV-070	KP10226SESV-070	KP10228SESV-070	KP10230SESV-070	KP10232SESV-070	KP10234SESV-070		
SKU #	8L1P50	8L7P00	1L0P400	1L0P950	1L1P450	1L1P950		
MSRP	\$10,866	\$11,600	\$13,866	\$14,600	\$15,266	\$15,933		
CAPACITIES								
GVWR (lbs)			70	00				
GAWR (lbs/axle)			35	00				
CHASSIS								
Frame	6" x 2" S	teel Tube		8" x 2" S	teel Tube			
Tongue	6" x 2" Stee	l Triple Tube		8" x 2" Stee	l Triple Tube			
Crossmembers			Formed Steel,	16" On-Center				
Integrated Step(s)			Interior F	Recessed				
Coupler			2-5/16"	A-Frame				
Safety Chains			DOT Co	mpliant				
Tongue Jack	2K Couple	r Mounted		5K Couple	r Mounted			
Wall Studs		Steel Tube, 16" On-Center						
Roof Bows		Steel Tube, 16" On-Center						
Front Profile		30" Sloped V-Nose with 6" Drop						
Ramp(s)	12" Extension, 4000 lb. with Assist							
Side Door	36" Wide Flush Lock, Wire Holdback							
Vents		Sidewall Airflow						
Fenders				Aluminum				
Axle			· •	op Spring Brake				
Hubs			·	Lube				
Breakaway			-	h, and Lanyard				
Tires				R15C 6-PR				
Wheels			·	ole Steel				
Exterior Finish				uminum				
Undercoating				notive				
Exterior Fastening		1 Ell D. H E. L		(Screwless)	. Martalian Barattara			
Exterior Trim		1.5" BOTTOM EXTRUSION	n, 2.5" Top Extrusion,	•	r Matching Rear Hoo)		
Stone Guard Roof				ATP				
Interior Walls			•	less Aluminum red Wood				
Interior Trim			*	Transitions				
Ceiling			•	n Strip				
Flooring				eered Wood				
Interior Lights			*	LED				
Switches			, ,	Light, 12V				
Connector Plug			, ,	pin Blade				
Exterior Lights		Full I		•	llights			
-Atomor Eighto		Full LED, DOT Compliant, Integrated Backup/Taillights						





	7 x 14	7 x 16	7 x 18	7 x 20	7.5 x 14	7.5 x 16		
Model #	KP8414SESV-100	KP8416SESV-100	KP8418SESV-100	KP8420SESV-100	KP9014SESV-100	KP9016SESV-100		
SKU #	6L4P00	6L6P50	7L2P00	7L5P00	7L1P50	7L4P00		
MSRP	\$8,533	\$8,866	\$9,600	\$10,000	\$9,533	\$9,866		
CAPACITIES								
GVWR (lbs)			99	000				
GAWR (lbs/axle)			50	000				
CHASSIS								
Frame		6" x 2" Steel Tube						
Tongue			6" x 2" S	teel Tube				
Crossmembers			Formed Steel,	16" On-Center				
Coupler			2-5/16"	A-Frame				
Safety Chains			DOT Co	mpliant				
Tongue Jack			2K Couple	er Mounted				
Wall Studs			Steel Tube, 1	6" On-Center				
Roof Bows		Steel Tube, 24" On-Center						
Front Profile		24" Sloped V-Nose with 6" Drop						
Ramp(s)	12" Extension, 2500 lb. with Assist							
Side Door		32" Wide Flush Lock, Wire Holdback						
Vents		Sidewall Airflow						
Fenders				Aluminum				
Axle				op Spring Brake				
Hubs			•	Lube				
Breakaway			••	h, and Lanyard				
Tires				R15D 8-PR				
Wheels			· · · · · · · · · · · · · · · · · · ·	ole Steel				
Exterior Finish				luminum				
Undercoating				notive				
Exterior Fastening				l (Screwless)				
Exterior Trim		1.5" Bottom Extrusion	n, 2.5" Top Extrusion,	• •	r Matching Rear Hoo	p		
Stone Guard				ATP				
Roof			•	less Aluminum				
Interior Walls				red Wood				
Interior Trim			•	Transitions				
Ceiling				n Strip				
Flooring				eered Wood				
Interior Lights				LED				
Switches				Light, 12V				
Connector Plug				pin Blade				
Exterior Lights		Full L	ED, DOT Compliant, Ir	ntegrated Backup/Tai	IIIghts			





	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	
Model #	KP9018SESV-100	KP9020SESV-100	KP10212SESV-100	KP10214SESV-100	KP10216SESV-100	KP10218SESV-100	
SKU #	7L6P50	7L9P00	7L0P75	7L3P25	7L6P75	7L9P25	
MSRP	\$10,200	\$10,533	\$9,433	\$9,766	\$10,233	\$10,566	
CAPACITIES							
GVWR (lbs)			9	900			
GAWR (lbs/axle)			5	000			
CHASSIS							
Frame			6" x 2"	Steel Tube			
Tongue	6" x 2" S	teel Tube		6" x 2" Stee	l Triple Tube		
Crossmembers			Formed Stee	l, 16" On-Center	•		
Integrated Step(s)				Interior F	Recessed		
Coupler			2-5/16	" A-Frame			
Safety Chains			DOT C	ompliant			
Tongue Jack		2K Coupler Mounted					
Wall Studs		Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 2	Steel Tube, 24" On-Center Steel Tube, 16" On-Center					
Front Profile	24" Sloped V-No	24" Sloped V-Nose with 6" Drop 30" Sloped V-Nose with 6" Drop					
Ramp(s)	12" Extension, 25	00 lb. with Assist		12" Extension, 40	000 lb. with Assist		
Side Door	32" Wide Flush Lo	ck, Wire Holdback		36" Wide Flush Lo	ck, Wire Holdback		
Vents		Sidewall Airflow					
Fenders			Smooth	Aluminum			
Axle			(2) 5200 lb. D	rop Spring Brake			
Hubs			Eas	y Lube			
Breakaway			Battery, Swit	ch, and Lanyard			
Tires			ST225/7	5R15D 8-PR			
Wheels			15", 6-	Hole Steel			
Exterior Finish			.030" /	Aluminum			
Undercoating				motive			
Exterior Fastening				d (Screwless)			
Exterior Trim		1.5" Bottom Extrusi	on, 2.5" Top Extrusio	•	or Matching Rear Hoo	р	
Stone Guard				" ATP			
Roof			· · · · · · · · · · · · · · · · · · ·	nless Aluminum			
Interior Walls				ered Wood			
Interior Trim			•	l Transitions			
Ceiling				nn Strip			
Flooring			•	neered Wood			
Interior Lights			•) LED			
Switches				e Light, 12V			
Connector Plug				'-pin Blade			
Exterior Lights		Full	LED, DOT Compliant,	Integrated Backup/Ta	illights		





SKU # 8L MSRP \$1 CAPACITIES GVWR (Ibs) GAWR (Ibs/axle) CHASSIS Frame Tongue Crossmembers Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires	0SESV-100 1P75 0,900	6" x 2" Stee	50 I Triple Tube Formed Steel, Interior F 2-5/16" DOT Co	KP10226SESV-100 9L2P25 \$12,300 000 16" On-Center Recessed A-Frame Impliant		KP10230SESV-100 1L1P475 \$15,300 teel Tube I Triple Tube		
MSRP \$1 CAPACITIES GVWR (Ibs) GAWR (Ibs/axle) CHASSIS Frame Tongue Crossmembers Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		\$11,233 6" x 2" S 6" x 2" Stee	\$11,566 99 50 teel Tube I Triple Tube Formed Steel, Interior F 2-5/16" DOT Co	\$12,300 000 16" On-Center Recessed A-Frame	\$14,566 8" x 2" S	\$15,300 teel Tube		
CAPACITIES GVWR (Ibs) GAWR (Ibs/axle) CHASSIS Frame Tongue Crossmembers Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires	0,900	6" x 2" S 6" x 2" Stee	99 50 teel Tube I Triple Tube Formed Steel, Interior F 2-5/16" DOT Co	16" On-Center Recessed A-Frame	8" x 2" S	teel Tube		
GVWR (Ibs) GAWR (Ibs/axle) CHASSIS Frame Tongue Crossmembers Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		6" x 2" Stee	50 I Triple Tube Formed Steel, Interior F 2-5/16" DOT Co	16" On-Center Recessed A-Frame				
GAWR (lbs/axle) CHASSIS Frame Tongue Crossmembers Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		6" x 2" Stee	50 I Triple Tube Formed Steel, Interior F 2-5/16" DOT Co	16" On-Center Recessed A-Frame				
CHASSIS Frame Tongue Crossmembers Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		6" x 2" Stee	teel Tube I Triple Tube Formed Steel, Interior F 2-5/16" DOT Co	16" On-Center Recessed A-Frame				
Frame Tongue Crossmembers Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		6" x 2" Stee	I Triple Tube Formed Steel, Interior F 2-5/16" DOT Co	Recessed A-Frame				
Tongue Crossmembers Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		6" x 2" Stee	I Triple Tube Formed Steel, Interior F 2-5/16" DOT Co	Recessed A-Frame				
Crossmembers Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires			Formed Steel, Interior F 2-5/16" DOT Co er Mounted	Recessed A-Frame	8" x 2" Stee	l Triple Tube		
Integrated Step(s) Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		2K Couple	Interior F 2-5/16" DOT Co er Mounted	Recessed A-Frame				
Coupler Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		2K Couple	2-5/16" DOT Co er Mounted	A-Frame				
Safety Chains Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		2K Couple	DOT Co					
Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		2K Couple	r Mounted	mpliant				
Wall Studs Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway Tires		2K Couple						
Roof Bows Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway			Steel Tuhe 1		5K Couple	er Mounted		
Front Profile Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway			Steel Tube, 16" On-Center					
Ramp(s) Side Door Vents Fenders Axle Hubs Breakaway		Steel Tube, 16" On-Center						
Side Door Vents Fenders Axle Hubs Breakaway		30" Sloped V-Nose with 6" Drop						
Vents Fenders Axle Hubs Breakaway	12" Extension, 4000 lb. with Assist							
Fenders Axle Hubs Breakaway Tires	36" Wide Flush Lock, Wire Holdback							
Axle Hubs Breakaway Tires	Sidewall Airflow							
Hubs Breakaway Tires			Smooth A	Aluminum				
Breakaway Tires			(2) 5200 lb. Dro	op Spring Brake				
Tires			•	Lube				
			•	h, and Lanyard				
Whasia			· · · · · · · · · · · · · · · · · · ·	R15D 8-PR				
Wheels			·	ole Steel				
Exterior Finish				luminum				
Undercoating				motive				
Exterior Fastening				(Screwless)				
Exterior Trim	•	1.5" Bottom Extrusion	n, 2.5" Top Extrusion,		r Matching Rear Hoop	p		
Stone Guard				ATP				
Roof			•	less Aluminum				
Interior Walls Interior Trim				red Wood Transitions				
Ceiling			•	1 Strip				
Flooring				eered Wood				
-			•	LED				
Interior Lights Switches			, ,	Light, 12V				
Connector Plug			, ,	<u> </u>				
Exterior Lights	Round 7-pin Blade Full LED, DOT Compliant, Integrated Backup/Taillights							





	8.5 x 32	8.5 x 34
Model #	KP10232SESV-100	KP10234SESV-100
SKU #	1L1P975	1L2P475
MSRP	\$15,966	\$16,633
CAPACITIES		
GVWR (lbs)		9900
GAWR (lbs/axle)		5000
CHASSIS		
Frame		8" x 2" Steel Tube
Tongue	8"	x 2" Steel Triple Tube
Crossmembers	Forn	ned Steel, 16" On-Center
Integrated Step(s)		Interior Recessed
Coupler		2-5/16" A-Frame
Safety Chains		DOT Compliant
Tongue Jack		5K Coupler Mounted
Wall Studs	Ste	eel Tube, 16" On-Center
Roof Bows	Ste	eel Tube, 16" On-Center
Front Profile	30" SI	oped V-Nose with 6" Drop
Ramp(s)	12" Exte	ension, 4000 lb. with Assist
Side Door	36" Wide	e Flush Lock, Wire Holdback
Vents		Sidewall Airflow
Fenders		Smooth Aluminum
Axle	(2) 52	200 lb. Drop Spring Brake
Hubs		Easy Lube
Breakaway	Batt	ery, Switch, and Lanyard
Tires		ST225/75R15D 8-PR
Wheels		15", 6-Hole Steel
Exterior Finish		.030" Aluminum
Undercoating		Automotive
Exterior Fastening	VH	IB Bonded (Screwless)
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top	Extrusion, ATP Nose Cap, Color Matching Rear Hoop
Stone Guard		24" ATP
Roof	Flat	Top Seamless Aluminum
Interior Walls		Engineered Wood
Interior Trim	\	/inyl Wall Transitions
Ceiling		Lauan Strip
Flooring	3	/4" Engineered Wood
Interior Lights		(1) LED
Switches		(1) Dome Light, 12V
Connector Plug		Round 7-pin Blade
Exterior Lights	Full LED, DOT Co	mpliant, Integrated Backup/Taillights





	7 x 14	7 x 16	7 x 18	7 x 20	7.5 x 16	8.5 x 12		
B# - J - L #	KP8414SESV-	KP8416SESV-	KP8418SESV-	KP8420SESV-	KP9016SESV-	VD4 004 00E0V 4 40		
Model #	140	140	140	140	140	KP10212SESV-140		
SKU #	8L1P00	8L3P50	8L9P00	9L2P00	1L0P200	8L8P50		
MSRP	\$10,800	\$11,133	\$11,866	\$12,266	\$13,600	\$11,800		
CAPACITIES								
GVWR (lbs)				14000				
GAWR (lbs/axle)	7000							
CHASSIS								
Frame			8	" x 2" Steel Tube				
Tongue				2" Steel Triple Tub	 e			
Crossmembers				d Steel, 16" On-Cer				
Integrated Step(s)				,		Interior Recessed		
Coupler			2-	5/16" Adjustable				
Safety Chains				DOT Compliant				
Tongue Jack		7K Drop-Leg, Set-Back						
Wall Studs	Steel Tube, 16" On-Center							
Roof Bows			Steel	Tube, 16" On-Cent	er			
Front Profile	30" Sloped V Nose with 6" Drop							
Fiolit Fiolile	24" Sloped V-Nose with 6" Drop Drop							
Ramp(s)		12" Exte	ension, 2500 lb. wi	th Assist		12" Extension, 4000 lb. with Assist		
Side Door		32" Wide	e Flush Lock, Wire	Holdback		36" Wide Flush Lock, Wire		
						Holdback		
Vents				Sidewall Airflow				
Fenders				mooth Aluminum				
Axle			(2) /000	O lb. Drop Spring B	гаке			
Hubs			Datton	Easy Lube	ad			
Breakaway Tires			•	y, Switch, and Lany 235/80R16E 10-PR				
Wheels				6", 8-Hole Steel				
Exterior Finish				030" Aluminum				
Undercoating			•	Automotive				
Exterior Fastening			VHB	Bonded (Screwless	s)			
Exterior Trim		1.5" Bottom Extr	rusion, 2.5" Top Ext	•	•	ng Rear Hoop		
Stone Guard				24" ATP		-		
Roof			Flat To	p Seamless Alumin	ium			
Interior Walls				ngineered Wood				
Interior Trim			Vin	yl Wall Transitions				
Ceiling				Lauan Strip				







	7 x 14	7 x 16	7 x 18	7 x 20	7.5 x 16	8.5 x 12	
Flooring			3/4'	' Engineered Wood			
Interior Lights		(1) LED					
Switches		(1) Dome Light, 12V					
Connector Plug		Round 7-pin Blade					
Exterior Lights		F	ull LED, DOT Comp	liant, Integrated B	ackup/Taillights		





	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24		
Model #	KP10214SESV-140	KP10216SESV-140	KP10218SESV-140	KP10220SESV-140	KP10222SESV-140	KP10224SESV-140		
SKU #	9L1P00	9L3P50	9L6P00	9L8P75	1L0P125	1L0P375		
MSRP	\$12,133	\$12,466	\$12,800	\$13,166	\$13,500	\$13,833		
CAPACITIES								
GVWR (lbs)			140	000				
GAWR (lbs/axle)			70	00				
CHASSIS								
Frame		8" x 2" Steel Tube						
Tongue			8" x 2" Stee	Triple Tube				
Crossmembers			Formed Steel,	16" On-Center				
Integrated Step(s)			Interior F	Recessed				
Coupler			2-5/16" A	djustable				
Safety Chains			DOT Co	mpliant				
Tongue Jack			7K Drop-Le	g, Set-Back				
Wall Studs			Steel Tube, 1	6" On-Center				
Roof Bows		Steel Tube, 16" On-Center						
Front Profile	30" Sloped V-Nose with 6" Drop							
Ramp(s)	12" Extension, 4000 lb. with Assist							
Side Door	36" Wide Flush Lock, Wire Holdback							
Vents	Sidewall Airflow							
Fenders			Smooth A	Aluminum				
Axle			(2) 7000 lb. Dro	op Spring Brake				
Hubs			Easy	Lube				
Breakaway			Battery, Switc	h, and Lanyard				
Tires			ST235/80F	R16E 10-PR				
Wheels			•	ole Steel				
Exterior Finish				uminum				
Undercoating				notive				
Exterior Fastening				(Screwless)				
Exterior Trim		1.5" Bottom Extrusion	· ·	•	r Matching Rear Hoo	0		
Stone Guard				ATP				
Roof			•	less Aluminum				
Interior Walls				ed Wood				
Interior Trim			•	Transitions				
Ceiling ·				n Strip				
Flooring			*	eered Wood				
Interior Lights			· ·	LED				
Switches			, ,	Light, 12V				
Connector Plug				pin Blade				
Exterior Lights		Full Li	ED, DOT Compliant, Ir	ntegrated Backup/Tai	llights			





	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34						
Model #	KP10226SESV-140	KP10228SESV-140	KP10230SESV-140	KP10232SESV-140	KP10234SESV-140						
SKU #	1L0P925	1L2P625	1L3P175	1L3P675	1L4P175						
MSRP	\$14,566	\$16,833	\$17,566	\$18,233	\$18,900						
CAPACITIES											
GVWR (lbs)			14000								
GAWR (lbs/axle)			7000								
CHASSIS											
Frame		8" x 2" Steel Tube									
Tongue			8" x 2" Steel Triple Tube								
Crossmembers		F	ormed Steel, 16" On-Cent	er							
ntegrated Step(s)			Interior Recessed								
Coupler			2-5/16" Adjustable								
Safety Chains			DOT Compliant								
Tongue Jack			7K Drop-Leg, Set-Back								
Wall Studs			Steel Tube, 16" On-Cente	r							
Roof Bows		Steel Tube, 16" On-Center									
ront Profile		30" Sloped V-Nose with 6" Drop									
Ramp(s)		12" Extension, 4000 lb. with Assist									
Side Door		36" Wide Flush Lock, Wire Holdback									
/ents			Sidewall Airflow								
enders			Smooth Aluminum								
Axle		(2) 7000 lb. Drop Spring Bra	ake							
lubs			Easy Lube								
Breakaway		В	attery, Switch, and Lanya	rd							
Tires			ST235/80R16E 10-PR								
Wheels			16", 8-Hole Steel								
Exterior Finish			.030" Aluminum								
Jndercoating			Automotive								
Exterior Fastening			VHB Bonded (Screwless)								
Exterior Trim	1.5"	Bottom Extrusion, 2.5" To	op Extrusion, ATP Nose C	ap, Color Matching Rear	Ноор						
Stone Guard			24" ATP								
Roof		F	lat Top Seamless Aluminu	ım							
nterior Walls			Engineered Wood								
nterior Trim			Vinyl Wall Transitions								
Ceiling			Lauan Strip								
Flooring			3/4" Engineered Wood								
nterior Lights			(1) LED								
Switches			(1) Dome Light, 12V								
Connector Plug			Round 7-pin Blade								
Exterior Lights		Full LED, DOT	Compliant, Integrated Ba	ckup/Taillights							





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26		
	KP10216SERFCH-	KP10218SERFCH-	KP10220SERFCH-	KP10222SERFCH-	KP10224SERFCH-	KP10226SERFCH-		
Model #	070	070	070	070	070	070		
SKU #	7L6P50	8L0P00	8L3P50	8L7P00	9L0P50	9L5P00		
MSRP	\$10,200	\$10,666	\$11,133	\$11,600	\$12,066	\$12,666		
CAPACITIES								
GVWR (lbs)			70	00				
GAWR (lbs/axle)		3500						
CHASSIS								
Frame			6" v 2" C	teel Tube				
Tongue				l Triple Tube				
Crossmembers				16" On-Center				
Integrated Step(s)			•	Recessed				
Coupler				A-Frame				
Safety Chains				mpliant				
Tongue Jack		2K Coupler Mounted						
Wall Studs		Steel Tube, 16" On-Center						
Roof Bows	Steel Tube, 16" On-Center							
Front Profile	Round							
Beavertail	32" 48"							
Ramp(s)			16" Extension, 40	00 lb. with Assist				
Side Door			36" Wide Flush Lo	ck, Wire Holdback				
Vents			Sidewal	l Airflow				
Fenders			Smooth A	Aluminum				
Axle			• •	op Spring Brake				
Hubs			•	Lube				
Breakaway			•	h, and Lanyard				
Tires				R15C 6-PR				
Wheels				ole Steel				
Exterior Finish				uminum				
Undercoating				notive				
Exterior Fastening		000 Al D		l (Screwless)	atabina Daan Haan			
Exterior Trim Stone Guard		.080 Aluminum K	oof Cove, 1.5" Bottor	n Extrusion, Color Ma ATP	atching Rear Hoop			
Roof				nless Aluminum				
Roof Cap			·	PO				
Interior Walls				ed Wood				
Interior Trim			-	Transitions				
Ceiling			•	n Strip				
Flooring				eered Wood				







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	
Interior Lights			(2)	LED			
Switches		(1) Dome Light, 12V					
Cargo Control		(4) 5000 lb. Recessed D-Rings					
Connector Plug		Round 7-pin Blade					
Exterior Lights		Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 28
Model #	KP10228SERFCH-070
SKU #	1L1P300
MSRP	\$15,066
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	5K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	Round
Beavertail	48"
Ramp(s)	16" Extension, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop
Stone Guard	24" ATP
Roof	Round Top Seamless Aluminum
Roof Cap	TP0
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Ceiling	Lauan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V







	8.5 x 28
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26				
Na del #	KP10216SERFCH-	KP10218SERFCH-	KP10220SERFCH-	KP10222SERFCH-	KP10224SERFCH-	KP10226SERFCH-				
Model #	100	100	100	100	100	100				
SKU #	8L1P75	8L5P25	8L8P75	9L2P25	9L5P75	1L0P025				
MSRP	\$10,900	\$11,366	\$11,833	\$12,300	\$12,766	\$13,366				
CAPACITIES										
GVWR (lbs)	9900									
GAWR (lbs/axle)			50	100						
CHASSIS										
Frame			6" x 2" S	teel Tube						
Tongue			6" x 2" Stee	l Triple Tube						
Crossmembers			Formed Steel,	16" On-Center						
Integrated Step(s)			Interior I	Recessed						
Coupler			2-5/16"	A-Frame						
Safety Chains			DOT Co	mpliant						
Tongue Jack			2K Couple	er Mounted						
Wall Studs			Steel Tube, 1	6" On-Center						
Roof Bows			Steel Tube, 1	6" On-Center						
Front Profile			Ro	und						
Beavertail	32"			48"						
Ramp(s)			·	000 lb. with Assist						
Side Door				ck, Wire Holdback						
Vents				l Airflow						
Fenders				Aluminum						
Axle				op Spring Brake						
Hubs			•	Lube						
Breakaway 			•	h, and Lanyard						
Tires				R15D 8-PR						
Wheels Exterior Finish			·	ole Steel Iuminum						
Undercoating				notive						
Exterior Fastening				l (Screwless)						
Exterior Trim		080 Aluminum P	oof Cove, 1.5" Bottor	•	atching Pear Hoon					
Stone Guard		.000 Alullillalli N		ATP	atching Kear 1100p					
Roof				nless Aluminum						
Roof Cap				P0						
Interior Walls				red Wood						
Interior Trim				Transitions						
Ceiling			•	n Strip						
Flooring				eered Wood						







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26		
Interior Lights			(2)	LED				
Switches		(1) Dome Light, 12V						
Cargo Control		(4) 5000 lb. Recessed D-Rings						
Connector Plug	Round 7-pin Blade							
Exterior Lights		Full LED, DOT Compliant, Integrated Backup/Taillights						





	8.5 x 28
Model #	KP10228SERFCH-100
SKU #	1L1P825
MSRP	\$15,766
CAPACITIES	
GVWR (lbs)	9900
GAWR (lbs/axle)	5000
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	5K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	Round
Beavertail	48"
Ramp(s)	16" Extension, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 5200 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST225/75R15D 8-PR
Wheels	15", 6-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	.080 Aluminum Roof Cove, 1.5" Bottom Extrusion, Color Matching Rear Hoop
Stone Guard	24" ATP
Roof	Round Top Seamless Aluminum
Roof Cap	TP0
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Ceiling	Lauan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V







	8.5 x 28
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26				
Model #	KP10216SERFCH-	KP10218SERFCH-	KP10220SERFCH-	KP10222SERFCH-	KP10224SERFCH-	KP10226SERFCH-				
Model #	070	070	070	070	070	070				
SKU #	7L6P50	8L0P00	8L3P50	8L7P00	9L0P50	9L5P00				
MSRP	\$10,200	\$10,666	\$11,133	\$11,600	\$12,066	\$12,666				
CAPACITIES										
GVWR (lbs)		7000								
GAWR (lbs/axle)			35	500						
CHASSIS										
Frame			6" x 2" S	teel Tube						
Tongue			6" x 2" Stee	l Triple Tube						
Crossmembers			Formed Steel,	16" On-Center						
Integrated Step(s)			Interior I	Recessed						
Coupler			2-5/16"	A-Frame						
Safety Chains			DOT Co	mpliant						
Tongue Jack			2K Couple	er Mounted						
Wall Studs			Steel Tube, 1	6" On-Center						
Roof Bows			Steel Tube, 1	6" On-Center						
Front Profile			Ro	und						
Beavertail	32"			48"						
Ramp(s)			·	000 lb. with Assist						
Side Door				ck, Wire Holdback						
Vents				l Airflow						
Fenders				Aluminum						
Axle			• • •	op Spring Brake						
Hubs			•	Lube						
Breakaway			-	h, and Lanyard						
Tires				R15C 6-PR						
Wheels Exterior Finish			•	ole Steel Iuminum						
Undercoating				notive						
Exterior Fastening				l (Screwless)						
Exterior Trim		080 Aluminum R	oof Cove, 1.5" Bottor	· , ,	atching Rear Hoon					
Stone Guard		.000 Aldillillalli K		ATP	atening Real Floop					
Roof				nless Aluminum						
Roof Cap				P0						
Interior Walls				red Wood						
Interior Trim				Transitions						
Ceiling				n Strip						
Flooring				eered Wood						





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26				
No del #	KP10216SESVCH-	KP10218SESVCH-	KP10220SESVCH-	KP10222SESVCH-	KP10224SESVCH-	KP10226SESVCH-				
Model #	070	070	070	070	070	070				
SKU #	7L3P00	7L6P50	8L0P00	8L3P50	8L7P00	9L1P50				
MSRP	\$9,733	\$10,200	\$10,666	\$11,133	\$11,600	\$12,200				
CAPACITIES										
GVWR (lbs)		7000								
GAWR (lbs/axle)			35	500						
CHASSIS										
Frame			6" x 2" S	teel Tube						
Tongue		6	5" x 2" Double Hollow	Aluminum Triple Tub	oe .					
Crossmembers			Formed Steel,	16" On-Center						
Integrated Step(s)			Interior I	Recessed						
Coupler			2-5/16"	A-Frame						
Safety Chains			DOT Co	mpliant						
Tongue Jack			2K Couple	er Mounted						
Wall Studs			Steel Tube, 1	6" On-Center						
Roof Bows				6" On-Center						
Front Profile			30" Sloped V-N	ose with 6" Drop						
Beavertail	32"			48"						
Ramp(s)			·	000 lb. with Assist						
Side Door				ck, Wire Holdback						
Vents				l Airflow						
Fenders				Aluminum						
Axle				op Spring Brake						
Hubs			•	Lube						
Breakaway Tires			-	h, and Lanyard						
Wheels				R15C 6-PR ole Steel						
Exterior Finish			•	luminum						
Undercoating				notive						
Exterior Fastening				l (Screwless)						
Exterior Trim		1.5" Bottom Extrusion	n, 2.5" Top Extrusion,	•	r Matching Rear Hoo	n				
Stone Guard		THE DOLLOW EXCLUSION	•	ATP	. matering near rise	-				
Roof				less Aluminum						
Interior Walls			•	red Wood						
Interior Trim				Transitions						
Ceiling				n Strip						
Flooring				eered Wood						
Interior Lights				LED						







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26			
Switches	(1) Dome Light, 12V								
Cargo Control	(4) 5000 lb. Recessed D-Rings								
Connector Plug	Round 7-pin Blade								
Exterior Lights		Full L	ED, DOT Compliant, Ir	ntegrated Backup/Ta	nillights				





	8.5 x 28
Model #	KP10228SESVCH-070
SKU #	1L0P950
MSRP	\$14,600
CAPACITIES	
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	8" x 2" Double Hollow Aluminum Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" A-Frame
Safety Chains	DOT Compliant
Tongue Jack	5K Coupler Mounted
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	30" Sloped V-Nose with 6" Drop
Beavertail	48"
Ramp(s)	16" Extension, 4000 lb. with Assist
Side Door	36" Wide Flush Lock, Wire Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Steel
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop
Stone Guard	24" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Vinyl Wall Transitions
Ceiling	Lauan Strip
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings







	8.5 x 28
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26				
Model #	KP10216SESVCH-	KP10218SESVCH-	KP10220SESVCH-	KP10222SESVCH-	KP10224SESVCH-	KP10226SESVCH-				
Model #	100	100	100	100	100	100				
SKU #	7L7P75	8L1P25	8L4P75	8L8P25	9L1P75	9L6P25				
MSRP	\$10,366	\$10,833	\$11,300	\$11,766	\$12,233	\$12,833				
CAPACITIES										
GVWR (lbs)		9900								
GAWR (lbs/axle)			50	000						
CHASSIS										
Frame			6" x 2" S	teel Tube						
Tongue			6" x 2" Stee	l Triple Tube						
Crossmembers			Formed Steel,	16" On-Center						
Integrated Step(s)			Interior I	Recessed						
Coupler			2-5/16"	A-Frame						
Safety Chains			DOT Co	mpliant						
Tongue Jack			2K Couple	er Mounted						
Wall Studs			Steel Tube, 1	6" On-Center						
Roof Bows			Steel Tube, 1	6" On-Center						
Front Profile			30" Sloped V-No	ose with 6" Drop						
Beavertail	32"			48"						
Ramp(s)			16" Extension, 40	000 lb. with Assist						
Side Door			36" Wide Flush Lo	ck, Wire Holdback						
Vents			Sidewal	l Airflow						
Fenders			Smooth A	Aluminum						
Axle			(2) 5200 lb. Dro	op Spring Brake						
Hubs			•	Lube						
Breakaway				h, and Lanyard						
Tires				R15D 8-PR						
Wheels				ole Steel						
Exterior Finish				luminum						
Undercoating				notive						
Exterior Fastening				l (Screwless)						
Exterior Trim		1.5" Bottom Extrusion	•	• •	r Matching Rear Hoo	D				
Stone Guard				ATP						
Roof			·-	less Aluminum						
Interior Walls				red Wood						
Interior Trim			•	Transitions						
Ceiling				n Strip						
Flooring				eered Wood						
Interior Lights			(2)	LED						







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	
Switches	(1) Dome Light, 12V						
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Connector Plug	Round 7-pin Blade						
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights						





	8.5 x 28						
Model #	KP10228SESVCH-100						
SKU #	1L1P425						
MSRP	\$15,233						
CAPACITIES	¥1.6j255						
GVWR (lbs)	9900						
GAWR (lbs/axle)	5000						
CHASSIS							
Frame	8" x 2" Steel Tube						
Tongue	8" x 2" Steel Triple Tube						
Crossmembers	Formed Steel, 16" On-Center						
Integrated Step(s)	Interior Recessed						
Coupler	2-5/16" A-Frame						
Safety Chains	DOT Compliant						
Tongue Jack	5K Coupler Mounted						
Wall Studs	Steel Tube, 16" On-Center						
Roof Bows	Steel Tube, 16" On-Center						
Front Profile	·						
Beavertail	30" Sloped V-Nose with 6" Drop 48"						
Ramp(s) Side Door	16" Extension, 4000 lb. with Assist						
	36" Wide Flush Lock, Wire Holdback Sidewall Airflow						
Vents							
Fenders	Smooth Aluminum						
Axle	(2) 5200 lb. Drop Spring Brake						
Hubs	Easy Lube						
Breakaway 	Battery, Switch, and Lanyard						
Tires	ST225/75R15D 8-PR						
Wheels	15", 6-Hole Steel						
Exterior Finish	.030" Aluminum						
Undercoating	Automotive						
Exterior Fastening	VHB Bonded (Screwless)						
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop						
Stone Guard	24" ATP						
Roof	Flat Top Seamless Aluminum						
Interior Walls	Engineered Wood						
Interior Trim	Vinyl Wall Transitions						
Ceiling	Lauan Strip						
Flooring	3/4" Engineered Wood						
Interior Lights	(2) LED						
Switches	(1) Dome Light, 12V						
Cargo Control	(4) 5000 lb. Recessed D-Rings						







JOURNEY SE CAR HAULER JOURNEY SE FLAT TOP SLOPED V-NOSE 10K

	8.5 x 28
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

9/16/24 | 63



	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30		
Model #	KP10220SESVCH- 140	KP10222SESVCH-	KP10224SESVCH- 140	KP10226SESVCH-	KP10228SESVCH-	KP10230SESVCH-		
SKU #	9L9P00	140 1L0P250	1L0P475	140 1L1P075	140 1L2P875	140 1L3P275		
MSRP	\$13,200	\$13,666	\$13,966	\$14,766	\$17,166	\$17,700		
	\$13,200	\$13,000	\$13,900	\$14,700	\$17,100	\$17,700		
CAPACITIES								
GVWR (lbs)			140	000				
GAWR (lbs/axle)			70	00				
CHASSIS								
Frame			8" x 2" S	teel Tube				
Tongue			8" x 2" Stee	l Triple Tube				
Crossmembers			Formed Steel,	16" On-Center				
Integrated Step(s)			Interior F	Recessed				
Coupler			2-5/16" A	djustable				
Safety Chains			DOT Co	mpliant				
Tongue Jack			7K Drop-Le	g, Set-Back				
Wall Studs			Steel Tube, 1	6" On-Center				
Roof Bows			Steel Tube, 1	6" On-Center				
Front Profile			30" Sloped V-No	ose with 6" Drop				
Beavertail		48"						
Ramp(s)			16" Extension, 40	00 lb. with Assist				
Side Door			36" Wide Flush Lo	ck, Wire Holdback				
Vents			Sidewal	l Airflow				
Fenders			Smooth A	Aluminum				
Axle			(2) 7000 lb. Dro	op Spring Brake				
Hubs			Easy	Lube				
Breakaway			Battery, Switc	h, and Lanyard				
Tires			ST235/80F	R16E 10-PR				
Wheels				ole Steel				
Exterior Finish				uminum				
Undercoating				notive				
Exterior Fastening				l (Screwless)				
Exterior Trim		1.5" Bottom Extrusion	n, 2.5" Top Extrusion,		r Matching Rear Hoo	p		
Stone Guard				ATP				
Roof			·	less Aluminum				
Interior Walls				red Wood				
Interior Trim			•	Transitions				
Ceiling				n Strip				
Flooring			•	eered Wood				
Interior Lights			(2)	LED				





9/16/24 | 65



JOURNEY SE FLAT TOP SLOPED V-NOSE 14K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	
Switches	(1) Dome Light, 12V						
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Connector Plug	Round 7-pin Blade						
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights						







	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23			
Model #	KP10217ELFVMS-070	KP10219ELFVMS-070	KP10221ELFVMS-070	KP10223ELFVMS-070			
SKU #	8L4P75	8L7P75	9L0P75	9L3P75			
MSRP	\$11,300	\$11,700	\$12,100	\$12,500			
CAPACITIES							
GVWR (lbs)	7000						
GAWR (lbs/axle)		3500					
CHASSIS							
Frame		6" x 2" Steel Tube					
Tongue	6"	x 2" Steel Tube with Center Drawbar, N	Max Extension				
Crossmembers		Steel Formed Channel, 16" On-C	enter				
Integrated Step(s)		Interior Recessed					
Coupler		2-5/16" Straight, Equalizer Brac	kets				
Safety Chains		DOT Compliant					
Tongue Jack		5K Drop-Leg, Frame Mounte	d				
Wall Studs		Steel Tube, 16" On-Center					
Front Profile		60" Aero Wedge					
Beavertail	24"	32"		8"			
Ramp(s)		(Both Ramps), 4000 lb. with Assist, 61	-				
Side Door	24" Wide Flush Lock, Wire Holdback	32" Wide Flush Lock, Wire Holdback	36" Wide Flush Lo	ck, Wire Holdback			
Vents		Sidewall Airflow					
Fenders		Smooth Aluminum					
Axle		(2) 3500 lb. Drop Spring Brak	Ke				
Hubs		Easy Lube					
Breakaway 		Battery, Switch, and Lanyard	d				
Tires		ST205/75R15C 6-PR					
Wheels		15", 5-Hole Steel					
Exterior Finish		.030" Aluminum					
Undercoating		Automotive					
Exterior Fastening Exterior Trim	1 5" Pottom Eytru	VHB Bonded (Screwless) sion, 2.5" Top Extrusion, ATP Nose Ca	n Color Matching Poor H	loon			
Stone Guard	1.5 Bottom Extru	Sion, 2.5 Top Extrusion, ATP Nose Ca	p, color matching Real n	юф			
Roof			n				
Interior Walls	Flat Top Seamless Aluminum Engineered Wood						
Interior Trim		Engineered Wood Wall Transiti	ons				
Ceiling		Lauan Strip					
Flooring		3/4" Engineered Wood					
Interior Lights		(2) LED					
Cargo Control	(4) 5	000 lb. Recessed D-Rings, (9) 2.5K Re	cessed D-Rings				
Connector Plug	(,)	Round 7-pin Blade					





JOURNEY MOTORSPORT JOURNEY FLAT TOP V-NOSE 7K

	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23	
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights				







	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23	8.5 x 25	8.5 x 27
Model #	KP10217ELFVMS- 100	KP10219ELFVMS- 100	KP10221ELFVMS- 100	KP10223ELFVMS- 100	KP10225ELFVMS- 100	KP10227ELFVMS- 100
SKU #	9L0P00	9L3P00	9L6P00	9L9P00	1L0P200	1L0P500
MSRP	\$12,000	\$12,400	\$12,800	\$13,200	\$13,600	\$14,000
CAPACITIES						
GVWR (lbs)			990	0		
GAWR (lbs/axle)			500	0		
CHASSIS						
Frame			6" x 2" Ste	eel Tube		
Tongue		6" x 2" \$	Steel Tube with Cent	er Drawbar, Max Exte	ension	
Crossmembers			Steel Formed Chani	•		
Integrated Step(s)			Interior R	ecessed		
Coupler			2-5/16" Straight, E	qualizer Brackets		
Safety Chains			DOT Cor	npliant		
Tongue Jack			5K Drop-Leg, Fr	ame Mounted		
Wall Studs			Steel Tube, 16	" On-Center		
Roof Bows			Steel Tube, 16	" On-Center		
Front Profile			60" Aero	Wedge		
Beavertail	24"	32"		4	8"	
Ramp(s)		12" Extension (Both	Ramps), 4000 lb. wi	th Assist, 61" Front \	Wedge with Assist	
Side Door	24" Wide Flush Lock, Wire Holdback	32" Wide Flush Lock, Wire Holdback		36" Wide Flush Lo	ock, Wire Holdback	
Vents			Sidewall	Airflow		
Fenders			Smooth A	uminum		
Axle			(2) 5200 lb. Dro	o Spring Brake		
Hubs			Easy I	.ube		
Breakaway			Battery, Switch	, and Lanyard		
Tires			ST225/75R	15D 8-PR		
Wheels			15", 6-Ho	le Steel		
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1	.5" Bottom Extrusion,	<u> </u>		Matching Rear Hoop	
Stone Guard			24" A			
Roof			Flat Top Seamle			
Interior Walls			Engineere			
Interior Trim			Extruded Aluminun			
Ceiling			Lauan	Strip		







	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23	8.5 x 25	8.5 x 27	
Flooring	3/4" Engineered Wood						
Interior Lights	(2) LED						
Switches			(1) Dome L	ight, 12V			
Cargo Control	(4) 5000 lb. Recessed D-Rings, (9) 2.5K Recessed D-Rings						
Connector Plug	Round 7-pin Blade						
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights						







	ERICAN		JOOKNETTEAT TOT V NOOE TO			
	8.5 x 29	8.5 x 31	8.5 x 33	8.5 x 35	8.5 x 37	
Model #	KP10229ELFVMS-100	KP10231ELFVMS-100	KP10233ELFVMS- 100	KP10235ELFVMS- 100	KP10237ELFVMS 100	
SKU #	1L0P800	1L1P100	1L3P100	1L3P600	1L4P100	
MSRP	\$14,400	\$14,800	\$17,466	\$18,133	\$18,800	
CAPACITIES						
GVWR (lbs)			9900			
GAWR (lbs/axle)			5000			
CHASSIS						
rame	6" x 2" S	teel Tube		8" x 2" Steel Tube		
		n Center Drawbar, Max				
Tongue		nsion	8" x 2" Steel Tu	be with Center Drawbar	, Max Extension	
crossmembers		Steel Form	ned Channel, 16" On-Cei	nter		
ntegrated Step(s)		!	nterior Recessed			
oupler		2-5/16" S	traight, Equalizer Brack	ets		
afety Chains			DOT Compliant			
ongue Jack		5K Dro	p-Leg, Frame Mounted			
/all Studs		Stee	l Tube, 16" On-Center			
oof Bows		Stee	l Tube, 16" On-Center			
ront Profile			60" Aero Wedge			
eavertail			48"			
amp(s)	12"	Extension (Both Ramps), 40	000 lb. with Assist, 61"	Front Wedge with Assis	t	
ide Door		36" Wide	Flush Lock, Wire Holdba	nck		
ents ents			Sidewall Airflow			
enders		S	Smooth Aluminum			
xle		(2) 520	00 lb. Drop Spring Brake			
lubs			Easy Lube			
reakaway		Batter	ry, Switch, and Lanyard			
ires		Si	Γ225/75R15D 8-PR			
/heels			15", 6-Hole Steel			
xterior Finish			.030" Aluminum			
Indercoating			Automotive			
xterior Fastening			Bonded (Screwless)			
xterior Trim	1.5" Bo	ttom Extrusion, 2.5" Top Ex		Color Matching Rear H	oop	
tone Guard			24" ATP			
oof			pp Seamless Aluminum			
nterior Walls			Engineered Wood			
nterior Trim		Extruded A	Aluminum Wall Transitio	ons		
eiling			Lauan Strip			
looring		3/4	1" Engineered Wood			
nterior Lights			(2) LED			







	8.5 x 29	8.5 x 31	8.5 x 33	8.5 x 35	8.5 x 37		
Switches	(1) Dome Light, 12V						
Cargo Control	(4) 5000 lb. Recessed D-Rings, (9) 2.5K Recessed D-Rings						
Connector Plug	Round 7-pin Blade						
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights						





CARGOSPORT ROUND TOP ROUND FRONT 3K

	6 x 10	6 x 12	6 x 14	7 x 12		
Model #	KP7210VSRF-030	KP7212VSRF-030	KP7214VSRF-030	KP8412VSRF-035		
SKU #	4L8P25	5L0P25	5L4P25	5L9P00		
MSRP	\$6,433	\$6,700	\$7,233	\$7,866		
CAPACITIES						
GVWR (lbs)		2990		3500		
GAWR (lbs/axle)			350	0		
CHASSIS						
Frame				4" x 2" Steel Tube		
Tongue	3" x :	2" Steel Tube, 6" Exte	nsion	6" Extension, 6" x 2" Steel Tube		
Crossmembers			Formed Steel, 1	6" On-Center		
Coupler			2" Adjus	table		
Safety Chains			DOT Com	pliant		
Tongue Jack			2K Set-			
Wall Studs			Steel Tube, 16			
Roof Bows			Steel Tube, 16			
Front Profile			Roun			
Ramp(s)	12" Extension w	ith Bullnose Cap, 150		12" Extension with Bullnose Cap, 2500 lb. with Assist		
Side Door		32"	•	t Aluminum Holdback		
Vents			Sidewall <i>i</i>			
Axle	35	500 lb. Drop Spring Id		3500 lb. Drop Spring Brake		
Hubs			Easy L			
Breakaway			07005/750	Battery, Switch, and Lanyard		
Tires Wheels			ST205/75R1			
Exterior Finish			15", 5-Hole <i>A</i> .030" Alui			
Undercoating			Automo			
Exterior Fastening			VHB Bonded (
Exterior Trim	080 Aluminum	Roof Cove 3" Bottom		ninum Radius Front Corners, Brite Aluminum Rear Hoop		
Stone Guard	.000 / ((a))	noor cove, o bonon	24" A	•		
Roof			Round Top Seaml			
Roof Cap			TPC			
Interior Walls		Engineered Wood				
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling		White ThermoPly®				
Flooring			3/4" Enginee	red Wood		
Interior Lights	(2) LED					
Switches			(1) Dome Li	ight, 12V		
Connector Plug		Flat 4-pin		Round 7-pin Blade		
Exterior Lights	F	ull LED, DOT Complia	nt	Full LED, DOT Compliant, Integrated Backup/Taillights		





	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20				
		KP8412VSRF-	KP8414VSRF-	KP8416VSRF-	KP8418VSRF-	KP8420VSRF-				
Model #	KP7212VSRF-070	070	070	070	070	070				
SKU #	6L5P00	7L1P75	7L3P75	7L5P75	7L9P75	8L2P75				
MSRP	\$8,666	\$9,566	\$9,833	\$10,100	\$10,633	\$11,033				
CAPACITIES										
GVWR (lbs)	7000									
GAWR (lbs/axle)	3500									
CHASSIS										
Frame				6" x 2" Steel Tube	:					
Tongue		6" Extensi	on, 6" x 2" Steel T	riple Tube						
Crossmembers		Form	ed Steel, 16" On-C	enter						
Coupler		2	2-5/16" Adjustable	?						
Safety Chains			DOT Compliant							
Tongue Jack			2K Set-Back							
Wall Studs		Stee	el Tube, 16" On-Ce	nter						
Roof Bows		Stee	el Tube, 16" On-Ce	nter						
Front Profile	Round									
Ramp(s)	12" Extension with Bullnose Cap, 1500 lb. with Assist		12" Extension wit	h Bullnose Cap, 2	500 lb. with Assis	t				
Side Door		32" Wide Flush	ı Lock, Cast Alumi	num Holdback						
Vents			Sidewall Airflow							
Axle		(2) 35	00 lb. Drop Spring	Brake						
Hubs			Easy Lube							
Breakaway			ry, Switch, and La	•						
Tires			T205/75R15C 6-P							
Wheels		15	5", 5-Hole Aluminu	m						
Exterior Finish			.030" Aluminum							
Undercoating			Automotive							
Exterior Fastening	000 Aluminum Boof Cove 2"		Bonded (Screwle	· ·	ua Duita Alumaimuu	n Daar Haan				
Exterior Trim Stone Guard	.080 Aluminum Roof Cove, 3"	BOILOM EXTRUSION,	24" ATP	adius Front Corne	ers, Brite Aluminui	п кеаг ноор				
Roof		Dound	Top Seamless Alu	minum						
Roof Cap		Kounu	TPO	IIIIIuiii						
Interior Walls			Engineered Wood							
Interior Trim			Aluminum Wall Tr							
Ceiling			White ThermoPly®							
Flooring			4" Engineered Wo							
Interior Lights			(2) LED							
Switches		(1) Dome Light, 12'	V						







	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20
Connector Plug		R	ound 7-pin Blade			
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24					
Model #	KP10216VSRF-070	KP10218VSRF-070	KP10220VSRF-070	KP10222VSRF-070	KP10224VSRF-070					
SKU #	8L3P50	8L6P50	8L9P50	9L2P50	9L5P50					
MSRP	\$11,133	\$11,533	\$11,933	\$12,333	\$12,733					
CAPACITIES										
GVWR (lbs)			7000							
GAWR (lbs/axle)		3500								
CHASSIS										
Frame			6" x 2" Steel Tube							
Tongue		6" Ext	ension, 6" x 2" Steel Tripl	e Tube						
Crossmembers		F	ormed Steel, 16" On-Cent	er						
Integrated Step(s)			Interior Recessed							
Coupler			2-5/16" Adjustable							
Safety Chains			DOT Compliant							
Tongue Jack			2K Set-Back							
Wall Studs			Steel Tube, 16" On-Cente	r						
Roof Bows			Steel Tube, 16" On-Cente	r						
Front Profile			Round							
Ramp(s)		12" Extension	with Bullnose Cap, 4000	lb. with Assist						
Side Door		32" Wide F	lush Lock, Cast Aluminur	n Holdback						
/ents			Sidewall Airflow							
enders			Smooth Aluminum							
Axle		(2) 3500 lb. Drop Spring Bra	ake						
lubs			Easy Lube							
Breakaway		В	attery, Switch, and Lanya	rd						
Tires			ST205/75R15C 6-PR							
Wheels			15", 5-Hole Aluminum							
Exterior Finish			.030" Aluminum							
Undercoating			Automotive							
Exterior Fastening			VHB Bonded (Screwless)							
Exterior Trim	.080 Aluminum Ro	of Cove, 3" Bottom Extrus	sion, Brite Aluminum Radi	us Front Corners, Brite A	luminum Rear Hoop					
Stone Guard			24" ATP							
Roof		Ro	und Top Seamless Alumir	num						
Roof Cap			TPO							
nterior Walls			Engineered Wood	•-•						
nterior Trim		Extru	ded Aluminum Wall Trans	sitions						
Ceiling			White ThermoPly®							
Flooring			3/4" Engineered Wood							
Interior Lights			(2) LED							
Switches			(1) Dome Light, 12V							
Connector Plug			Round 7-pin Blade							





9/16/24 | 76



CARGOSPORT ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24
Exterior Lights		Full LED, DOT (Compliant, Integrated Ba	ckup/Taillights	





	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12	8.5 x 14	
Model #	KP8414VSRF- 100	KP8416VSRF- 100	KP8418VSRF- 100	KP8420VSRF- 100	KP10212VSRF-100	KP10214VSRF-100	
SKU #	7L9P00	8L1P00	8L5P00	8L8P00	8L6P75	8L7P75	
MSRP	\$10,533	\$10,800	\$11,333	\$11,733	\$11,566	\$11,700	
CAPACITIES	411,551	¥13) 223	****	¥11.jj. 55	, ,	V.1.7. 2.2	
				9900			
GVWR (lbs)				5000			
GAWR (Ibs/axle)				3000			
CHASSIS							
Frame				' x 2" Steel Tube			
Tongue				n, 6" x 2" Steel Tripl			
Crossmembers			Formed	l Steel, 16" On-Cent			
Integrated Step(s)					Interior	Recessed	
Coupler				5/16" Adjustable			
Safety Chains				DOT Compliant			
Tongue Jack				2K Set-Back			
Wall Studs				Tube, 16" On-Cente			
Roof Bows			Steel	Tube, 16" On-Cente	r		
Front Profile				Round			
Ramp(s)	12" Exte	12" Extension with Bullnose Cap, 2500 lb. with Assist 12" Extension with Bullnose Cap, 4000 lb. with Assist Assist					
Side Door			32" Wide Flush L	.ock, Cast Aluminuı	n Holdback		
Vents			S	idewall Airflow			
Fenders					Smooth	Aluminum	
Axle			(2) 5200	lb. Drop Spring Br	ake		
Hubs				Easy Lube			
Breakaway			Battery	, Switch, and Lanya	rd		
Tires			ST	225/75R15D 8-PR			
Wheels			15",	6-Hole Aluminum			
Exterior Finish				030" Aluminum			
Undercoating				Automotive			
Exterior Fastening			VHB	Bonded (Screwless			
Exterior Trim	.080 Alumin	um Roof Cove, 3" B	ottom Extrusion, B		ius Front Corners, Brite A	luminum Rear Hoop	
Stone Guard				24" ATP			
Roof			Round To	p Seamless Alumii	num		
Roof Cap				TP0			
Interior Walls			E	ngineered Wood			
Interior Trim			Extruded A	luminum Wall Trans	sitions		
Ceiling			WI	nite ThermoPly®			
Flooring			3/4'	Engineered Wood			







	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12	8.5 x 14		
Interior Lights	(2) LED							
Switches	(1) Dome Light, 12V							
Connector Plug	Round 7-pin Blade							
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights							





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26			
Model #	KP10216VSRF-100	KP10218VSRF-100	KP10220VSRF-100	KP10222VSRF-100	KP10224VSRF-100	KP10226VSRF-100			
SKU #	8L8P75	9L1P75	9L4P75	9L7P75	1L0P075	1L0P575			
MSRP	\$11,833	\$12,233	\$12,633	\$13,033	\$13,433	\$14,100			
CAPACITIES									
GVWR (lbs)			99	00					
GAWR (lbs/axle)		5000							
CHASSIS									
Frame			6" x 2" S	teel Tube					
Tongue			6" Extension, 6" x 2	2" Steel Triple Tube					
Crossmembers			Formed Steel,	16" On-Center					
Integrated Step(s)			Interior F	Recessed					
Coupler			2-5/16" A	djustable					
Safety Chains			DOT Co	mpliant					
Tongue Jack			2K Se	t-Back					
Wall Studs			Steel Tube, 1	6" On-Center					
Roof Bows			Steel Tube, 1	6" On-Center					
Front Profile				und					
Ramp(s)		12" E	xtension with Bullnos	e Cap, 4000 lb. with	Assist				
Side Door		32	" Wide Flush Lock, C		ack				
Vents			Sidewal	l Airflow					
Fenders			Smooth A	Aluminum					
Axle			• •	op Spring Brake					
Hubs			•	Lube					
Breakaway			•	h, and Lanyard					
Tires				R15D 8-PR					
Wheels			•	Aluminum					
Exterior Finish				uminum					
Undercoating				notive					
Exterior Fastening				l (Screwless)					
Exterior Trim	.080 Aluminum	Roof Cove, 3" Botto	m Extrusion, Brite Alu		Corners, Brite Alumi	num Rear Hoop			
Stone Guard				ATP					
Roof			•	mless Aluminum					
Roof Cap				20					
Interior Walls				red Wood					
Interior Trim				m Wall Transitions					
Ceiling 				ermoPly®					
Flooring			•	eered Wood					
Interior Lights			· ·	LED					
Switches			, ,	Light, 12V					
Connector Plug			Round 7-	pin Blade					







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Exterior Lights		Full LI	ED, DOT Compliant, Ir	ntegrated Backup/Tail	llights	





	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Model #	KP6008VSSV- 030	KP6008VSSV-035	KP6010VSSV- 030	KP6010VSSV-035	KP7210VSSV- 030	KP7210VSSV-035
SKU #	3L7P75	4L1P50	4L1P75	4L5P50	4L4P75	4L8P50
MSRP	\$5,033	\$5,533	\$5,566	\$6,066	\$5,966	\$6,466
CAPACITIES						
GVWR (lbs)	2990	3500	2990	3500	2990	3500
GAWR (lbs/axle)				3500		
CHASSIS						
Frame		3" x 2" Alur	minum Tube			
Tongue		0 X 2 71141		Tube, 6" Extension		
Crossmembers				eel, 16" On-Center		
Coupler				Adjustable		
Safety Chains				Compliant		
Tongue Jack				Set-Back		
Wall Studs			Steel Tub	e, 16" On-Center		
Roof Bows			Steel Tub	e, 16" On-Center		
Front Profile			24" A	Aero Wedge		
Ramp(s)		12" E	xtension with Bull	nose Cap, 1500 lb. with	Assist	
Side Door						Lock, Cast Aluminum Ioldback
Vents			Side	wall Airflow		
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake
Hubs				asy Lube	, ,	
Breakaway		Battery, Switch, and Lanyard		Battery, Switch, and Lanyard		Battery, Switch, and Lanyard
Tires			ST205/	/75R15C 6-PR		
Wheels			15", 5-H	lole Aluminum		
Exterior Finish			.030	" Aluminum		
Undercoating			Au	ıtomotive		
Exterior Fastening			VHB Bon	ded (Screwless)		
Exterior Trim	2.	5" Top Extrusion, 3" Bot		•	Brite Aluminum R	ear Hoop
Stone Guard				24" ATP		
Roof			•	amless Aluminum		
Interior Walls				eered Wood		
Interior Trim				inum Wall Transitions		
Ceiling				ThermoPly®		
Flooring				gineered Wood		
Interior Lights				(2) LED		







	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10
Switches			(1) Do	me Light, 12V		
Connector Plug	Flat 4-pin	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade	Flat 4-pin	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights	Full LED, DOT Compliant	Full LED, DOT Compliant, Integrated Backup/Taillights





	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12	
Model #	KP7212VSSV-030	KP7212VSSV-035	KP7214VSSV-035	KP7214VSSV-030	KP8412VSSV-035	
SKU #	4L6P75	5L0P50	5L4P50	5L0P75	5L5P50	
MSRP	\$6,233	\$6,733	\$7,266	\$6,766	\$7,400	
CAPACITIES	. ,	. ,	,	,	,	
GVWR (lbs)	29	90	3500	2990	3500	
GAWR (lbs/axle)			3500			
CHASSIS						
Frame					4" x 2" Steel Tube	
Tongue		3" x 2" Steel Tu	be, 6" Extension		6" Extension, 6" x 2" Steel Tube	
Crossmembers			Formed Steel, 16	" On-Center		
Coupler			2" Adjust	able		
Safety Chains			DOT Comp	liant		
Tongue Jack			2K Set-B	ack		
Wall Studs			Steel Tube, 16"	On-Center		
Roof Bows			Steel Tube, 16"	On-Center		
Front Profile			24" Aero W	/edge		
Ramp(s)	12" E	12" Extension with Bullnose Cap, 1500 lb. with Assist 2500 lb. with Assist				
Side Door		32" '	Wide Flush Lock, Cast	Aluminum Holdback		
Vents			Sidewall A	irflow		
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop	Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	
Hubs			Easy Lu	be		
Breakaway		Battery, Switc	h, and Lanyard		Battery, Switch, and Lanyard	
Tires			ST205/75R1	5C 6-PR		
Vheels			15", 5-Hole Al	uminum		
Exterior Finish			.030" Alum	ninum		
Jndercoating			Automot	ive		
Exterior Fastening			VHB Bonded (S	crewless)		
Exterior Trim	2.5" To	op Extrusion, 3" Botto	m Extrusion, Brite Aluı	minum Nose Cap, Brite	e Aluminum Rear Hoop	
Stone Guard			24" AT	P		
Roof			Flat Top Seamles	s Aluminum		
nterior Walls			Engineered	Wood		
nterior Trim			Extruded Aluminum \	Wall Transitions		
Ceiling			White Therm	noPly®		
looring			3/4" Engineer	ed Wood		
nterior Lights			(2) LEI	D		
Switches			(1) Dome Lig	ht, 12V		
Connector Plug	Flat 4-pin	Round 7-	pin Blade	Flat 4-pin	Round 7-pin Blade	







	6 x 12	6 x 12	6 x 14	6 x 14	7 x 12
Exterior Lights	Full LED, DOT	Full LED, DOT Con	npliant, Integrated	Full LED, DOT	Full LED, DOT Compliant, Integrated
Exterior Lights	Compliant	Backup/Taillights		Compliant	Backup/Taillights





	6 x 10	6 x 12	6 x 14						
Model #	KP7210VSSV-050	KP7212VSSV-050	KP7214VSSV-050						
SKU #	5L1P00	5L3P00	5L7P00						
MSRP	\$6,800	\$7,066	\$7,600						
CAPACITIES									
GVWR (lbs)		5000							
GAWR (lbs/axle)		5000							
CHASSIS									
Tongue		3" x 2" Steel Tube, 6" Extension							
Crossmembers		Formed Steel, 16" On-Center							
Coupler		2" Adjustable							
Safety Chains		DOT Compliant							
Tongue Jack		2K Set-Back							
Wall Studs		Steel Tube, 16" On-Center							
Roof Bows		Steel Tube, 16" On-Center							
Front Profile		24" Aero Wedge							
Ramp(s)	12" Ex	tension with Bullnose Cap, 1500 lb. with μ	Assist						
Side Door	32	" Wide Flush Lock, Cast Aluminum Holdba	ck						
Vents		Sidewall Airflow							
Axle		5200 lb. Drop Spring Brake							
Hubs		Easy Lube							
Breakaway		Battery, Switch, and Lanyard							
Tires		ST225/75R15D 8-PR							
Wheels		15", 6-Hole Aluminum							
Exterior Finish		.030" Aluminum							
Undercoating		Automotive							
Exterior Fastening		VHB Bonded (Screwless)							
Exterior Trim	2.5" Top Extrusion, 3" Bott	om Extrusion, Brite Aluminum Nose Cap, I	Brite Aluminum Rear Hoop						
Stone Guard		24" ATP							
Roof		Flat Top Seamless Aluminum							
Interior Walls		Engineered Wood							
Interior Trim		Extruded Aluminum Wall Transitions							
Ceiling		White ThermoPly®							
Flooring		3/4" Engineered Wood							
Interior Lights		(2) LED							
Switches		(1) Dome Light, 12V							
Connector Plug		Round 7-pin Blade							
Exterior Lights	Full Li	ED, DOT Compliant, Integrated Backup/Tail	lights						





	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20				
Model #	KP7212VSSV-070	KP8412VSSV- 070	KP8414VSSV- 070	KP8416VSSV- 070	KP8418VSSV- 070	KP8420VSSV- 070				
SKU #	6L1P50	6L8P25	7L0P25	7L2P25	7L6P25	7L9P25				
MSRP	\$8,200	\$9,100	\$9,366	\$9,633	\$10,166	\$10,566				
CAPACITIES	. ,	. ,	. ,		,					
GVWR (lbs)			7000							
GAWR (lbs/axle)			3500							
CHASSIS										
Frame				6" x 2" Steel Tube	<u>.</u>					
Tongue		6" Extensi	on, 6" x 2" Steel T	riple Tube						
Crossmembers			ed Steel, 16" On-C							
Coupler		2	2-5/16" Adjustable	9						
Safety Chains			DOT Compliant							
Tongue Jack			2K Set-Back							
Wall Studs		Steel Tube, 16" On-Center								
Roof Bows		Stee	el Tube, 16" On-Ce	nter						
Front Profile		24" Aero Wedge								
Ramp(s)	12" Extension with Bullnose Cap, 1500 lb. with Assist		12" Extension wit	h Bullnose Cap, 2	500 lb. with Assis	t				
Side Door		32" Wide Flush	Lock, Cast Alumi	num Holdback						
Vents			Sidewall Airflow							
Axle		(2) 35	00 lb. Drop Spring	Brake						
Hubs			Easy Lube							
Breakaway			ry, Switch, and La	•						
Tires			T205/75R15C 6-P							
Wheels		15	5", 5-Hole Aluminu	ım						
Exterior Finish			.030" Aluminum							
Undercoating		\/I I I	Automotive	>						
Exterior Fastening Exterior Trim	2.5" Top Extrusion, 3		Bonded (Screwle	•	Numinum Door Ho	on				
Stone Guard	2.5 TOP EXTUSION, 3	BOLLOIII EXTRUSIO	11, Brite Aluminum 24" ATP	i Nose Cap, brile A	Aluminum Rear no	юр				
Roof		Flat T	op Seamless Alun	ninum						
Interior Walls			Engineered Wood							
Interior Trim			Aluminum Wall Tr							
Ceiling			White ThermoPly®							
Flooring			4" Engineered Wo							
Interior Lights		•	(2) LED							
Switches		(1	1) Dome Light, 12	٧						
Connector Plug		•	Round 7-pin Blade							







	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20
Exterior Lights		Full LED, DOT Com	pliant, Integrated	l Backup/Taillights	5	





	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14
Model #	KP9014VSSV- 070	KP9016VSSV- 070	KP9018VSSV- 070	KP9020VSSV- 070	KP10212VSSV-070	KP10214VSSV-070
SKU #	7L7P25	8L0P25	8L4P25	8L7P25	7L8P00	7L9P00
MSRP	\$10,300	\$10,700	\$11,233	\$11,633	\$10,400	\$10,533
CAPACITIES						
GVWR (lbs)				7000		
GAWR (lbs/axle)				3500		
CHASSIS						
Frame					6" x 2" S	teel Tube
Tongue			6" Extension	n, 6" x 2" Steel Tripl	e Tube	
Crossmembers			Formed	l Steel, 16" On-Cent	er	
Integrated Step(s)					Interior	Recessed
Coupler			2-	5/16" Adjustable		
Safety Chains			Ī	DOT Compliant		
Tongue Jack				2K Set-Back		
Wall Studs			Steel	Tube, 16" On-Cente	r	
Roof Bows			Steel	Tube, 16" On-Cente	r	
Front Profile		24" Aer	o Wedge		30" Aer	o Wedge
Ramp(s)	12" Exte	ension with Bullnos	se Cap, 2500 lb. wi	th Assist	12" Extension with Bull As	lnose Cap, 4000 lb. witl sist
Side Door			32" Wide Flush L	ock, Cast Aluminur	n Holdback	
Vents			S	idewall Airflow		
Fenders					Smooth A	Aluminum
Axle			(2) 3500	lb. Drop Spring Bra	ake	
Hubs				Easy Lube		
Breakaway			Battery	, Switch, and Lanya	rd	
Tires			ST2	205/75R15C 6-PR		
Wheels			15",	5-Hole Aluminum		
Exterior Finish			.(030" Aluminum		
Undercoating				Automotive		
Exterior Fastening			VHB I	Bonded (Screwless)		
Exterior Trim	2.5	" Top Extrusion, 3"	Bottom Extrusion,	Brite Aluminum No	se Cap, Brite Aluminum	Rear Hoop
Stone Guard				24" ATP		
Roof			Flat Top	Seamless Aluminu	ım	
nterior Walls			Eı	ngineered Wood		
Interior Trim			Extruded A	luminum Wall Trans	itions	
Ceiling			Wh	nite ThermoPly®		
Flooring			3/4"	Engineered Wood		
Interior Lights				(2) LED		
Switches			(1)	Dome Light, 12V		







	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14	
Connector Plug			Ro	ound 7-pin Blade			
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights						





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26		
Madal #	KP10216VSSV-	KP10218VSSV-	KP10220VSSV-	KP10222VSSV-	KP10224VSSV-	KP10226VSSV		
Model #	070	070	070	070	070	070		
SKU #	8L0P00	8L3P00	8L6P00	8L9P00	9L2P00	9L7P00		
MSRP	\$10,666	\$11,066	\$11,466	\$11,866	\$12,266	\$12,933		
CAPACITIES								
GVWR (lbs)			70	000				
GAWR (lbs/axle)			35	500				
CHASSIS								
Frame			6" x 2" S	teel Tube				
Tongue				2" Steel Triple Tube				
Crossmembers			·	16" On-Center				
Integrated Step(s)				Recessed				
Coupler				Adjustable				
Safety Chains				mpliant				
Tongue Jack				t-Back				
Wall Studs		Steel Tube, 16" On-Center						
Roof Bows		Steel Tube, 16" On-Center						
Front Profile	30" Aero Wedge							
Ramp(s)		12" Ex	ctension with Bullnos	se Cap, 4000 lb. with	Assist			
Side Door		32	" Wide Flush Lock, C	ast Aluminum Holdba	ack			
/ents			Sidewa	ll Airflow				
enders			Smooth A	Aluminum				
Axle			(2) 3500 lb. Dr	op Spring Brake				
Hubs			Easy	Lube				
Breakaway			Battery, Switc	h, and Lanyard				
Tires			ST205/75	R15C 6-PR				
Wheels			15", 5-Hole	e Aluminum				
Exterior Finish			.030" A	luminum				
Undercoating				notive				
Exterior Fastening				d (Screwless)				
Exterior Trim	2.5"	Top Extrusion, 3" Bott			Brite Aluminum Rear	Ноор		
Stone Guard				ATP				
Roof				less Aluminum				
nterior Walls				red Wood				
nterior Trim				m Wall Transitions				
Ceiling				ermoPly®				
Flooring				eered Wood				
Interior Lights				LED				
Switches			, ,	Light, 12V pin Blade				







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Exterior Lights		Full Li	D, DOT Compliant, In	ntegrated Backup/Tail	llights	





	8.5 x 28
Model #	KP10228VSSV-070
SKU #	1L1P350
MSRP	\$15,133
CAPACITIES	\$10,100
GVWR (lbs)	7000
GAWR (lbs/axle)	3500
	3300
CHASSIS	
Frame	6" x 2" Steel Tube
Tongue	6" Extension, 8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Integrated Step(s)	Interior Recessed
Coupler	2-5/16" Adjustable
Safety Chains	DOT Compliant
Tongue Jack	5K Set-Back
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	30" Aero Wedge
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback
Vents	Sidewall Airflow
Fenders	Smooth Aluminum
Axle	(2) 3500 lb. Drop Spring Brake
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST205/75R15C 6-PR
Wheels	15", 5-Hole Aluminum
Exterior Finish	.030" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop
Stone Guard	24" ATP
Roof	Flat Top Seamless Aluminum
Interior Walls	Engineered Wood
Interior Trim	Extruded Aluminum Wall Transitions
Ceiling	White ThermoPly®
Flooring	3/4" Engineered Wood
Interior Lights	(2) LED
Switches	(1) Dome Light, 12V
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights
-	





	7 x 14	7 x 16	7 x 18	7 x 20	7 x 22	7.5 x 14		
Model #	KP8414VSSV-100	KP8416VSSV-100	KP8418VSSV-100	KP8420VSSV-100	KP8422VSSV-100	KP9014VSSV-100		
SKU #	7L5P50	7L7P50	8L1P50	8L4P50	9L1P00	8L2P50		
MSRP	\$10,066	\$10,333	\$10,866	\$11,266	\$12,133	\$11,000		
CAPACITIES								
GVWR (lbs)			99	00				
GAWR (lbs/axle)			50	00				
CHASSIS								
Frame			6" x 2" Steel Tube					
Tongue			6" Extension, 6" x 2	2" Steel Triple Tube				
Crossmembers			Formed Steel,	16" On-Center				
Coupler			2-5/16" <i>A</i>	djustable				
Safety Chains			DOT Co	mpliant				
Tongue Jack			2K Se	t-Back				
Wall Studs			Steel Tube, 1	6" On-Center				
Roof Bows		Steel Tube, 16" On-Center						
Front Profile		24" Aero Wedge						
Ramp(s)		12" E	xtension with Bullnos	e Cap, 2500 lb. with	Assist			
Side Door		32	" Wide Flush Lock, C	ast Aluminum Holdba	ack			
Vents			Sidewal	l Airflow				
Axle			(2) 5200 lb. Dro	op Spring Brake				
Hubs			Easy	Lube				
Breakaway			• •	h, and Lanyard				
Tires				R15D 8-PR				
Wheels				Aluminum				
Exterior Finish				uminum				
Undercoating				notive				
Exterior Fastening				l (Screwless)				
Exterior Trim	2.5"	Top Extrusion, 3" Bott		•	Brite Aluminum Rear	Ноор		
Stone Guard				ATP				
Roof			•	less Aluminum				
Interior Walls				ed Wood				
Interior Trim				m Wall Transitions				
Ceiling				ermoPly® eered Wood				
Flooring								
Interior Lights Switches				LED Light, 12V				
Connector Plug			` '	- ·				
COMMECTOR PIUM	Round 7-pin Blade Full LED, DOT Compliant, Integrated Backup/Taillights							





	ERICAIN							
	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 12	8.5 x 14	8.5 x 16		
Model #	KP9016VSSV-100	KP9018VSSV-100	KP9020VSSV-100	KP10212VSSV-100	KP10214VSSV-100	KP10216VSSV-100		
SKU #	8L5P50	8L9P50	9L2P50	8L3P25	8L4P25	8L5P25		
MSRP	\$11,400	\$11,933	\$12,333	\$11,100	\$11,233	\$11,366		
CAPACITIES								
GVWR (lbs)				9900				
GAWR (lbs/axle)				5000				
CHASSIS								
Frame					6" x 2" Steel Tube			
Tongue			6" Extension, 6"	x 2" Steel Triple Tube				
Crossmembers			Formed Stee	el, 16" On-Center				
Integrated Step(s)					Interior Recessed			
Coupler			2-5/16'	' Adjustable				
Safety Chains			DOT (Compliant				
Tongue Jack			2K \$	Set-Back				
Wall Studs			Steel Tube	, 16" On-Center				
Roof Bows		Steel Tube, 16" On-Center						
Front Profile		24" Aero Wedge		30" Aero Wedge				
Ramp(s)	12" Extension wi	ith Bullnose Cap, 250	00 lb. with Assist	12" Extension with Bullnose Cap, 4000 lb. with Assist				
Side Door	32" Wide Flus	sh Lock, Cast Alumir			sh Lock, Cast Alumin	um Holdback		
Vents			Sidew	all Airflow				
Fenders				Smooth Aluminum				
Axle				Orop Spring Brake				
Hubs				sy Lube				
Breakaway				tch, and Lanyard				
Tires				75R15D 8-PR				
Wheels			•	ole Aluminum				
Exterior Finish				Aluminum				
Undercoating				omotive				
Exterior Fastening				ed (Screwless)				
Exterior Trim	2.5"	Top Extrusion, 3" Bo	·	Aluminum Nose Cap	, Brite Aluminum Rea	r Hoop		
Stone Guard				4" ATP				
Roof			· · · · · · · · · · · · · · · · · · ·	mless Aluminum				
Interior Walls			-	ered Wood				
Interior Trim				num Wall Transitions				
Ceiling				hermoPly®				
Flooring				ineered Wood				
Interior Lights			•	2) LED				
Switches			, ,	e Light, 12V				
Connector Plug		FII		7-pin Blade	silliahta			
Exterior Lights		Full	LED, DOT Compilant,	Integrated Backup/Ta	anngnts			





AIVI	ERICAN			OANOOO! (MITERITO	I AERO WEDGE IO		
	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28		
Model #	KP10218VSSV- 100	KP10220VSSV- 100	KP10222VSSV- 100	KP10224VSSV- 100	KP10226VSSV- 100	KP10228VSSV-100		
SKU #	8L8P25	9L1P25	9L4P25	9L7P25	1L0P225	1L2P000		
MSRP	\$11,766	\$12,166	\$12,566	\$12,966	\$13,633	\$16,000		
CAPACITIES								
GVWR (lbs)				9900				
GAWR (lbs/axle)				5000				
CHASSIS								
Frame			6" x	c 2" Steel Tube				
riaine			0 /	X Z Steel Tube		6" Extension, 8" x 2" Stee		
Tongue		6" Extens	sion, 6" x 2" Steel T	riple Tube		Triple Tube		
Crossmembers			Formed	Steel, 16" On-Cente	r			
Integrated Step(s)				erior Recessed				
Coupler			2-5,	′16" Adjustable				
Safety Chains		DOT Compliant						
Tongue Jack		2K Set-Back						
Wall Studs			Steel To	ube, 16" On-Center				
Roof Bows			Steel To	ube, 16" On-Center				
Front Profile			30	" Aero Wedge				
Ramp(s)		12	" Extension with B	ıllnose Cap, 4000 ll	o. with Assist			
Side Door			36" Wide Flush Lo	ck, Cast Aluminum	Holdback			
Vents			Sid	dewall Airflow				
Fenders				ooth Aluminum				
Axle			(2) 5200 l	b. Drop Spring Brak	(e			
Hubs				Easy Lube				
Breakaway				Switch, and Lanyard	d			
Tires				25/75R15D 8-PR				
Wheels				-Hole Aluminum				
Exterior Finish				30" Aluminum				
Undercoating				Automotive				
Exterior Fastening				onded (Screwless)				
Exterior Trim	2.5	" Top Extrusion, 3" I	Bottom Extrusion, E		e Cap, Brite Alumin	um Rear Hoop		
Stone Guard			Flat Tan (24" ATP	_			
Roof			•	Seamless Aluminum	n ————————————————————————————————————			
Interior Walls			· · · · · · · · · · · · · · · · · · ·	gineered Wood	iono			
Interior Trim				minum Wall Transit	liulis			
Ceiling Flooring				te ThermoPly® Engineered Wood				
Interior Lights			3/4 [(2) LED				
Switches			/1\ г	Oome Light, 12V				
OHILUIIC3			(1) L	Joine Light, 124				







	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	
Connector Plug			Rou	ınd 7-pin Blade			
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights						





	8.5 x 30	8.5 x 32	8.5 x 34				
Model #	KP10230VSSV-100	KP10232VSSV-100	KP10234VSSV-100				
SKU #	1L2P400	1L2P800	1L3P400				
MSRP	\$16,533	\$17,066 \$17,866					
CAPACITIES							
GVWR (lbs)		9900					
GAWR (Ibs/axle)		5000					
CHASSIS							
rame		6" x 2" Steel Tube					
ongue		6" Extension, 8" x 2" Steel Triple Tube					
Crossmembers		Formed Steel, 16" On-Center					
ntegrated Step(s)		Interior Recessed					
Coupler		2-5/16" Adjustable					
Safety Chains		DOT Compliant					
Tongue Jack		5K Set-Back					
Wall Studs		Steel Tube, 16" On-Center					
Roof Bows		Steel Tube, 16" On-Center					
ront Profile		30" Aero Wedge					
Ramp(s)	12" E	xtension with Bullnose Cap, 4000 lb. with A	Assist				
Side Door	36	s" Wide Flush Lock, Cast Aluminum Holdba	ck				
/ents		Sidewall Airflow					
enders		Smooth Aluminum					
Axle		(2) 5200 lb. Drop Spring Brake					
lubs		Easy Lube					
Breakaway		Battery, Switch, and Lanyard					
Tires		ST225/75R15D 8-PR					
Wheels		15", 6-Hole Aluminum					
Exterior Finish		.030" Aluminum					
Indercoating		Automotive					
Exterior Fastening		VHB Bonded (Screwless)					
Exterior Trim	2.5" Top Extrusion, 3" Bot	tom Extrusion, Brite Aluminum Nose Cap, E	Brite Aluminum Rear Hoop				
Stone Guard		24" ATP					
Roof		Flat Top Seamless Aluminum					
nterior Walls		Engineered Wood					
nterior Trim		Extruded Aluminum Wall Transitions					
Ceiling		White ThermoPly®					
Flooring		3/4" Engineered Wood					
nterior Lights		(2) LED					
Switches		(1) Dome Light, 12V					
Connector Plug		Round 7-pin Blade					
Exterior Lights	Full L	ED, DOT Compliant, Integrated Backup/Tail	lights				





	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
Model #	KP8414VSSV- 140	KP8416VSSV- 140	KP8418VSSV- 140	KP8420VSSV- 140	KP10216VSSV-140	KP10218VSSV-140
SKU #	9L2P50	9L4P50	9L8P50	1L0P150	1L0P225	1L0P525
MSRP	\$12,333	\$12,600	\$13,133	\$13,533	\$13,633	\$14,033
CAPACITIES						
GVWR (lbs)				14000		
GAWR (lbs/axle)				7000		
· · · · · · · · · · · · · · · · · · ·				7000		
CHASSIS						
Frame			teel Tube			teel Tube
Tongue		6" Extension, 6" x	2" Steel Triple Tube			2" Steel Triple Tube
Crossmembers			Formed	Steel, 16" On-Cent		
Integrated Step(s)					Interior	Recessed
Coupler				5/16" Adjustable		
Safety Chains				OOT Compliant		
Tongue Jack		2K Se	t-Back			eg, Set-Back
Wall Studs				Tube, 16" On-Cente		
Roof Bows				Tube, 16" On-Cente		
Front Profile		24" Aer	o Wedge			o Wedge
Ramp(s)	12" Exte	ension with Bullnos	se Cap, 2500 lb. wit	th Assist		Inose Cap, 4000 lb. with sist
Side Door			32" Wide Flush L	ock, Cast Aluminuı	n Holdback	
Vents			S	idewall Airflow		
Fenders					Smooth A	Aluminum
Axle			(2) 7000	lb. Drop Spring Bra	ake	
Hubs				Easy Lube		
Breakaway			Battery	, Switch, and Lanya	rd	
Tires			ST2	35/80R16E 10-PR		
Wheels			16",	8-Hole Aluminum		
Exterior Finish			.(030" Aluminum		
Undercoating				Automotive		
Exterior Fastening			VHB E	Bonded (Screwless)		
Exterior Trim	2.5	" Top Extrusion, 3"	Bottom Extrusion,	Brite Aluminum No	se Cap, Brite Aluminum	Rear Hoop
Stone Guard				24" ATP		
Roof			Flat Top	Seamless Alumini	ım	
Interior Walls			Er	ngineered Wood		
Interior Trim			Extruded A	luminum Wall Trans	sitions	
Ceiling			Wh	nite ThermoPly®		
Flooring			3/4"	Engineered Wood		
Interior Lights				(2) LED		







	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 16	8.5 x 18
Switches			(1)	Dome Light, 12V		
Connector Plug			Ro	ound 7-pin Blade		
Exterior Lights		F	ull LED, DOT Comp	liant, Integrated Bac	kup/Taillights	





	IIGAN					
	8.5 x 20	8.5 x 22	8.5 x 24			
Model #	KP10220VSSV-140	KP10222VSSV-140	KP10224VSSV-140			
KU #	1L0P825	1L1P125	1L1P425			
ISRP	\$14,433	\$14,833	\$15,233			
CAPACITIES						
GVWR (lbs)		14000				
GAWR (lbs/axle)		7000				
CHASSIS						
rame		8" x 2" Steel Tube				
Tongue		6" Extension, 8" x 2" Steel Triple Tube				
Crossmembers		Formed Steel, 16" On-Center				
ntegrated Step(s)		Interior Recessed				
Coupler		2-5/16" Adjustable				
Safety Chains		DOT Compliant				
ongue Jack		7K Drop Leg, Set-Back				
Wall Studs		Steel Tube, 16" On-Center				
Roof Bows		Steel Tube, 16" On-Center				
ront Profile		30" Aero Wedge				
amp(s)	12" E	xtension with Bullnose Cap, 4000 lb. with μ	Assist			
ide Door	32	." Wide Flush Lock, Cast Aluminum Holdba	nck			
'ents		Sidewall Airflow				
enders		Smooth Aluminum				
Axle		(2) 7000 lb. Drop Spring Brake				
lubs		Easy Lube				
Breakaway		Battery, Switch, and Lanyard				
ires		ST235/80R16E 10-PR				
Vheels		16", 8-Hole Aluminum				
Exterior Finish		.030" Aluminum				
Jndercoating		Automotive				
xterior Fastening		VHB Bonded (Screwless)				
exterior Trim	2.5" Top Extrusion, 3" Bot	tom Extrusion, Brite Aluminum Nose Cap, I	Brite Aluminum Rear Hoop			
Stone Guard		24" ATP				
Roof		Flat Top Seamless Aluminum				
nterior Walls		Engineered Wood				
nterior Trim		Extruded Aluminum Wall Transitions				
Ceiling		White ThermoPly®				
looring		3/4" Engineered Wood				
nterior Lights		(2) LED				
Switches		(1) Dome Light, 12V				
Connector Plug	e u.	Round 7-pin Blade	II:			
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30
	KP10220VSSV-	KP10222VSSV-	KP10224VSSV-	KP10226VSSV-	KP10228VSSV-	KP10230VSSV-
Model #	160	160	160	160	160	160
SKU #	1L2P975	1L3P475	1L3P975	1L4P475	1L4P975	1L5P475
MSRP	\$17,300	\$17,966	\$18,633	\$19,300	\$19,966	\$20,633
CAPACITIES						
GVWR (lbs)			16	000		
GAWR (lbs/axle)			80	000		
CHASSIS						
Frame			8" v 2" S	teel Tube		
Tongue				2" Steel Triple Tube		
Crossmembers				16" On-Center		
Integrated Step(s)			•	Recessed		
Coupler			2-5/16" <i>A</i>	Adjustable		
Safety Chains				mpliant		
Tongue Jack			12K Drop Le	eg, Set-Back		
Wall Studs			Steel Tube, 1	6" On-Center		
Roof Bows			Steel Tube, 1	6" On-Center		
Front Profile			30" Aer	o Wedge		
Ramp(s)		12" E	xtension with Bullnos	e Cap, 4000 lb. with	Assist	
Side Door		32	" Wide Flush Lock, C	ast Aluminum Holdba	ack	
Vents			Sidewal	l Airflow		
Fenders			Smooth A	Aluminum		
Axle				op Spring Brake		
Hubs				Bath		
Breakaway			•	h, and Lanyard		
Tires				7.5J 18-PR		
Wheels			•	le Aluminum		
Exterior Finish				luminum		
Undercoating				motive		
Exterior Fastening	0.5%	5 5 Oll D		l (Screwless)	Date Alemaine Design	11
Exterior Trim	2.5"	lop Extrusion, 3" Bot	tom Extrusion, Brite A	Aluminum Nose Cap, ATP	Brite Aluminum Rear	ноор
Stone Guard Roof				less Aluminum		
Interior Walls				red Wood		
Interior Trim				m Wall Transitions		
Ceiling				ermoPly®		
Flooring				eered Wood		
Interior Lights				LED		
Switches				Light, 12V		





9/16/24 | 102



CARGOSPORT FLAT TOP AERO WEDGE 16K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	
Connector Plug			Round 7-	pin Blade			
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights						





	5 x 8	5 x 8	5 x 10	5 x 10	6 x 10	6 x 10	
Model #	KP6008VSSV- 030	KP6008VSSV-035	KP6010VSSV- 030	KP6010VSSV-035	KP7210VSSV- 030	KP7210VSSV-035	
SKU #	3L7P75	4L1P50	4L1P75	4L5P50	4L4P75	4L8P50	
MSRP	\$5,033	\$5,533	\$5,566	\$6,066	\$5,966	\$6,466	
CAPACITIES							
GVWR (lbs)	2990	3500	2990	3500	2990	3500	
GAWR (lbs/axle)				3500			
CHASSIS							
Frame		3" x 2" Alur	minum Tube				
Tongue		0 X 2 71141		Tube, 6" Extension			
Crossmembers				eel, 16" On-Center			
Coupler				Adjustable			
Safety Chains				Compliant			
Tongue Jack				Set-Back			
Wall Studs			Steel Tub	e, 16" On-Center			
Roof Bows			Steel Tub	e, 16" On-Center			
Front Profile			24" A	Aero Wedge			
Ramp(s)		12" E	xtension with Bull	nose Cap, 1500 lb. with	Assist		
Side Door						Lock, Cast Aluminum Ioldback	
Vents			Side	wall Airflow			
Axle	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	3500 lb. Drop Spring Idler	3500 lb. Drop Spring Brake	
Hubs				asy Lube	, ,		
Breakaway		Battery, Switch, and Lanyard		Battery, Switch, and Lanyard		Battery, Switch, and Lanyard	
Tires			ST205/	/75R15C 6-PR			
Wheels			15", 5-H	lole Aluminum			
Exterior Finish			.030	" Aluminum			
Undercoating			Au	ıtomotive			
Exterior Fastening			VHB Bon	ded (Screwless)			
Exterior Trim	2.	5" Top Extrusion, 3" Bot		•	Brite Aluminum R	ear Hoop	
Stone Guard				24" ATP			
Roof			•	amless Aluminum			
Interior Walls				eered Wood			
Interior Trim		Extruded Aluminum Wall Transitions					
Ceiling				ThermoPly®			
Flooring				gineered Wood			
Interior Lights				(2) LED			







CARGOSPORT FLAT TOP SLOPED V-NOSE 3K

	6 x 10	6 x 12	6 x 14						
Model #	KP7210VSSVA-030	KP7212VSSVA-030	KP7214VSSVA-030						
SKU #	4L7P25	5L0P25	5L3P25						
MSRP	\$6,300	\$6,700	\$7,100						
CAPACITIES									
GVWR (lbs)		2990							
GAWR (lbs/axle)		3500							
CHASSIS									
Frame		3" x 2" Aluminum Tube							
Tongue		4" x 2" Aluminum Tube							
Crossmembers		Aluminum Tube, 24" On-Center							
Coupler		2" A-Frame							
Safety Chains		DOT Compliant							
Tongue Jack		2K Coupler Mounted							
Wall Studs		Aluminum Tube, 16" On-Center							
Roof Bows		Aluminum Tube, 24" On-Center							
Front Profile		24" Sloped V-Nose with 12" Drop							
Ramp(s)		12" Extension, Aluminum with Assist							
Side Door	32	" Wide Flush Lock, Cast Aluminum Holdba	ack						
Vents		Sidewall Airflow							
Fenders		Aluminum Treadplate							
Axle		3500 lb. Drop Spring Idler							
Hubs		Easy Lube							
Tires		ST205/75R15C 6-PR							
Wheels		15", 5-Hole Steel							
Exterior Finish		.030" Aluminum							
Exterior Fastening		VHB Bonded (Screwless)							
Exterior Trim	2.7" Bottom Extrusion	n, 2.7" Top Extrusion, ATP Nose Cap, Colo	r Matching Rear Hoop						
Roof		Flat Top Seamless Aluminum							
Interior Walls		Engineered Wood							
Interior Trim		Extruded Aluminum Wall Transitions							
Ceiling		Lauan Strip							
Flooring		3/4" Engineered Wood							
Interior Lights		(2) LED							
Switches		(1) Dome Light, 12V							
Connector Plug		Flat 4-pin							
Exterior Lights		Full LED, DOT Compliant							



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

9/16/24 | 104





CARGOSPORT FLAT TOP SLOPED V-NOSE 7K

	6 x 12	7 x 12	7 x 14	7 x 16	7 x 18	7.5 x 12	
	WD7040W00W4 070	KP8412VSSVA-	KP8414VSSVA-	KP8416VSSVA-	KP8418VSSVA-	KP9012VSSVA-	
Model #	KP7212VSSVA-070	070	070	070	070	070	
SKU #	6L6P00	6L9P25	7L1P50	7L5P50	8L2P00	7L2P25	
MSRP	\$8,800	\$9,233	\$9,533	\$10,066	\$10,933	\$9,633	
CAPACITIES							
GVWR (lbs)			700	0			
GAWR (lbs/axle)			350	0			
CHASSIS							
Frame			4" x 2" Alum	inum Tube			
	4" x 2" Aluminum						
Tongue	Tube		,	5" x 2" Aluminum Tub	e		
Crossmembers			Aluminum Tube,	24" On-Center			
Coupler			2-5/16" <i>A</i>	-Frame			
Safety Chains			DOT Cor	npliant			
Tongue Jack			2K Coupler	Mounted			
Wall Studs			Aluminum Tube,	16" On-Center			
Roof Bows			Aluminum Tube,	24" On-Center			
Front Profile			24" Sloped V-Nos	e with 12" Drop			
Ramp(s)			12" Extension, Alun	ninum with Assist			
Side Door		32"	Wide Flush Lock, Ca	st Aluminum Holdba	ck		
Vents			Sidewall	Airflow			
Fenders			Aluminum 1	readplate			
Axle			(2) 3500 lb. Dro	• •			
Hubs			Easy I				
Breakaway			Battery, Switch	•			
Tires			ST205/75R				
Wheels			15", 5-Ho				
Exterior Finish			.030" Alı				
Exterior Fastening			VHB Bonded	,			
Exterior Trim	2.7	7" Bottom Extrusion,	•	• .	Matching Rear Hoop)	
Roof			Flat Top Seamle				
Interior Walls			Engineere Extruded Aluminun				
Interior Trim Ceiling			Extruded Aluminun Lauan				
Flooring			3/4" Engine	•			
Interior Lights			3/4 Eligille (2) L				
Switches			(2) L (1) Dome L				
Connector Plug			* *	· ·			
	Round 7-pin Blade Full LED, DOT Compliant, Integrated Backup/Taillights						







CARGOSPORT FLAT TOP SLOPED V-NOSE 7K

	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 16	8.5 x 18		
Model #	KP9014VSSVA- 070	KP9016VSSVA- 070	KP9018VSSVA- 070	KP9020VSSVA- 070	KP10216VSSVA-070			
SKU #	7L5P00	7L9P75	8L6P50	9L0P50	9L3P00	9L7P50		
MSRP	\$10,000	\$10,633	\$11,533	\$12,066	\$12,400	\$13,000		
CAPACITIES								
GVWR (lbs)				7000				
GAWR (lbs/axle)				3500				
CHASSIS								
Frame		4" x 2" Alur	ninum Tube		6" x 2" Double Holl	ow Aluminum Tube		
Tongue		5" x 2" Alur	ninum Tube			ow Aluminum Triple be		
Crossmembers			Aluminum Tı	ube, 24" On-Center				
Coupler			2-5/1	6" A-Frame				
Safety Chains			DOT	Compliant				
Tongue Jack			2K Cou	pler Mounted				
Wall Studs			Aluminum Tı	ube, 16" On-Center				
Roof Bows			Aluminum Tu	ube, 24" On-Center				
Front Profile		24" Sloped V-No	se with 12" Drop		30" Sloped V-No	se with 12" Drop		
Ramp(s)			12" Extension, A	Aluminum with Assi				
Side Door	32"	Wide Flush Lock, C	ast Aluminum Holdb	ack		ck, Cast Aluminum back		
Vents			Sidev	wall Airflow				
Fenders			Aluminı	ım Treadplate				
Axle			· •	Drop Spring Brake				
Hubs				isy Lube				
Breakaway			•	itch, and Lanyard				
Tires				75R15C 6-PR				
Wheels			·	-Hole Steel				
Exterior Finish				'Aluminum				
Exterior Fastening Exterior Trim		2.7" Pottom Extrusi		ded (Screwless)	Color Matching Rear Ho	on		
Roof		Z. / BULLUIII EXLIUSI	•	on, ATP Nose Cap, C amless Aluminum	Joiot Watching Real HO	υþ		
Interior Walls			•	eered Wood				
Interior Trim				num Wall Transition	IS			
Ceiling				uan Strip	· -			
Flooring				jineered Wood				
Interior Lights		(2) LED						
Switches			`	ne Light, 12V				
Connector Plug		Round 7-pin Blade						
Exterior Lights		Full LED, DOT Compliant, Integrated Backup/Taillights						







CARGOSPORT FLAT TOP SLOPED V-NOSE 7K

	8.5 x 20	8.5 x 22	8.5 x 24						
Model #	KP10220VSSVA-070	KP10222VSSVA-070	KP10224VSSVA-070						
SKU #	1L0P200	1L0P650	1L1P100						
MSRP	\$13,600	\$14,200	\$14,800						
CAPACITIES									
GVWR (lbs)		7000							
GAWR (lbs/axle)		3500							
CHASSIS									
Frame		6" x 2" Double Hollow Aluminum Tube							
Tongue	6	" x 2" Double Hollow Aluminum Triple Tube	:						
Crossmembers		Aluminum Tube, 24" On-Center							
Coupler		2-5/16" A-Frame							
Safety Chains		DOT Compliant							
Tongue Jack		2K Coupler Mounted							
Wall Studs		Aluminum Tube, 16" On-Center							
Roof Bows		Aluminum Tube, 24" On-Center							
Front Profile		30" Sloped V-Nose with 12" Drop							
Ramp(s)		12" Extension, Aluminum with Assist							
Side Door	36	" Wide Flush Lock, Cast Aluminum Holdbac	ck						
Vents		Sidewall Airflow							
Fenders		Aluminum Treadplate							
Axle		(2) 3500 lb. Drop Spring Brake							
Hubs		Easy Lube							
Breakaway		Battery, Switch, and Lanyard							
Tires		ST205/75R15C 6-PR							
Wheels		15", 5-Hole Steel							
Exterior Finish		.030" Aluminum							
Exterior Fastening		VHB Bonded (Screwless)							
Exterior Trim	2.7" Bottom Extrusion	n, 2.7" Top Extrusion, ATP Nose Cap, Color	Matching Rear Hoop						
Roof		Flat Top Seamless Aluminum							
Interior Walls		Engineered Wood							
Interior Trim		Extruded Aluminum Wall Transitions							
Ceiling		Lauan Strip							
Flooring		3/4" Engineered Wood							
Interior Lights		(2) LED							
Switches		(1) Dome Light, 12V							
Connector Plug		Round 7-pin Blade							
Exterior Lights	Full Li	ED, DOT Compliant, Integrated Backup/Taill	ights						







CARGOSPORT FLAT TOP SLOPED V-NOSE 10K

100		7.5 x 12	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 16	
MSRP \$11,066 \$11,433 \$12,066 \$12,966 \$13,500 \$13,500 \$900 \$ GAPK (1bs)	Model #						KP10216VSSVA-100	
CAPACITIES 10000 9900 9000	SKU #	8L3P00	8L5P75	9L0P50	9L7P25	1L0P125	1L0P400	
GWR (lbs) 10000 9900 GAWR (lbs/axle) 5000 CHASSIS Frame 4" x 2" Aluminum Tube 6" x 2" Double Hollow Aluminum Tube Tongue 5" x 2" Aluminum Tube 6" x 2" Double Hollow Aluminum Triple Tube Crossembers Aluminum Tube, 24" On-Center Coupler 2-5/16" A-Frame Safety Chains DOT Compliant Tongue Jack 2K Coupler Mounted Wall Studs Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 24" On-Center Front Profile 24" Sloped V-Nose with 12" Drop 30" Sloped V-Nose with 1 Drop Ramp(s) 32" Wide Flush Lock, Cast Aluminum With Assist 36" Wide Flush Lock, Cast Aluminum Holdback Side Door 32" Wide Flush Lock, Cast Aluminum Treadplate Aluminum Holdback 4 Vents Sidewall Airflow 5" Aluminum Holdback 4 Fenders Aluminum Treadplate Aute 4 Askle (2) \$200 lb. Drop Spring Brake 4 Hubb Easy Lube 5 5 Breakaway Baltery, Switch, and Lanyard	MSRP	\$11,066	\$11,433	\$12,066	\$12,966	\$13,500	\$13,866	
### Canal C	CAPACITIES							
### A	GVWR (lbs)			10000			9900	
Frame 4 "x 2" Aluminum Tube 6" x 2" Double Hollow Aluminum Tube Frongue 5" x 2" Aluminum Tube 6" x 2" Double Hollow Aluminum Triple Tube Crossmembers Aluminum Tube, 24" On-Center Coupler 2-5/16" A-Frame Safety Chains DOT Compliant Tongue Jack 2K Coupler Mounted Wall Studs Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 24" On-Center Front Profile 24" Sloped V-Nose with 12" Drop 30" Sloped V-Nose with 1 Drop Ramp(s) 12" Extension, Aluminum with Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback 36" Wide Flush Lock, Ca Aluminum Treadplate Axie (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R15 B-PR Wheels 15", 6-Hole Steel Exterior Finish O.30" Aluminum Exterior Fastening V-HB Bonded (Screwless) Exterior Frim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Melitransitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood	GAWR (lbs/axle)				5000			
Frame 4" x 2" Aluminum Tube Aluminum Tube Tongue 5" x 2" Aluminum Tube 6" x 2" Double Hollow Aluminum Triple Tube Crossmembers Aluminum Tube, 24" On-Center Coupler 2-5/16" A-Frame Safety Chains DOT Compliant Tongue Jack 2K Coupler Mounted Wall Studs Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 24" On-Center Front Profile 24" Sloped V-Nose with 12" Drop 30" Sloped V-Nose with 1 Drop Ramp(s) 12" Extension, Aluminum With Assist 36" Wide Flush Lock, Ca Aluminum Holdback 36" Wide Flush Lock, Ca Aluminum Treadplate Vents Sideall Airflow 36" Wide Flush Lock, Cast Aluminum Treadplate 36" Wide Flush Lock, Cast Aluminum Treadplate Axie (2) 5200 lb. Drop Spring Brake 4 <td>CHASSIS</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	CHASSIS							
Trongue 5" x 2" Aluminum Tube Aluminum Triple Tube Crossmembers Aluminum Tube, 24" On-Center Coupler 2-5/16" A-Frame Safety Chains DOT Compliant Trongue Jack 2K Coupler Mounted Wall Studs Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 24" On-Center Front Profile 24" Sloped V-Nose with 12" Drop 30" Sloped V-Nose with 1 Drop Ramp(s) 12" Extension, Aluminum with Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Aluminum Holdback Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakawy Battery, Switch, and Lanyard Tires ST225/75R150 8-PR Wheels 15", 6-Hole Steel Exterior Finish Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Interior Walls Engineered Wood Interior Walls Lauan Strip Flooring 1,4" Engineered Wood	Frame		4'	" x 2" Aluminum Tu	be			
Coupler Safety Chains DOT Compliant Tongue Jack Wall Studs Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 24" On-Center Front Profile 24" Sloped V-Nose with 12" Drop Ramp(s) 12" Extension, Aluminum With Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Aluminum Treadplate Axle (2) 5200 lb. Drop Spring Brake Hubs Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels Exterior Finish Aluminum Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring Flooring Flooring 1,4" Engineered Wood	Tongue		5'	" x 2" Aluminum Tu	be		6" x 2" Double Hollow Aluminum Triple Tube	
Safety Chains Tongue Jack Wall Studs Roof Bows Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 24" On-Center Front Profile 24" Sloped V-Nose with 12" Drop Ramp(s) 12" Extension, Aluminum with Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Vents Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Aluminum Treadplate Axle (2) 5200 lb. Drop Spring Brake Hubs Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels Exterior Finish Exterior Finish Exterior Fastening Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Engineered Wood Interior Walls Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring Flooring Flooring Flooring	Crossmembers			Aluminur	n Tube, 24" On-Cen	ter		
Tongue Jack Wall Studs Roof Bows Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 24" On-Center Front Profile 24" Sloped V-Nose with 12" Drop 30" Sloped V-Nose with 12" Drop Ramp(s) 12" Extension, Aluminum with Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Vents Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Aluminum Treadplate Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Fires ST225/75R15D 8-PR Wheels 15", 6-Hole Steel Exterior Finish Exterior Fastening Exterior Fastening Exterior Fastening Exterior Fastening Exterior Fastening Exterior Walls Interior Walls Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood	Coupler			2-	5/16" A-Frame			
Rall Studs Roof Bows Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 24" On-Center Roof Bows Aluminum Tube, 24" On-Center 24" Sloped V-Nose with 12" Drop 30" Sloped V-Nose with 1 Drop Ramp(s) 12" Extension, Aluminum with Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Aluminum Treadplate Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels Exterior Finish Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Enterior Walls Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood	Safety Chains			D	OT Compliant			
Roof Bows Aluminum Tube, 24" On-Center Front Profile 24" Sloped V-Nose with 12" Drop 30" Sloped V-Nose with 1 Drop Ramp(s) 12" Extension, Aluminum with Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Aluminum Treadplate Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Fires ST225/75R15D 8-PR Wheels 15", 6-Hole Steel Exterior Finish Sterior Fastening Exterior Fastening Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood	Tongue Jack			2K (Coupler Mounted			
Front Profile 24" Sloped V-Nose with 12" Drop Ramp(s) 12" Extension, Aluminum with Assist 36" Wide Flush Lock, Cast Aluminum Holdback Aluminum Holdback Sidewall Airflow Fenders Aluminum Treadplate Axle (2) 5200 lb. Drop Spring Brake Hubs Breakaway Battery, Switch, and Lanyard Fires ST225/75R15D 8-PR Wheels Exterior Finish Exterior Fastening Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Reterior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 30" Sloped V-Nose with 1 Drop 30" Sloped V-Nose with 1 Drop As "Wide Flush Lock, Cast Aluminum Holdback Aluminum Holdback Aluminum Holdback Aluminum Treadplate Axle (2) 5200 lb. Drop Spring Brake Battery, Switch, and Lanyard Fires ST225/75R15D 8-PR Wheels 15", 6-Hole Steel Exterior Finish Exterior Fastening Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Reterior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring	Wall Studs			Aluminur	n Tube, 16" On-Cen	ter		
Ramp(s) 12" Extension, Aluminum with Assist 36" Wide Flush Lock, Cast Aluminum Holdback Vents Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Aluminum Treadplate Axle (2) 5200 lb. Drop Spring Brake Hubs Breakaway Battery, Switch, and Lanyard Tires ST225/75815D 8-PR Wheels ST225/75815D 8-PR Wheels Stexerior Finish Stexerior Fastening Exterior Fastening Food Filat Top Seamless Aluminum Interior Walls Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring Source 12" Extension Aluminum With Assist 36" Wide Flush Lock, Cast Aluminum Holdback Aluminum Holdback Aluminum Holdback Aluminum Treadplate Aluminum Treadplate Aluminum Treadplate Aluminum Treadplate Aluminum Fradplate Aluminum Holdback Aluminu	Roof Bows			Aluminur	n Tube, 24" On-Cen	ter		
Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Sidewall Airflow Fenders Aluminum Treadplate Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Steel Exterior Finish VHB Bonded (Screwless) Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 36" Wide Flush Lock, Car Aluminum Holdback Aluminum Holdback 36" Wide Flush Lock, Car Aluminum Holdback Aluminum Holdback Aluminum Holdback 36" Wide Flush Lock, Car Aluminum Holdback Aluminum Holdback 36" Wide Flush Lock, Car Aluminum Holdback A	Front Profile		24" Slo	pped V-Nose with 1	2" Drop		30" Sloped V-Nose with 12 Drop	
Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Aluminum Holdback	Ramp(s)			12" Extensio	n, Aluminum with	Assist		
Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Steel Exterior Finish 0.30" Aluminum Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood	Side Door		32" Wide Flus	h Lock, Cast Alumi	num Holdback		36" Wide Flush Lock, Cast Aluminum Holdback	
Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Steel Exterior Finish .030" Aluminum Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood	Vents			Si	dewall Airflow			
Hubs Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels Listerior Finish Wheels Strein Fastening Strein Fastening Strein Fastening Strein Finish Strein Fastening Strein Firm Strein Strei	Fenders			Alun	ninum Treadplate			
Breakaway Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Steel Exterior Finish Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Flat Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood	Axle			(2) 5200	lb. Drop Spring Bra	ke		
Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Steel Exterior Finish .030" Aluminum VHB Bonded (Screwless) Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood					•			
Wheels Exterior Finish .030" Aluminum VHB Bonded (Screwless) Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood	•			•	•	rd		
Exterior Finish Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Flat Top Seamless Aluminum Interior Walls Engineered Wood Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood					•			
Exterior Fastening 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Roof Flat Top Seamless Aluminum Interior Walls Engineered Wood Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring					•			
Exterior Trim 2.7" Bottom Extrusion, 2.7" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop Flat Top Seamless Aluminum Interior Walls Engineered Wood Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood								
Roof Flat Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood			2.7" Dottom F		•		Door Hoon	
Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood			2.7 BOTTOM EXTEL	•	·	•	кеаг поор	
nterior Trim Extruded Aluminum Wall Transitions Ceiling Lauan Strip Flooring 3/4" Engineered Wood								
Ceiling Lauan Strip Flooring 3/4" Engineered Wood		•						
Flooring 3/4" Engineered Wood								
•				2///"	•			
				5/4	•			







CARGOSPORT FLAT TOP SLOPED V-NOSE 10K

	7.5 x 12	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20	8.5 x 16		
Switches	(1) Dome Light, 12V							
Connector Plug	Round 7-pin Blade							
Exterior Lights		Full LED, DOT Compliant, Integrated Backup/Taillights						



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

9/16/24 | 109





CARGOSPORT FLAT TOP SLOPED V-NOSE 10K

	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24					
Model #	KP10218VSSVA-100	KP10220VSSVA-100	KP10222VSSVA-100	KP10224VSSVA-100					
SKU #	1L0P850	1L1P300	1L1P750	1L2P200					
MSRP	\$14,466	\$15,066	\$15,666	\$16,266					
CAPACITIES									
GVWR (lbs)		99	000						
GAWR (lbs/axle)		50	000						
CHASSIS									
- -rame	6" x 2" Double Hollow Aluminum Tube								
Tongue		6" x 2" Double Hollow	Aluminum Triple Tube						
Crossmembers		Aluminum Tube	e, 24" On-Center						
Coupler		2-5/16"	A-Frame						
Safety Chains		DOT Co	ompliant						
Tongue Jack		2K Couple	er Mounted						
Wall Studs		Aluminum Tube	e, 16" On-Center						
Roof Bows		Aluminum Tube	e, 24" On-Center						
ront Profile	30" Sloped V-Nose with 12" Drop								
Ramp(s)	12" Extension, Aluminum with Assist								
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback								
/ents		Sidewal	l Airflow						
enders		Aluminum	Treadplate						
Axle		(2) 5200 lb. Dr	op Spring Brake						
lubs		Easy	Lube						
Breakaway		Battery, Switc	h, and Lanyard						
Tires		·	R15D 8-PR						
Wheels		·	ole Steel						
Exterior Finish			luminum						
Exterior Fastening			l (Screwless)						
Exterior Trim	2.7" Bottoi	•	ATP Nose Cap, Color Matching	Rear Hoop					
Roof		•	less Aluminum						
nterior Walls		•	red Wood						
nterior Trim			m Wall Transitions						
Ceiling			n Strip						
Flooring			eered Wood						
nterior Lights		• • • • • • • • • • • • • • • • • • • •	LED						
Switches		· ·	Light, 12V						
Connector Plug			pin Blade						
Exterior Lights		Full LED, DOT Compliant, I	ntegrated Backup/Taillights						







CARGOSPORT FLAT TOP FLAT FRONT 10K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34					
Model #	KP10228VSFBGN-100	KP10230VSFBGN-100	KP10232VSFBGN-100	KP10234VSFBGN-100					
SKU #	1L6P500	1L7P025	1L7P550	1L8P075					
MSRP	\$22,000	\$22,700	\$23,400	\$24,100					
CAPACITIES									
GVWR (lbs)		99	900						
GAWR (lbs/axle)	5000								
CHASSIS									
Frame	8" x 2" Steel Tube								
Tongue		Goos	eneck						
Crossmembers		Formed Steel,	16" On-Center						
Integrated Step(s)		Interior I	Recessed						
Coupler		2-5/16" G	Gooseneck						
Safety Chains		DOT Co	ompliant						
Tongue Jack		· ·	ed Landing Gear						
Wall Studs		·	16" On-Center						
Roof Bows			16" On-Center						
Front Profile	Flat								
Ramp(s)			se Cap, 4000 lb. with Assist						
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback								
Access Doors			" in Riser						
Vents			ll Airflow						
Fenders			Aluminum						
Axle		· , ,	op Spring Brake						
Hubs		·	Lube						
Breakaway Tires		· · · · · · · · · · · · · · · · · · ·	h, and Lanyard R15D 8-PR						
Exterior Finish		·	luminum						
Undercoating			notive						
Exterior Fastening			d (Screwless)						
Exterior Trim	2.5" Top Extrusion 3" Bottom		e Aluminum Radius Front Corne	rs Brite Aluminum Rear Hoon					
Roof			less Aluminum	,					
Interior Walls		•	red Wood						
Interior Trim		<u> </u>	m Wall Transitions						
Ceiling	\	/inyl Ceiling Transitions, White	Vinyl Liner with Aluminum Cove	?S					
Flooring		3/4" Engin	eered Wood						
Interior Lights	(2) LED								
Switches		(1) Dome	Light, 12V						
Connector Plug		Round 7-	pin Blade						
Exterior Lights		Full LED, DOT Compliant, I	ntegrated Backup/Taillights						







CARGOSPORT FLAT TOP FLAT FRONT 14K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34						
Model #	KP10228VSFBGN-140	KP10230VSFBGN-140	KP10232VSFBGN-140	KP10234VSFBGN-140						
SKU #	1L8P200	1L8P725	1L9P250	1L9P775						
MSRP	\$24,266	\$24,966	\$25,666	\$26,366						
CAPACITIES										
GVWR (lbs)		14	000							
GAWR (lbs/axle)	7000									
CHASSIS										
Frame		8" x 2" Steel Tube								
Tongue		Goos	eneck							
Crossmembers		Formed Steel,	16" On-Center							
Integrated Step(s)		Interior I	Recessed							
Coupler		2-5/16" G	Gooseneck							
Safety Chains		DOT Co	ompliant							
Tongue Jack		· •	ed Landing Gear							
Wall Studs		·	16" On-Center							
Roof Bows			16" On-Center							
Front Profile	Flat									
Ramp(s)			se Cap, 4000 lb. with Assist							
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback									
Access Doors			" in Riser							
Vents			ll Airflow							
Fenders			Aluminum							
Axle		· , ,	op Spring Brake							
Hubs		•	Lube							
Breakaway Tires		•	h, and Lanyard R16E 10-PR							
Exterior Finish		·	luminum							
Undercoating			notive							
Exterior Fastening			d (Screwless)							
Exterior Trim	2.5" Top Extrusion, 3" Bottom		e Aluminum Radius Front Corne	rs. Brite Aluminum Rear Hoop						
Roof			less Aluminum	.,						
Interior Walls		•	red Wood							
Interior Trim			m Wall Transitions							
Ceiling	\	/inyl Ceiling Transitions, White	Vinyl Liner with Aluminum Cove	2S						
Flooring		3/4" Engin	eered Wood							
Interior Lights	(2) LED									
Switches		(1) Dome	Light, 12V							
Connector Plug		Round 7-	pin Blade							
Exterior Lights		Full LED, DOT Compliant, I	ntegrated Backup/Taillights							







CARGOSPORT FLAT TOP FLAT FRONT 15K

	8.5 x 36	8.5 x 38						
Model #	KP10236VSFBGN-150	KP10238VSFBGN-150						
SKU #	2L0P000	2L0P525						
MSRP	\$26,666	\$27,366						
CAPACITIES								
GVWR (lbs)	15	15000						
GAWR (lbs/axle)	50	000						
CHASSIS								
Frame	8" x 2" S	steel Tube						
Tongue	Goos	seneck						
Crossmembers	Formed Steel	, 16" On-Center						
Integrated Step(s)	Interior	Recessed						
Coupler	2-5/16" (Gooseneck						
Safety Chains	DOT Co	ompliant						
Tongue Jack	Dual 12K, 2-Spe	eed Landing Gear						
Wall Studs	Steel Tube,	16" On-Center						
Roof Bows	Steel Tube,	16" On-Center						
Front Profile	Flat							
Ramp(s)	12" Extension with Bullnos	se Cap, 4000 lb. with Assist						
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback							
Access Doors		" in Riser						
Vents		II Airflow						
Fenders		Aluminum						
Axle	, ,	op Spring Brake						
Hubs		, Lube						
Breakaway	•	ch, and Lanyard						
Tires	·	R15D 8-PR						
Exterior Finish		luminum						
Undercoating		motive						
Exterior Fastening		d (Screwless)						
Exterior Trim	•	e Aluminum Radius Front Corners, Brite Aluminum Rear Hoop						
Roof	•	nless Aluminum						
Interior Walls	-	red Wood						
Interior Trim		ım Wall Transitions						
Ceiling	<u> </u>	Vinyl Liner with Aluminum Coves						
Flooring	•	eered Wood						
Interior Lights	• • • • • • • • • • • • • • • • • • • •	LED						
Switches		Light, 12V						
Connector Plug		-pin Blade						
Exterior Lights	Full LED, DOT Compliant, I	ntegrated Backup/Taillights						







CARGOSPORT FLAT TOP FLAT FRONT 16K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34						
Model #	KP10228VSFBGN-160	KP10230VSFBGN-160	KP10232VSFBGN-160	KP10234VSFBGN-160						
SKU #	2L0P300	2L0P825	2L1P350	2L1P875						
MSRP	\$27,066	\$27,766	\$28,466	\$29,166						
CAPACITIES										
GVWR (lbs)		16	000							
GAWR (lbs/axle)		8000								
CHASSIS										
Frame	8" x 2" Steel Tube									
Tongue		Goos	eneck							
Crossmembers		Formed Steel,	16" On-Center							
Integrated Step(s)		Interior I	Recessed							
Coupler		2-5/16" G	Gooseneck							
Safety Chains		DOT Co	ompliant							
Tongue Jack		Dual 12K, 2-Spe	ed Landing Gear							
Wall Studs		·	6" On-Center							
Roof Bows		Steel Tube, 1	6" On-Center							
Front Profile	Flat									
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist									
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback									
Access Doors	16" x 48" in Riser									
Vents			l Airflow							
Fenders			Aluminum							
Axle		· '	op Spring Brake Bath							
Hubs										
Breakaway Tires		•	h, and Lanyard 7.5J 18-PR							
Exterior Finish			luminum							
Undercoating			notive							
Exterior Fastening			l (Screwless)							
Exterior Trim	2.5" Top Extrusion, 3" Bottom	Extrusion, ATP Riser Wall, Brite	· · · · · · · · · · · · · · · · · · ·	rs. Brite Aluminum Rear Hoop						
Roof			less Aluminum	,						
Interior Walls		•	red Wood							
Interior Trim			m Wall Transitions							
Ceiling	,	/inyl Ceiling Transitions, White	Vinyl Liner with Aluminum Cove	es						
Flooring		3/4" Engin	eered Wood							
Interior Lights		(2) LED								
Switches		(1) Dome	Light, 12V							
Connector Plug		Round 7-	pin Blade							
Exterior Lights		Full LED, DOT Compliant, I	ntegrated Backup/Taillights							





CARGOSPORT FLAT TOP FLAT FRONT 21K

	8.5 x 40	8.5 x 42	8.5 x 44	8.5 x 46	8.5 x 48	8.5 x 50				
	KP10240VSFBGN-	KP10242VSFBGN-	KP10244VSFBGN-	KP10246VSFBGN-	KP10248VSFBGN-	KP10250VSFBGN-				
Model #	210	210	210	210	210	210				
SKU #	2L4P500	2L5P125	2L5P750	2L6P375	2L7P000	2L7P625				
MSRP	\$32,666	\$33,500	\$34,333	\$35,166	\$36,000	\$36,833				
CAPACITIES										
GVWR (lbs)		21000								
GAWR (lbs/axle)				00						
CHASSIS										
Frame			8" x 2" S	teel Tube						
Tongue				eneck						
Crossmembers			Formed Steel,	16" On-Center						
Integrated Step(s)			•	Recessed						
Coupler			2-5/16" G	ooseneck						
Safety Chains			DOT Co	mpliant						
Tongue Jack			Dual 12K, 2-Spe	ed Landing Gear						
Wall Studs		Steel Tube, 16" On-Center								
Roof Bows	Steel Tube, 16" On-Center									
Front Profile	Flat									
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist									
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback									
Access Doors				" in Riser						
Vents				l Airflow						
Fenders				Aluminum						
Axle				op Spring Brake						
Hubs			•	Lube						
Breakaway			•	h, and Lanyard						
Tires				R16E 10-PR						
Exterior Finish Undercoating				uminum notive						
Exterior Fastening				l (Screwless)						
Exterior Trim	2 5" Ton Extrusion	3" Rottom Extrusion	, ATP Riser Wall, Brite	· ,	ront Corners Brite A	luminum Rear Hoon				
Roof	2.0 Top Extraction,	o Bottom Extraoron		less Aluminum	Tone Corners, Diffe A	ammam Real 1100p				
Interior Walls			•	red Wood						
Interior Trim				m Wall Transitions						
Ceiling		Vinyl Ceilin	g Transitions, White	Vinyl Liner with Alum	inum Coves					
Flooring		•	-	eered Wood						
Interior Lights			(2)	LED						
Switches			(1) Dome	Light, 12V						
Connector Plug			Round 7-	pin Blade						





CARGOSPORT GOOSENECK CARGO

CARGOSPORT FLAT TOP FLAT FRONT 21K

8.5 x 40 8.5 x 42 8.5 x 44 8.5 x 46 8.5 x 48 8.5 x 50

Exterior Lights Full LED, DOT Compliant, Integrated Backup/Taillights





CARGOSPORT FLAT TOP FLAT FRONT 21K

	8.5 x 52				
Model #	KP10252VSFBGN-210				
SKU #	2L8P250				
MSRP	\$37,666				
CAPACITIES					
GVWR (lbs)	21000				
GAWR (lbs/axle)	7000				
CHASSIS					
Frame	8" x 2" Steel Tube				
Tongue	Gooseneck				
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" Gooseneck				
Safety Chains	DOT Compliant				
Tongue Jack	Dual 12K, 2-Speed Landing Gear				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 16" On-Center				
Front Profile	Flat				
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback				
Access Doors	16" x 48" in Riser				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	(3) 7000 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST235/80R16E 10-PR				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Interior Trim	Extruded Aluminum Wall Transitions				
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves				
Flooring	3/4" Engineered Wood				
Interior Lights	(2) LED				
Switches	(1) Dome Light, 12V				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights				





CARGOSPORT FLAT TOP FLAT FRONT 24K

	8.5 x 40	8.5 x 42	8.5 x 44	8.5 x 46	8.5 x 48	8.5 x 50			
Model #	KP10240VSFBGN- 240	KP10242VSFBGN- 240	KP10244VSFBGN- 240	KP10246VSFBGN- 240	KP10248VSFBGN- 240	KP10250VSFBGN- 240			
SKU #	2L6P175	2L6P800	2L7P425	2L8P050	2L8P675	2L9P300			
MSRP	\$34,900	\$35,733	\$36,566	\$37,400	\$38,233	\$39,066			
CAPACITIES									
GVWR (lbs)		24000							
GAWR (lbs/axle)				00					
CHASSIS									
Frame			8" x 2" S	teel Tube					
Tongue				eneck					
Crossmembers				16" On-Center					
Integrated Step(s)			•	Recessed					
Coupler			2-5/16" G	ooseneck					
Safety Chains			DOT Co	mpliant					
Tongue Jack			Dual 12K, 2-Spe	ed Landing Gear					
Wall Studs			Steel Tube, 1	6" On-Center					
Roof Bows	Steel Tube, 16" On-Center								
Front Profile	Flat								
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist								
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback								
Access Doors			16" x 48	" in Riser					
Vents			Sidewal	l Airflow					
Fenders				Aluminum					
Axle			• • •	op Spring Brake					
Hubs				Bath					
Breakaway			•	h, and Lanyard					
Tires				7.5J 18-PR					
Exterior Finish				uminum 					
Undercoating				notive					
Exterior Fastening Exterior Trim	2 E" Ton Extrusion	2" Pottom Extrusion	v HB Bonded ATP Riser Wall, Brito,	l (Screwless)	rant Carnara Brita Al	luminum Door Hoon			
Roof	2.5 TOP EXTRUSION,	5 BULLOIN EXTRUSION		less Aluminum	Tonit Corners, Brite Ai	ullillulli Keal Hoop			
Interior Walls			•	ed Wood					
Interior Trim				m Wall Transitions					
Ceiling		Vinvl Ceilin	g Transitions, White		inum Coves				
Flooring		7,1 00	-	eered Wood					
Interior Lights				LED					
Switches			. ,	Light, 12V					
Connector Plug			, ,	pin Blade					





CARGOSPORT GOOSENECK CARGO

CARGOSPORT FLAT TOP FLAT FRONT 24K

8.5 x 40 8.5 x 42 8.5 x 44 8.5 x 46 8.5 x 48 8.5 x 50

Exterior Lights Full LED, DOT Compliant, Integrated Backup/Taillights





CARGOSPORT FLAT TOP FLAT FRONT 24K

	8.5 x 52				
Model #	KP10252VSFBGN-240				
SKU #	2L9P925				
MSRP	\$39,900				
CAPACITIES					
GVWR (lbs)	24000				
GAWR (lbs/axle)	8000				
CHASSIS					
Frame	8" x 2" Steel Tube				
Tongue	Gooseneck				
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" Gooseneck				
Safety Chains	DOT Compliant				
Tongue Jack	Dual 12K, 2-Speed Landing Gear				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 16" On-Center				
Front Profile	Flat				
Ramp(s)	12" Extension with Bullnose Cap, 4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback				
Access Doors	16" x 48" in Riser				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	(3) 8000 lb. Drop Spring Brake				
Hubs	Oil Bath				
Breakaway	Battery, Switch, and Lanyard				
Tires	215/75R17.5J 18-PR				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Interior Trim	Extruded Aluminum Wall Transitions				
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves				
Flooring	3/4" Engineered Wood				
Interior Lights	(2) LED				
Switches	(1) Dome Light, 12V				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights				





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26			
	KP10216VSRFCH-	KP10218VSRFCH-	KP10220VSRFCH-	KP10222VSRFCH-	KP10224VSRFCH-	KP10226VSRFCH-			
Model #	070	070	070	070	070	070			
SKU #	8L4P00	8L7P00	9L0P00	9L3P00	9L6P00	1L0P100			
MSRP	\$11,200	\$11,600	\$12,000	\$12,400	\$12,800	\$13,466			
CAPACITIES									
GVWR (lbs)			70	00					
GAWR (lbs/axle)		3500							
CHASSIS									
Frame			6" v 2" C	tool Tubo					
Tongue	6" x 2" Steel Tube 6" Extension, 6" x 2" Steel Triple Tube								
Crossmembers				16" On-Center					
Integrated Step(s)			•	Recessed					
Coupler				djustable					
Safety Chains				mpliant					
Tongue Jack				t-Back					
Wall Studs		Steel Tube, 16" On-Center							
Roof Bows			Steel Tube, 1	6" On-Center					
Front Profile			Ro	und					
Beavertail	32"			48"					
Ramp(s)		16" E	xtension with Bullnos	e Cap, 4000 lb. with	Assist				
Side Door		36	" Wide Flush Lock, C	ast Aluminum Holdba	nck				
Vents			Sidewal	l Airflow					
Fenders			Smooth A	Aluminum					
Axle			• • •	op Spring Brake					
Hubs			•	Lube					
Breakaway			· ·	h, and Lanyard					
Tires				R15C 6-PR					
Wheels				Aluminum					
Exterior Finish				uminum 					
Undercoating				notive					
Exterior Fastening Exterior Trim	000 Aluminum	Doof Cove 2" Botto		(Screwless)	Cornoro Brito Alumi	num Door Hoon			
Stone Guard	.000 Alullilluli	rkoor cove, 5 Bollo	m Extrusion, Brite Alu "24	ATP	Corners, Brite Alumi	num kear noop			
Roof				nless Aluminum					
Interior Walls				ed Wood					
Interior Trim				m Wall Transitions					
Ceiling				ermoPly®					
Flooring				eered Wood					
Interior Lights			*	LED					





9/16/24 | 122



CARGOSPORT ROUND TOP ROUND FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	
Switches	(1) Dome Light, 12V						
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Connector Plug	Round 7-pin Blade						
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights						





Model # KPI0228VSRFCH-070 SKU # 1L1P750 SKU # 1L1							
SKU # 1L1P750 MSRP \$15,666 CAPACITIES CWWR (lbs) 7000 GWWR (lbs/wake) 7000 CHASSIS Frame 8" x 2" Steel Tube Cnogue 6" Extension, 8" x 2" Steel Triple Tube Crossmembers Formed Steel, 16" On-Center Integrade Step(s) Interior Recessed Coupler 2-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack 5 Steel Tube, 16" On-Center Rolf Bow 5 Steel Tube, 16" On-Center Front Profile Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 3 Sidewall Airflow Fenders Sidewall Airflow Fenders Sidewall Airflow Fenders Sidewall Airflow Feakway Battery, Switch, and Lanyard Tires ST200/FSR150 6"-PR Wheles 15", 5-Hole Aluminum Exterior Finals Automotive Exterior Finals		8.5 x 28					
MSRP \$15,666 CAPACITIES GWWR (lbs) 7000 GAWR (lbs/axle) 3500 CHASSIS ************************************							
CAPACITIES GVWR (lbs) 7000 GAWR (lbs/axle) 3500 CHASSIS Frame 8" x2" Steel Tube Tongue 6" Extension, 8" x2" Steel Tube Cossmembers Integrated Steel, 16" On-Center Coupler 2-5/16" Adjustable Safety Chains DDT Compliant Tongue Jack 5K Set-Back Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Round Reavertail 48" Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 35" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Smooth Aluminum Fenders Smooth Aluminum Breakway Battery, Switch, and Lanyard Tires 37.5" Flole Aluminum <							
GVWR (lbs/sarle) 7000 GAWR (lbs/sarle) 3500 CHASSIS Frame 8" x2" Steel Tube Congue 6" Extension, 8" x2" Steel Triple Tube Crossmembers Formed Steel, 16" On-Center Integrated Step(s) Interior Recessed Coupler 2-5/16" Adjustable Safety Chains ODT Compliant Tongue Jack 5K Set-Back Wall Studs Steel Tube, 16" On-Center Roof Bows General Roof Bows Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Sidewall Airflow Fenders Smooth Aluminum Axle (2) 3500 lb. Drop Spring Brake Hubs East Lube Breakway Battery, Switch, and Lanyard Tires ST205/75R156 6-PR Wheels 15", 5-Hold Aluminum Exterior Finish .030" Aluminum	MSRP	\$15,666					
CHASSIS Frame 8" x 2" Steel Tube Tongue 6" Extension, 8" x 2" Steel Triple Tube Crossmembers Formed Steel, 16" On-Center Integrated Step(s) Interior Recessed Coupler 2-57,16" Adjustable Safety Chains 5K Set-Back Tongue Jack 5K Set-Back Wall Studs 3 Steel Tube, 16" On-Center Roof Bows 5K Set-Back Front Profile Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Smooth Aluminum Fenders Smooth Aluminum Azle 19 Steep S	CAPACITIES						
CHASSIS Frame 8" x 2" Steel Tube Tongue 6" Extension, 8" x 2" Steel Triple Tube Crossmembers Formed Steel, 16 Gen Crote Integrated Step(s) Interior Recessed Coupler 2-5,16" Adjustable Safety Chains DOT Compliant Tongue Jack 5K Set-Back Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Sooth Aluminum Azie (2) 3500 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires \$T250577815C G-PR Wheels 15", 5-Hole Aluminum Exterior Fasteing Automotive Exterior Fasteing PAR Bodd (Screwless) Exterior Trim .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front	GVWR (lbs)	7000					
Frame 8" x 2" Steel Tube Tongue 6" Extension, 8" x 2" Steel Triple Tube Crossmebers Formed Steel, 16" On-Center Integrated Step(s) Interior Recessed Coupler 2-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack 5K Set-Back Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 3500 lb. Drop Spring Brake Hubs Esterior Finish Breakaway Battery, Switch, and Lanyard Tires \$T205/75R15c 6-PR Whels 15", 5-Hole Aluminum Exterior Finish .030" Aluminum Undercoating Automotive Exterior Finish .04" ATP Exterior Fastening VHB Bonded (Screwless)	GAWR (lbs/axle)	3500					
Tongue 6"Extension, 8" x 2" Steel Triple Tube Crossmembers Formed Steel, 16" On-Center Integrated Step(s) Interior Recessed Coupler 2-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack 5K Set-Back Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 3500 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires 51205/75R155 6-PR Whels 3030" Aluminum Exterior Finish 3030" Aluminum Undercoating Automotive Exterior Trim 080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard Roof Round Top Sea	CHASSIS						
Crossmembers Formed Steel, 16" On-Center Integrated Step(s) Interior Recessed Coupler 2-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack SK Set-Back Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Smooth Aluminum Axle 2(2) 3500 lb. Drop Spring Brake Hubs Easy Lube Breakway Battery, Switch, and Lanyard Tires 51205/78R15C 6-PR Whels 15", 5-Hole Aluminum Exterior Finish 0.300" Aluminum Undercoating Automotive Exterior Fastening VHB Bonded (Screwless) Exterior Trim .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard Roof Room Aluminum <th>Frame</th> <th>8" x 2" Steel Tube</th>	Frame	8" x 2" Steel Tube					
Integrated Step(s)Interior RecessedCoupler2-5-/16" AdjustableSafety ChainsDOT CompliantTongue Jack5K Set-BackWall StudsSteel Tube, 16" On-CenterRoof BowsSteel Tube, 16" On-CenterFront ProfileRoundBeavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackVentsSmooth AluminumFendersSmooth AluminumAxle(2) 3500 lb. Drop Spring BrakeHubsEasy LubeBreakawaStattery, Switch, and LanyardTiresST205/758T15C 6-PRWheels15", 5-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior Fastening.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopExterior Trim.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone GuardRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite Thermoply®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Tongue	6" Extension, 8" x 2" Steel Triple Tube					
Coupler 2-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack 5K Set-Back Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Smooth Aluminum Axle 36" Sidewall Airflow Fenders Smooth Aluminum Axle 48" Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires 57.5.Hole Aluminum Exterior Finish 3.03" Aluminum Undercoating Automotive Exterior Fastening VHB Bonded (Screwless) Exterior Trim .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard 24" ATP Roof Round Top Seamless Aluminum Interior Walls Exterior Trim Since Seamless Aluminum Wall Transitions	Crossmembers	Formed Steel, 16" On-Center					
Safety ChainsDOT CompliantTongue Jack5K Set-BackWall StudsSteel Tube, 16" On-CenterRoof BowsSteel Tube, 16" On-CenterFront ProfileRoundBeavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackVentsSidewall AirflowFendersSmooth AluminumAxle(2) 3500 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires\$15",5-Hole AluminumWheels\$15",5-Hole AluminumExterior Finish.030" AluminumUndercoatingYHB Bonded (Screwless)Exterior Fastening\$0.800 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard\$1" ATPRoofRound Top Seamless AluminumInterior WallsExtruded Aluminum Wall TransitionsCeiling\$1" Extruded Aluminum Wall TransitionsFlooring\$1" Extruded Aluminum Wall TransitionsExtruded Liminum Wall TransitionsCeiling\$1" Extruded Aluminum Wall TransitionsCeiling\$1" Extruded Alu	Integrated Step(s)	Interior Recessed					
Tongue Jack SK Set-Back Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 3500 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST205/75R15C 6-PR Wheels 15", 5-Hole Aluminum Exterior Finish 0.30" Aluminum Undercoating Automotive Exterior Fasterior 0.80 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard 24" ATP Roof Round Top Seamless Aluminum Interior Walls Extruded Aluminum Wall Transitions Ceiling White ThermoPly® Flooring 3/4" Engineered Wood Interior Lights (2) LED Swi	Coupler	2-5/16" Adjustable					
Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Round Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 3500 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires \$15",5-Hole Aluminum Wheels 15",5-Hole Aluminum Exterior Finish .030" Aluminum Undercoating VHB Bonded (Screwless) Exterior Fatening .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard Round Top Seamless Aluminum Interior Walls Extruded Aluminum Wall Transitions Ceiling White ThermoPly® Flooring Side Seal Seal Seal Seal Seal Seal Seal Sea	Safety Chains	DOT Compliant					
Roof BowsSteel Tube, 16" On-CenterFront ProfileRoundBeavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackVentsSidewall AirflowFendersSmooth AluminumAxle(2) 3500 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires51205/75R15C 6-PRWheels15", 5-Hole AluminumExterior Finish.030" AluminumUndercoatingYHB Bonded (Screwless)Exterior Fastening.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard1080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite AluminumRoofRound Top Seamless AluminumInterior WallsFingineered WoodInterior TimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior LightsCilingWitches(1) Dome Light, 12V	Tongue Jack	5K Set-Back					
Front ProfileRoundBeavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackVentsSidewall AirflowFendersSmooth AluminumAxle(2) 3500 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires\$15", 5-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningYHB Bonded (Screwless)Exterior Tim.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone GuardExterior WallsInterior WallsEngineered WoodInterior WallsExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring134" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Wall Studs	Steel Tube, 16" On-Center					
Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 3500 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires \$1205/75R15C 6-PR Wheels \$15", 5-Hole Aluminum Exterior Finish .030" Aluminum Undercoating Automotive Exterior Fastening VHB Bonded (Screwless) Exterior Trim .080 Aluminum Roof Cove, 3" Bottom Extrusing Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard \$24" ATP Roof Round Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Celling White ThermoPly® Flooring 3/4" Engineered Wood Interior Lights (1) Dome Light, 12V	Roof Bows	Steel Tube, 16" On-Center					
Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 3500 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires \$1205/75R15C 6-PR Wheels \$15", 5-Hole Aluminum Exterior Finish Automotive Exterior Fastening VHB Bonded (Screwless) Exterior Fastening .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Roof Round Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling White ThermoPly® Flooring 3/4" Engineered Wood Interior Lights (2) LED Switches (1) Dome Light, 12V	Front Profile	Round					
Side Door36" Wide Flush Lock, Cast Aluminum HoldbackVentsSidewall AirflowFendersSmooth AluminumAxle(2) 3500 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires\$T205/75R15C 6-PRWheels15", 5-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard44" ATPRoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Beavertail	48"					
Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 3500 lb. Drop Spring Brake Hubs Easy Lube Breakway Batterry, Switch, and Lanyard Tires \$15", 5-Hole Aluminum Exterior Finish 0.30" Aluminum Undercoating YHB Bonded (Screwless) Exterior Fastening .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard 4" ATP Roof Round Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Celling White ThermoPly® Flooring 3/4" Engineered Wood Interior Lights C) LED Switches (1) Dome Light, 12V	Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist					
FendersSmooth AluminumAxle(2) 3500 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires\$T205/75R15C 6-PRWheels(30° AluminumExterior Finish400° AluminumUndercoating400° AutomotiveExterior Fastening7080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard40° Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard40° AROUND Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights40° Aluminum Roof RoomSwitches(1) Dome Light, 12V	Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Axle(2) 3500 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTiresST205/75R15C 6-PRWheels15", 5-Hole AluminumExterior FinishAutomotiveUndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard4" ATPRoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Vents	Sidewall Airflow					
HubsEasy LubeBreakawayBattery, Switch, and LanyardTiresST205/75R15C 6-PRWheels15", 5-Hole AluminumExterior FinishCallantianUndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard4" ATPRoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring14" Aluminum Wall TransitionsFlooring15" Aluminum Wall TransitionsInterior Lights(2) LEDSwitches15" Aluminum Light, 12V	Fenders	Smooth Aluminum					
BreakawayBattery, Switch, and LanyardTiresST205/75R15C 6-PRWheels15", 5-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard4" ATPRoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring.34" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Axle	(2) 3500 lb. Drop Spring Brake					
Tires ST205/75R15C 6-PR Wheels ST205/75R15C 6-PR Exterior Finish .030" Aluminum Undercoating Automotive Exterior Fastening VHB Bonded (Screwless) Exterior Trim .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard 24" ATP Roof Round Top Seamless Aluminum Interior Walls Engineered Wood Interior Trim Extruded Aluminum Wall Transitions Ceiling White ThermoPly® Flooring .3/4" Engineered Wood Interior Lights (2) LED Switches (1) Dome Light, 12V	Hubs	Easy Lube					
Wheels15", 5-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior Fastening.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard24" ATPRoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Breakaway	Battery, Switch, and Lanyard					
Exterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard24" ATPRoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Tires	ST205/75R15C 6-PR					
UndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard24" ATPRoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Wheels	15", 5-Hole Aluminum					
Exterior Fastening Exterior Trim .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Stone Guard Roof Round Top Seamless Aluminum Interior Walls Interior Trim Extruded Aluminum Wall Transitions Ceiling White ThermoPly® Flooring J/4" Engineered Wood Interior Lights (2) LED Switches (1) Dome Light, 12V	Exterior Finish	.030" Aluminum					
Exterior Trim.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopStone Guard24" ATPRoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Undercoating	Automotive					
Stone Guard24" ATPRoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Exterior Fastening	VHB Bonded (Screwless)					
RoofRound Top Seamless AluminumInterior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Exterior Trim	.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop					
Interior WallsEngineered WoodInterior TrimExtruded Aluminum Wall TransitionsCeilingWhite ThermoPly®Flooring3/4" Engineered WoodInterior Lights(2) LEDSwitches(1) Dome Light, 12V	Stone Guard	24" ATP					
Interior Trim Extruded Aluminum Wall Transitions Ceiling White ThermoPly® Flooring 3/4" Engineered Wood Interior Lights (2) LED Switches (1) Dome Light, 12V	Roof	Round Top Seamless Aluminum					
Ceiling White ThermoPly® Flooring 3/4" Engineered Wood Interior Lights (2) LED Switches (1) Dome Light, 12V	Interior Walls	Engineered Wood					
Flooring 3/4" Engineered Wood Interior Lights (2) LED Switches (1) Dome Light, 12V	Interior Trim	Extruded Aluminum Wall Transitions					
Interior Lights (2) LED Switches (1) Dome Light, 12V	Ceiling	White ThermoPly®					
Switches (1) Dome Light, 12V	Flooring	3/4" Engineered Wood					
· · · · · · · · · · · · · · · · · · ·	Interior Lights	(2) LED					
Cargo Control (4) 5000 lb. Recessed D-Rings	Switches	(1) Dome Light, 12V					
	Cargo Control	(4) 5000 lb. Recessed D-Rings					







	8.5 x 28
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	
Madel #	KP10216VSRFCH-	KP10218VSRFCH-	KP10220VSRFCH-	KP10222VSRFCH-	KP10224VSRFCH-	KP10226VSRFCH	
Model #	100	100	100	100	100	100	
SKU #	8L9P25	9L2P25	9L5P25	9L8P25	1L0P125	1L0P625	
MSRP	\$11,900	\$12,300	\$12,700	\$13,100	\$13,500	\$14,166	
CAPACITIES							
GVWR (lbs)			99	000			
GAWR (lbs/axle)			50	100			
CHASSIS							
Frame			6" x 2" S	teel Tube			
Tongue			6" Extension, 6" x	2" Steel Triple Tube			
Crossmembers			Formed Steel,	16" On-Center			
Integrated Step(s)			Interior I	Recessed			
Coupler			2-5/16" <i>A</i>	Adjustable			
Safety Chains			DOT Co	mpliant			
Tongue Jack			2K Se	t-Back			
Wall Studs			Steel Tube, 1	6" On-Center			
Roof Bows			Steel Tube, 1	6" On-Center			
Front Profile			Ro	und			
Beavertail	32"			48"			
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist						
Side Door		36" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow						
Fenders	Smooth Aluminum						
Axle	(2) 5200 lb. Drop Spring Brake						
Hubs	Easy Lube Battery, Switch, and Lanyard						
Breakaway							
Tires Wheels				R15D 8-PR			
Exterior Finish			•	e Aluminum Iuminum			
Undercoating				notive			
Exterior Fastening							
Exterior Trim	080 Aluminum	VHB Bonded (Screwless) .080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop					
Stone Guard	.000 Aluminum	24" ATP					
Roof		Round Top Seamless Aluminum					
Interior Walls			•	red Wood			
Interior Trim		Extruded Aluminum Wall Transitions					
Ceiling		White ThermoPly®					
Flooring		3/4" Engineered Wood					
Interior Lights			-	LED			







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 28			
Model #	KP10228VSRFCH-100			
SKU #	1L2P275			
MSRP	\$16,366			
CAPACITIES				
GVWR (lbs)	9900			
GAWR (lbs/axle)	5000			
CHASSIS				
Frame	8" x 2" Steel Tube			
Tongue	6" Extension, 8" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 16" On-Center			
Integrated Step(s)	Interior Recessed			
Coupler	2-5/16" Adjustable			
Safety Chains	DOT Compliant			
Tongue Jack	5K Set-Back			
Wall Studs	Steel Tube, 16" On-Center			
Roof Bows	Steel Tube, 16" On-Center			
Front Profile	Round			
Beavertail	48"			
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist			
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback			
Vents	Sidewall Airflow			
Fenders	Smooth Aluminum			
Axle	(2) 5200 lb. Drop Spring Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST225/75R15D 8-PR			
Wheels	15", 6-Hole Aluminum			
Exterior Finish	.030" Aluminum			
Undercoating	Automotive			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	.080 Aluminum Roof Cove, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop			
Stone Guard	24" ATP			
Roof	Round Top Seamless Aluminum			
Interior Walls	Engineered Wood			
Interior Trim	Extruded Aluminum Wall Transitions			
Ceiling	White ThermoPly®			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) LED			
Switches	(1) Dome Light, 12V			
Cargo Control	(4) 5000 lb. Recessed D-Rings			







	8.5 x 28
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights







CARGOSPORT FLAT TOP FLAT FRONT 10K

Model # KP102328VSFBGNCH-100 KP10233VSFBGNCH-100 KP10232VSFBGNCH-100 KP10232VSFBGNCH-100 KP10232VSFBGNCH-100 SRU # 1L7P000 1L7P525 1L8P050 1L8P575 1L8P575 MSRP \$22,666 \$23,366 \$24,066 \$24,766		8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34				
MSRP	Model #	KP10228VSFBGNCH-100	KP10230VSFBGNCH-100	KP10232VSFBGNCH-100	KP10234VSFBGNCH-100				
CAPACITIES GVWR (lbs) 9900 CAWR (lbs/sale) 5000 CHASSIS Frame 8" x 2" Steel Tube Tongue Gooseneck Crossmembers Interior Recessed Coupler 2-5.16's Gooseneck Safety Chains DOT Compliant Tongue Jack Bull 12K, 2-Speed Landing Gear Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Flat Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Access Doors 16" x 48" in Riser Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) \$200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires \$T225/5/5/150 lb. Pre Wheels 15", 6-Hole Aluminum Exterior Finish Qualuminum Underc	SKU #	1L7P000	1L7P525	1L8P050	1L8P575				
GWR (lbs) 9900 GAWR (lbs/axle) 5000 CHASSIS Frame 8 " x 2" Steel Tube Tongue Gooseneck Crossmembers Formed Steel, 16" On-Center Integrated Step(s) Interior Recessed Coupler 2-5/16" Gooseneck Safety Chains DDT Compliant Tongue Jack Dual 12k, 2-speed Landing Gear Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Flat Beavertall 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Access Doors 16" x 48" in Riser Vents Sidewall Airflow Fenders Smooth Aluminum Aute (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakway Battery, Switch, and Lanyard Tires ST225/75R150 8-PR Wheels ST225/75R150 8-PR Wheels ST225/75R150 8-PR	MSRP	\$22,666	\$23,366	\$24,066	\$24,766				
CHASSIS Frame 8" x 2" Steel Tube Congue Gooseneck Crossmembers Formed Steel, 16" On-Center Integrated Step(s) Interior Recessed Coupler 2-5/16" Gooseneck Safety Chains DOT Compliant Tongue Jack DDT Compliant Roof Bows Steel Tube, 16" On-Center Front Profile Flat Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Access Doors 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Access Doors 16" Extension by Tibe Profile Flates Fenders Sidewall Airflow Fenders Sidewall Airflow Fenders Sidewall Airflow Fenders Sidewall Airflow Breakway Easy Lube Breakway Battery, Switch, and Lanyard Tires Size Size Size Size Size Size Size Size	CAPACITIES								
CHASSIS Frame 8" x 2" Steel Tube Tongue Gooseneck Crossmembers Formed Steel, 16" On-Center Integrated Step(s) Interior Recessed Coupler 2-5716" Gooseneck Safety Chains DOT Compliant Tongue Jack DUAL TO.—Center Roof Bows Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Flat Beavertail 48" Ramp(s) 116" Extension with Bullinose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Access Doors 16" x 48" in Riser Vents Sidewall Airflow Fenders Sidewall Airflow Fenders Sidewall Airflow Fenders Easy Lube Breakway Battery, Switch, and Lamyard Tires 51257/58150 8-PR Wheels 51257/58150 8-PR Wheels 300 Aluminum Exterior Finish	GVWR (lbs)	9900							
Frame 8" x 2" Steel Tube Tongue Gooseneck Crossmembers Formed Steel, 16" On-Center Integrated Steelys Interior Recessed Coupler 2-5/16" Gooseneck Safety Chains DOT Compliant Tongue Jack Use Complex Wall Studs Steel Tube, 16" On-Center Roof Bows Steel Tube, 16" On-Center Front Profile Flat Beavertail 48" Ramp(s) 16" Extension with Bullnose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Access Doors 16" x 48" in Riser Vets Sidewall Airflow Fenders Smooth Aluminum Axle (2) \$200 lb. Drop Spring Brake Hubs Easy Lube Breakawa Easy Lube Breakaway Brother Steel Tube, 16" All Minimum Exterior Finish Automotive Exterior Finish Automotive Exterior Fastening Automotive Exterior Fastening 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser wall, Brite Alumin	GAWR (lbs/axle)		50	000					
TongueGoosenecksCrossmembersFormed Steel, 16" On-CenterIntegrated Step(s)Interior RecessedCoupler2-5/16" GooseneckSafety ChainDOT CompliantTongue JackDOT CompliantWall StudsSteel Tube, 16" On-CenterRoof Bows5 teel Tube, 16" On-CenterFront ProfileFloatBeavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Boor36" Wide Flush Lock, Cast Aluminum HoldbackAccess Doors16" x 48" in RiserYentsSidewall AirflowFendersSmooth AluminumAxle(2) \$200 lb. Drop Spring BrakeHubs5 \$152.57/5R150 8-PRWheels15", 6-Hole AluminumExterior Finish2 \$152.57/5R150 8-PRWheels15", 6-Hole AluminumExterior Fastenio4 \$15", 6-Hole AluminumExterior Fastenio4 \$15", 6-Hole AluminumExterior Fastenio5 \$150 Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls5 \$150 Extrusion, ATP Riser Wall, Brite AluminumInterior Walls5 \$150 Extrusion, ATP Riser Wall, Brite AluminumFlooring6 \$151 CellingFlooring5 \$170 Extrusion, ATP Riser Wall, Brite Aluminum Wall TransitionsFlooring5 \$170 Extrusion, ATP Riser Wall, Brite Profile with Aluminum CovesFlooring5 \$170 Extrusion, ATP Riser Wall, Brite Villa Univer with Aluminum CovesFlooring<	CHASSIS								
Cossmembers Formed Steel, 16" On-Center Integrated Step(s) Interior Recessed Coupler 2-5/16" Gooseneck Safety Chains DOT Compliant Tongue Jack Dual 12K, 2-Speed Landing Gear Wall Studs Steel Tube, 16" On-Center Roof Bows 16" Content Front Profile Flat Beavertail 48" Ramp(s) 16" Extension with Bullmose Cap, 4000 lb. with Assist Side Door 36" Wide Flush Lock, Cast Aluminum Holdback Access Doors 16" x 48" in Riser Vents 35 Good Mark of Wide Flush Lock, Cast Aluminum Holdback Acle 45 Good Mark of Wide Flush Lock, Cast Aluminum Holdback Ackess Doors 16" x 48" in Riser Vents 5 Good Mark of Wide Flush Lock, Cast Aluminum Holdback Aller 4 Control of Wide Flush Lock, Cast Aluminum Moldback Redess 5 Good Mark of Wide Flush Lock, Cast Aluminum Breakway 6 Good Mark of Wide Flush Lock, Cast Aluminum Breakway 8 Battery, Switch, and Lanyard Tires 8 Cast Aluminum Aluminum Undercoating 4 Good Mark	Frame		8" x 2" S	teel Tube					
Integrated Step(s)Interior RecessedCoupler2-5/16" GooseneckSafety ChainsDOT CompliantTongue JackUnal Talk, 2-Speed Landing GearWall StudsSteel Tube, 16" On-CenterRoof BowsSteel Tube, 16" On-CenterFront ProfileFlatBeavertail48"Ramp(s)16" Extension with Bulliose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackAccess Doors36" Wide Flush Lock, Cast Aluminum HoldbackAckess Doors46" in RiserVentsSidewall AirflowFendersSmooth AluminumAxle16" X 48" in RiserWhusEasy LubeBreakawayBattery, Switch, and LanyardTires5125/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish3030" AluminumUndercoatingAutomotiveExterior Fastenia74B Bonded (Screwless)Exterior Fastenia74B Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior Trim2.5" Top Extrusion, Mark Extruded Aluminum Wall Trustminum CovesFlooringVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring41" Top Liner with Aluminum CovesFlooring41" Top Liner with Aluminum CovesFlooring41" Top Liner with Aluminum Coves	Tongue		Goos	eneck					
Coupler2-5/16' GooseneckSafety ChainsDOT CompliantTongue JackDUAI 12K, 2-Speed Landing GearWall StudsSteel Tube, 16' On-CenterRoof BowsSteel Tube, 16' On-CenterFiront ProfileFlatBeavertail48''Ramp(s)16'' Extension with Bullnose Cap, 4000 lb. with AssistSide Door36'' Wide Flush Lock, Cast Aluminum HoldbackAccess Doors16'' x 48'' in RiserVentsSidewall AirflowFendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires\$15'', 6-Hole AluminumExterior Finish.030'' AluminumUndercoatingAutomotiveExterior Finish2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooringInterior LightsHorior LightsVinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves	Crossmembers		Formed Steel,	16" On-Center					
Safety ChainsDOT CompliantTongue JackDual 12K, 2-Speed Landing GearWall StudsSteel Tube, 16" On-CenterRoof BowsSteel Tube, 16" On-CenterFront ProfileFlatBeavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackAccess Doors16" x 48" in RiserVentsSidewall AirflowFendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTiresST225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningYHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rent HoopRoofFlat Top Seamless AluminumInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooringJa" (2) LED	Integrated Step(s)		Interior I	Recessed					
Tongue JackDual 12K, 2-Speed Landing GearWall StudsSteel Tube, 16" On-CenterRoof BowsSteel Tube, 16" On-CenterFront ProfileFlatBeavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackAccess Doors16" x 48" in RiserVentsSidewall AirflowFendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTiresST225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningYHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooringJa/4" Engineered WoodInterior LightsLiner with Aluminum Coves	Coupler		2-5/16" @	Gooseneck					
Wall StudsSteel Tube, 16" On-CenterRoof BowsSteel Tube, 16" On-CenterFront ProfileGeavertailBeavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackAccess Doors16" x 48" in RiserVentsSidewall AirflowFendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires5125/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish410 Cannow MultimumUndercotingYHB Bonded (Screwless)Exterior FasteningYHB Bonded (Screwless)Exterior Frim52" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite AluminumInterior TrimFlat Top Seamless AluminumInterior TrimExtruded Aluminum Wall TransitionsCellingVinyl Celling Transitions, White Vinyl Liner with Aluminum CovesFlooring16 Celling Transitions, White Vinyl Liner with Aluminum CovesFlooring16 Celling Transitions, White Vinyl Liner with Aluminum Coves	Safety Chains		DOT Co	mpliant					
Roof BowsSteel Tube, 16" On-CenterFront ProfileFlatBeavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackAccess DoorsCast Aluminum HoldbackVentsSidewall AirflowFendersSomoth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTiresST225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish400 Cast AutomotiveExterior FinishAutomotiveExterior FateningYIN Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCellingVinyl Celling Transitions, White Vinyl Liner with Aluminum CovesFlooringJaya" Engineered WoodInterior Lights100 Celling Transitions, White Vinyl Liner with Aluminum Coves	Tongue Jack		Dual 12K, 2-Spe	ed Landing Gear					
Front ProfileIn the profile of the profil	Wall Studs		•						
Beavertail48"Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackAccess Doors16" x 48" in RiserVents5 Gidewall AirflowFenders5 Compose ManagementAxle6 Compose ManagementHubs6 Compose ManagementBreakaway6 Compose ManagementWheels5 Compose ManagementExterior Finish6 Compose ManagementUndercoating6 Compose ManagementExterior Fasteing5 Compose ManagementExterior Frim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls5 Compose ManagementInterior Trim5 Compose Medical ManagementCellingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring10 Council ManagementInterior Lights10 Council Management	Roof Bows		Steel Tube, 1	6" On-Center					
Ramp(s)16" Extension with Bullnose Cap, 4000 lb. with AssistSide Door36" Wide Flush Lock, Cast Aluminum HoldbackAccess Doors16" x 48" in RiserVentsSidewall AirflowFendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires\$T225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCellingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring14" Supplied WoodInterior Lights15" Ceiling Supplied Wood	Front Profile	Flat							
Side Door36" Wide Flush Lock, Cast Aluminum HoldbackAccess Doors16" x 48" in RiserVents3idewall AirflowFendersSmooth AluminumAxle(2) \$200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires\$15", 6-Hole AluminumExterior Finish9Undercoating4uninumExterior Fastening2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCellingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered WoodInterior Lights10Interior Lights10									
Access Doors16" x 48" in RiserVentsSidewall AirflowFendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires\$T225/75R15D 8-PRWheels(2) \$125/75R15D 8-PRWheels(303" AluminumExterior Finish4 Carrier FinishUndercoatingVHB Bonded (Screwless)Exterior Fastening2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCelingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring14 Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring15 Ceiling Side Side Side Side Side Side Side Side	- ' '	16" Extension with Bullnose Cap, 4000 lb. with Assist							
VentsSidewall AirflowFendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTiresST225/75R15D 8-PRWheels(3) 6-Hole AluminumExterior FinishCasa AutomotiveUndercoatingYHB Bonded (Screwless)Exterior Fastening2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior WallsSmmm White VinylInterior TrimExtruded Aluminum Wall TransitionsCellingVinyl Celling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered WoodInterior LightsLeeInterior LightsLee		·							
FendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakwayBattery, Switch, and LanyardTires\$T225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish4000 AutomotiveUndercoatingAutomotiveExterior Fastening2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered WoodInterior Lights(2) LED									
Axle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakwayBattery, Switch, and LanyardTiresST225/75R15D 8-PRWheels15", 6-Hole AluminumExterior FinishAutomotiveUndercoatingAutomotiveExterior Fastening2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring194 Ceiling Transitions, White Vinyl Liner with Aluminum CovesHooring194 Ceiling TransitionsInterior Lights194 Ceiling Transitions									
HubsEasy LubeBreakawayBattery, Switch, and LanyardTiresST225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior Fastening2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring13/4" Engineered WoodInterior Lights10									
Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels Loss Staterior Finish Undercoating Staterior Fastening Staterior Trim Staterior Finish Staterior Finish Staterior Finish Staterior Finish Staterior Fastening Staterior Fastening Staterior Fastening Staterior Finish Staterior Fini		· · · · · ·							
TiresST225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered WoodInterior Lights(2) LED		·							
Wheels15", 6-Hole AluminumExterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered WoodInterior Lights(2) LED	-		•	•					
Exterior Finish.030" AluminumUndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered WoodInterior Lights(2) LED									
UndercoatingAutomotiveExterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered WoodInterior Lights(2) LED			·						
Exterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear HoopRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior TrimExtruded Aluminum Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered WoodInterior Lights(2) LED									
Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop Flat Top Seamless Aluminum 9mm White Vinyl Interior Trim Extruded Aluminum Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood Interior Lights (2) LED	-								
Roof Flat Top Seamless Aluminum Interior Walls 9mm White Vinyl Interior Trim Extruded Aluminum Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood Interior Lights (2) LED		2 F" Tan Extrusion 2" Dottom	• ,						
Interior Walls Interior Trim Extruded Aluminum Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood Interior Lights (2) LED		Z.J TOP EXTUSION, 3 DOTTOM	·		то, отпе мининин кеат поор				
Interior Trim Extruded Aluminum Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood Interior Lights (2) LED			•						
Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood Interior Lights (2) LED				•					
Flooring 3/4" Engineered Wood Interior Lights (2) LED									
Interior Lights (2) LED	-								
	-	•							
	Switches								





CARGOSPORT GOOSENECK CAR HAULER

CARGOSPORT FLAT TOP FLAT FRONT 10K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34	
Cargo Control		(4) 5000 lb. Recessed D-Rings			
Connector Plug		Round 7	'-pin Blade		
Exterior Lights		Full LED, DOT Compliant,	Integrated Backup/Taillights		







CARGOSPORT FLAT TOP FLAT FRONT 14K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34					
Model #	KP10228VSFBGNCH-140	KP10230VSFBGNCH-140	KP10232VSFBGNCH-140	KP10234VSFBGNCH-140					
SKU #	1L8P700	1L9P225	1L9P750	2L0P275					
MSRP	\$24,933	\$25,633	\$26,333	\$27,033					
CAPACITIES									
GVWR (lbs)	14000								
GAWR (lbs/axle)		70	000						
CHASSIS									
Frame		8" x 2" S	teel Tube						
Tongue		Goos	eneck						
Crossmembers		Formed Steel,	16" On-Center						
Integrated Step(s)		Interior I	Recessed						
Coupler		2-5/16" @	Gooseneck						
Safety Chains		DOT Co	mpliant						
Tongue Jack		Dual 12K, 2-Spe	ed Landing Gear						
Wall Studs		•	6" On-Center						
Roof Bows			6" On-Center						
Front Profile	Flat								
Beavertail			8"						
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist								
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback								
Access Doors	16" x 48" in Riser								
Vents	Sidewall Airflow								
Fenders	Smooth Aluminum								
Axle Hubs	(2) 7000 lb. Drop Spring Brake								
Breakaway	Easy Lube Battery, Switch, and Lanyard								
Tires		•	R16E 10-PR						
Wheels			e Aluminum						
Exterior Finish		•	luminum						
Undercoating			notive						
Exterior Fastening			l (Screwless)						
Exterior Trim	2.5" Top Extrusion. 3" Bottom		e Aluminum Radius Front Corne	rs. Brite Aluminum Rear Hoop					
Roof	.,	·	less Aluminum	,					
Interior Walls		•	nite Vinyl						
Interior Trim			m Wall Transitions						
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves								
Flooring	3/4" Engineered Wood								
Interior Lights	(2) LED								
Switches		(1) Dome	Light, 12V						





CARGOSPORT GOOSENECK CAR HAULER

CARGOSPORT FLAT TOP FLAT FRONT 14K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34	
Cargo Control		(4) 5000 lb. Recessed D-Rings			
Connector Plug		Round 7	'-pin Blade		
Exterior Lights		Full LED, DOT Compliant,	Integrated Backup/Taillights		







CARGOSPORT FLAT TOP FLAT FRONT 15K

	8.5 x 36	8.5 x 38				
Model #	KP10236VSFBGNCH-150	KP10238VSFBGNCH-150				
SKU #	2L0P500	2L1P025				
MSRP	\$27,333	\$28,033				
CAPACITIES						
GVWR (lbs)	15000					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	8" x 2" S	Steel Tube				
Tongue	Goos	seneck				
Crossmembers	Formed Steel	, 16" On-Center				
Integrated Step(s)	Interior	Recessed				
Coupler	2-5/16" (Gooseneck				
Safety Chains	DOT Co	ompliant				
Tongue Jack	·	eed Landing Gear				
Wall Studs	·	16" On-Center				
Roof Bows		16" On-Center				
Front Profile	Flat					
Beavertail	48"					
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Access Doors	16" x 48" in Riser					
Vents	Sidewall Airflow					
Fenders		Aluminum				
Axle Hubs	(3) 5200 lb. Drop Spring Brake Easy Lube					
Breakaway Tires	•	ch, and Lanyard GR15D 8-PR				
Wheels		e Aluminum				
Exterior Finish		luminum				
Undercoating		motive				
Exterior Fastening		d (Screwless)				
Exterior Trim		e Aluminum Radius Front Corners, Brite Aluminum Rear Hoop				
Roof	•	nless Aluminum				
Interior Walls	·	hite Vinyl				
Interior Trim		ım Wall Transitions				
Ceiling	Vinyl Ceiling Transitions, White	Vinyl Liner with Aluminum Coves				
Flooring		eered Wood				
Interior Lights	(2) LED					
Switches	(1) Dome	Light, 12V				





CARGOSPORT GOOSENECK CAR HAULER

CARGOSPORT FLAT TOP FLAT FRONT 15K

	8.5 x 36	8.5 x 38	
Cargo Control	(4) 5000 lb. Recessed D-Rings		
Connector Plug	Round 7-	pin Blade	
Exterior Lights	Full LED, DOT Compliant, In	ntegrated Backup/Taillights	







CARGOSPORT FLAT TOP FLAT FRONT 16K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34				
Model #	KP10228VSFBGNCH-160	KP10230VSFBGNCH-160	KP10232VSFBGNCH-160	KP10234VSFBGNCH-160				
SKU #	2L0P800	2L1P325	2L1P850	2L2P375				
MSRP	\$27,733	\$28,433	\$29,133	\$29,833				
CAPACITIES								
GVWR (lbs)		16	000					
GAWR (lbs/axle)		80	000					
CHASSIS								
Frame	8" x 2" Steel Tube							
Tongue		Goos	eneck					
Crossmembers		Formed Steel,	16" On-Center					
Integrated Step(s)		Interior I	Recessed					
Coupler			Gooseneck					
Safety Chains		DOT Co	mpliant					
Tongue Jack		Dual 12K, 2-Spe	ed Landing Gear					
Wall Studs		·	6" On-Center					
Roof Bows		Steel Tube, 1	6" On-Center					
Front Profile		Flat						
Beavertail	48"							
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist							
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback							
Access Doors	16" x 48" in Riser							
Vents	Sidewall Airflow							
Fenders	Smooth Aluminum							
Axle	(2) 8000 lb. Drop Spring Brake							
Hubs		Oil Bath						
Breakaway			h, and Lanyard					
Tires			7.5J 18-PR					
Wheels		·	le Aluminum					
Exterior Finish			luminum					
Undercoating			notive					
Exterior Fastening			l (Screwless)					
Exterior Trim	2.5" Top Extrusion, 3" Bottom		e Aluminum Radius Front Corne	rs, Brite Aluminum Rear Hoop				
Roof		•	less Aluminum					
Interior Walls			nite Vinyl					
Interior Trim			m Wall Transitions					
Ceiling	\	•	Vinyl Liner with Aluminum Cove	!S				
Flooring		•	eered Wood					
Interior Lights		• • •	LED					
Switches		(1) Dome	Light, 12V					





CARGOSPORT GOOSENECK CAR HAULER

CARGOSPORT FLAT TOP FLAT FRONT 16K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34
Cargo Control		(4) 5000 lb. R	ecessed D-Rings	
Connector Plug		Round 7	'-pin Blade	
Exterior Lights		Full LED, DOT Compliant,	Integrated Backup/Taillights	





CARGOSPORT FLAT TOP FLAT FRONT 21K

	8.5 x 40	8.5 x 42	8.5 x 44	8.5 x 46	8.5 x 48	8.5 x 50		
Model #	KP10240VSFBGNCH- 210	KP10242VSFBGNCH- 210	KP10244VSFBGNCH- 210	KP10246VSFBGNCH- 210	KP10248VSFBGNCH- 210	KP10250VSFBGNCH-		
SKU #	2L5P000	2L5P625	2L6P250	2L6P875	2L7P500	210 2L8P125		
MSRP	\$33,333	\$34,166	\$35,000	\$35,833	\$36,666	\$37,500		
	400,000	\$30,000 \$37,300 \$37,300						
CAPACITIES								
GVWR (lbs)	21000 7000							
GAWR (lbs/axle)			70	00				
CHASSIS								
Frame			8" x 2" S	teel Tube				
Tongue			Goos	eneck				
Crossmembers			Formed Steel,	16" On-Center				
Integrated Step(s)				Recessed				
Coupler			2-5/16" G	ooseneck				
Safety Chains				mpliant				
Tongue Jack			•	ed Landing Gear				
Wall Studs			•	6" On-Center				
Roof Bows				6" On-Center				
Front Profile				at				
Beavertail		48"						
Ramp(s)		16" Extension with Bullnose Cap, 4000 lb. with Assist						
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback							
Access Doors		16" x 48" in Riser						
Vents		Sidewall Airflow						
Fenders		Smooth Aluminum (3) 7000 lb. Drop Spring Brake						
Axle		(3) 7000 lb. Drop Spring Brake						
Hubs		Easy Lube						
Breakaway		Battery, Switch, and Lanyard						
Tires		ST235/80R16E 10-PR 16", 8-Hole Aluminum						
Wheels Exterior Finish				uminum				
Undercoating				notive				
Exterior Fastening				(Screwless)				
Exterior Trim	2 5" Ton Extrus	sion 3" Rottom Extrusio	on, ATP Riser Wall, Brite	· · · · · · · · · · · · · · · · · · ·	nt Corners Brite Alumi	um Rear Hoon		
Roof	2.0 TOP EXTU	olon, o Bottom Extraol		less Aluminum	nt Gomero, Brite Mann	ium iteur rioop		
Interior Walls			•	nite Vinyl				
Interior Trim				m Wall Transitions				
Ceiling		Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves						
Flooring		,		eered Wood				
Interior Lights				LED				
Switches			· · ·	Light, 12V				
Cargo Control			, ,	cessed D-Rings				
Connector Plug			· •	pin Blade				
Exterior Lights		Full	LED, DOT Compliant, Ir	•	ghts			



 $Specifications \ and \ Pricing \ subject \ to \ change \ without \ notice, \ please \ reference \ confirmation \ sheet \ for \ final \ pricing.$



CARGOSPORT FLAT TOP FLAT FRONT 21K

	8.5 x 52				
Model #	KP10252VSFBGNCH-210				
SKU #	2L8P750				
MSRP	\$38,333				
CAPACITIES					
GVWR (lbs)	21000				
GAWR (lbs/axle)	7000				
CHASSIS					
Frame	8" x 2" Steel Tube				
Tongue	Gooseneck				
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" Gooseneck				
Safety Chains	DOT Compliant				
Tongue Jack	Dual 12K, 2-Speed Landing Gear				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 16" On-Center				
Front Profile	Flat				
Beavertail	48"				
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback				
Access Doors	16" x 48" in Riser				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	(3) 7000 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST235/80R16E 10-PR				
Wheels	16", 8-Hole Aluminum				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop				
Roof	Flat Top Seamless Aluminum				
Interior Walls	9mm White Vinyl				
Interior Trim	Extruded Aluminum Wall Transitions				
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves				
Flooring	3/4" Engineered Wood				
Interior Lights	(2) LED				
Switches	(1) Dome Light, 12V				
Cargo Control	(4) 5000 lb. Recessed D-Rings				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights				



 $Specifications \ and \ Pricing \ subject \ to \ change \ without \ notice, \ please \ reference \ confirmation \ sheet \ for \ final \ pricing.$



CARGOSPORT FLAT TOP FLAT FRONT 24K

	8.5 x 40	8.5 x 42	8.5 x 44	8.5 x 46	8.5 x 48	8.5 x 50	
	KP10240VSFBGNCH-	KP10242VSFBGNCH-		KP10246VSFBGNCH-	KP10248VSFBGNCH-	KP10250VSFBGNCH-	
Model #	240	240	240	240	240	240	
SKU #	2L6P675	2L7P300	2L7P925	2L8P550	2L9P175	2L9P800	
MSRP	\$35,566	\$36,400	\$37,233	\$38,066	\$38,900	\$39,733	
CAPACITIES	*******	, ,	, ,	, ,	, ,	, ,	
			244	200			
GVWR (lbs) GAWR (lbs/axle)	24000 8000						
,			00	00			
CHASSIS							
Frame				teel Tube			
Tongue				eneck			
Crossmembers				16" On-Center			
Integrated Step(s)				Recessed			
Coupler			-	ooseneck			
Safety Chains				mpliant			
Tongue Jack Wall Studs			· · · · ·	ed Landing Gear 6" On-Center			
Roof Bows			·	6" On-Center			
Front Profile				at			
Beavertail							
Ramp(s)		48" 16" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback						
Access Doors		16" x 48" in Riser					
Vents		Sidewall Airflow					
Fenders		Smooth Aluminum					
Axle		(3) 8000 lb. Drop Spring Brake					
Hubs		Oil Bath					
Breakaway		Battery, Switch, and Lanyard					
Tires		215/75R17.5J 18-PR					
Wheels			17.5", 8-Hol	e Aluminum			
Exterior Finish			.030" Al	uminum			
Undercoating				notive			
Exterior Fastening			VHB Bonded	· · · · · · · · · · · · · · · · · · ·			
Exterior Trim	2.5" Top Extrus	sion, 3" Bottom Extrusion	on, ATP Riser Wall, Brite		nt Corners, Brite Alumi	num Rear Hoop	
Roof			•	less Aluminum			
Interior Walls				nite Vinyl			
Interior Trim		Wood Oct		m Wall Transitions			
Ceiling		vinyi Cei	ling Transitions, White		um Coves		
Flooring				eered Wood			
Interior Lights Switches				LED Light, 12V			
Cargo Control				cessed D-Rings			
Connector Plug			` '	-			
	Round 7-pin Blade Full LED, DOT Compliant, Integrated Backup/Taillights						



 $Specifications \ and \ Pricing \ subject \ to \ change \ without \ notice, \ please \ reference \ confirmation \ sheet \ for \ final \ pricing.$



CARGOSPORT FLAT TOP FLAT FRONT 24K

	8.5 x 52				
Model #	8.5 x 52 KP10252VSFBGNCH-240				
Model #					
SKU #	3L0P425				
MSRP	\$40,566				
CAPACITIES					
GVWR (lbs)	24000				
GAWR (lbs/axle)	8000				
CHASSIS					
Frame	8" x 2" Steel Tube				
Tongue	Gooseneck				
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" Gooseneck				
Safety Chains	DOT Compliant				
Tongue Jack	Dual 12K, 2-Speed Landing Gear				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 16" On-Center				
Front Profile	Flat				
Beavertail	48"				
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback				
Access Doors	16" x 48" in Riser				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	(3) 8000 lb. Drop Spring Brake				
Hubs	Oil Bath				
Breakaway	Battery, Switch, and Lanyard				
Tires	215/75R17.5J 18-PR				
Wheels	17.5", 8-Hole Aluminum				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, ATP Riser Wall, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop				
Roof	Flat Top Seamless Aluminum				
Interior Walls	9mm White Vinyl				
Interior Trim	Extruded Aluminum Wall Transitions				
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves				
Flooring	3/4" Engineered Wood				
Interior Lights	(2) LED				
Switches	(1) Dome Light, 12V				
Cargo Control	(4) 5000 lb. Recessed D-Rings				
Connector Plug	Round 7-pin Blade				
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights				





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	
	KP10216VSSVCH-	KP10218VSSVCH-	KP10220VSSVCH-	KP10222VSSVCH-	KP10224VSSVCH-	KP10226VSSVCH	
Model #	070	070	070	070	070	070	
SKU #	8L0P50	8L3P50	8L6P50	8L9P50	9L2P50	9L7P50	
MSRP	\$10,733	\$11,133	\$11,533	\$11,933	\$12,333	\$13,000	
CAPACITIES							
GVWR (lbs)		7000					
GAWR (lbs/axle)			35	500			
CHASSIS							
Frame			6" x 2" S	teel Tube			
Tongue				2" Steel Triple Tube			
Crossmembers				16" On-Center			
Integrated Step(s)				Recessed			
Coupler			2-5/16" <i>A</i>	djustable			
Safety Chains			DOT Co	mpliant			
Tongue Jack			2K Se	t-Back			
Wall Studs			Steel Tube, 1	6" On-Center			
Roof Bows		Steel Tube, 16" On-Center					
Front Profile			30" Aer	o Wedge			
Beavertail	32"			48"			
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist						
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback						
Vents		Sidewall Airflow					
Fenders	Smooth Aluminum						
Axle	(2) 3500 lb. Drop Spring Brake						
Hubs		Easy Lube					
Breakaway			Battery, Switc	h, and Lanyard			
Tires				R15C 6-PR			
Wheels				Aluminum			
Exterior Finish				uminum			
Undercoating				notive			
Exterior Fastening				l (Screwless)			
Exterior Trim	2.5"	Top Extrusion, 3" Bot		•	Brite Aluminum Rear	Ноор	
Stone Guard				ATP			
Roof			•	less Aluminum			
Interior Walls				ed Wood			
Interior Trim				m Wall Transitions			
Ceiling				ermoPly®			
Flooring				eered Wood			
Interior Lights			(2)	LED			







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Switches			(1) Dome	Light, 12V		
Cargo Control			(4) 5000 lb. Re	cessed D-Rings		
Connector Plug	Round 7-pin Blade					
Exterior Lights		Full L	ED, DOT Compliant, Ir	ntegrated Backup/Ta	illights	





	8.5 x 28			
Model #	KP10228VSSVCH-070			
SKU #	1L1P400			
MSRP	\$15,200			
CAPACITIES				
GVWR (lbs)	7000			
GAWR (lbs/axle)	3500			
CHASSIS				
Frame	8" x 2" Steel Tube			
Tongue	6" Extension, 8" x 2" Steel Triple Tube			
Crossmembers	Formed Steel, 16" On-Center			
Integrated Step(s)	Interior Recessed			
Coupler	2-5/16" Adjustable			
Safety Chains	DOT Compliant			
Tongue Jack	5K Set-Back			
Wall Studs	Steel Tube, 16" On-Center			
Roof Bows	Steel Tube, 16" On-Center			
Front Profile	30" Aero Wedge			
Beavertail	48"			
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist			
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback			
Vents	Sidewall Airflow			
Fenders	Smooth Aluminum			
Axle	(2) 3500 lb. Drop Spring Brake			
Hubs	Easy Lube			
Breakaway	Battery, Switch, and Lanyard			
Tires	ST205/75R15C 6-PR			
Wheels	15", 5-Hole Aluminum			
Exterior Finish	.030" Aluminum			
Undercoating	Automotive			
Exterior Fastening	VHB Bonded (Screwless)			
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop			
Stone Guard	24" ATP			
Roof	Flat Top Seamless Aluminum			
Interior Walls	Engineered Wood			
Interior Trim	Extruded Aluminum Wall Transitions			
Ceiling	White ThermoPly®			
Flooring	3/4" Engineered Wood			
Interior Lights	(2) LED			
Switches	(1) Dome Light, 12V			
Cargo Control	(4) 5000 lb. Recessed D-Rings			







	8.5 x 28
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

2025 Pricing



	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26		
Model #	KP10216VSSVCH- 100	KP10218VSSVCH- 100	KP10220VSSVCH- 100	KP10222VSSVCH- 100	KP10224VSSVCH- 100	KP10226VSSVCH-		
SKU #	8L5P75	8L8P75	9L1P75	9L4P75	9L7P75	1L0P275		
MSRP	\$11,433	\$11,833	\$12,233	\$12,633	\$13,033	\$13,700		
CAPACITIES								
GVWR (lbs)		9900						
GAWR (lbs/axle)				00				
CHASSIS								
			ć!! 0!! 0					
Frame				teel Tube				
Tongue				2" Steel Triple Tube				
Crossmembers				16" On-Center				
Integrated Step(s)				Recessed				
Coupler Safety Chains				djustable mpliant				
Tongue Jack				t-Back				
Wall Studs				6" On-Center				
Roof Bows				6" On-Center				
Front Profile			·	o Wedge				
Beavertail	32"		JU ACI	48"				
Ramp(s)	02	16" F	xtension with Bullnos		Assist			
Side Door		16" Extension with Bullnose Cap, 4000 lb. with Assist 36" Wide Flush Lock, Cast Aluminum Holdback						
Vents			·	l Airflow				
Fenders		Smooth Aluminum						
Axle			(2) 5200 lb. Dro	op Spring Brake				
Hubs		Easy Lube						
Breakaway		Battery, Switch, and Lanyard						
Tires		ST225/75R15D 8-PR						
Wheels			15", 6-Hole	e Aluminum				
Exterior Finish			.030" A	uminum				
Undercoating			Autor	notive				
Exterior Fastening	VHB Bonded (Screwless)							
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop							
Stone Guard			24"	ATP				
Roof			Flat Top Seam	less Aluminum				
Interior Walls				red Wood				
Interior Trim				m Wall Transitions				
Ceiling				ermoPly®				
Flooring				eered Wood				
Interior Lights			(2)	LED				







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

2025 Pricing



	8.5 x 28				
Model #	KP10228VSSVCH-100				
SKU #	1L1P925				
MSRP	\$15,900				
CAPACITIES					
GVWR (lbs)	9900				
GAWR (lbs/axle)	5000				
CHASSIS					
Frame	8" x 2" Steel Tube				
Tongue	6" Extension, 8" x 2" Steel Triple Tube				
Crossmembers	Formed Steel, 16" On-Center				
Integrated Step(s)	Interior Recessed				
Coupler	2-5/16" Adjustable				
Safety Chains	DOT Compliant				
Tongue Jack	5K Set-Back				
Wall Studs	Steel Tube, 16" On-Center				
Roof Bows	Steel Tube, 16" On-Center				
Front Profile	30" Aero Wedge				
Beavertail	48"				
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist				
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback				
Vents	Sidewall Airflow				
Fenders	Smooth Aluminum				
Axle	(2) 5200 lb. Drop Spring Brake				
Hubs	Easy Lube				
Breakaway	Battery, Switch, and Lanyard				
Tires	ST225/75R15D 8-PR				
Wheels	15", 6-Hole Aluminum				
Exterior Finish	.030" Aluminum				
Undercoating	Automotive				
Exterior Fastening	VHB Bonded (Screwless)				
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop				
Stone Guard	24" ATP				
Roof	Flat Top Seamless Aluminum				
Interior Walls	Engineered Wood				
Interior Trim	Extruded Aluminum Wall Transitions				
Ceiling	White ThermoPly®				
Flooring	3/4" Engineered Wood				
Interior Lights	(2) LED				
Switches	(1) Dome Light, 12V				
Cargo Control	(4) 5000 lb. Recessed D-Rings				







	8.5 x 28
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26		
B4 - 4 - 1 #	KP10216VSSVCH-	KP10218VSSVCH-	KP10220VSSVCH-	KP10222VSSVCH-	KP10224VSSVCH-	KP10226VSSVCH-		
Model #	140	140	140	140	140	140		
SKU #	1L0P275	1L0P575	1L0P875	1L1P175	1L1P475	1L1P975		
MSRP	\$13,700	\$14,100	\$14,500	\$14,900	\$15,300	\$15,966		
CAPACITIES								
GVWR (lbs)		14000						
GAWR (lbs/axle)			70	100				
CHASSIS								
Frame			8" x 2" S	teel Tube				
Tongue			6" Extension, 8" x 2	2" Steel Triple Tube				
Crossmembers			Formed Steel,	16" On-Center				
Integrated Step(s)			Interior I	Recessed				
Coupler			2-5/16" <i>A</i>	Adjustable				
Safety Chains			DOT Co	mpliant				
Tongue Jack			7K Drop Le	g, Set-Back				
Wall Studs			•	6" On-Center				
Roof Bows			Steel Tube, 1	6" On-Center				
Front Profile			30" Aer	o Wedge				
Beavertail	32"			48"				
Ramp(s)			xtension with Bullnos	•				
Side Door		36	" Wide Flush Lock, C		ack			
Vents				l Airflow				
Fenders				Aluminum				
Axle		(2) 7000 lb. Drop Spring Brake						
Hubs		Easy Lube						
Breakaway			-	h, and Lanyard				
Tires				R16E 10-PR				
Wheels Exterior Finish			•	e Aluminum Iuminum				
Undercoating								
Exterior Fastening		Automotive VUR Roaded (Sergulage)						
Exterior Trim	2 5"	VHB Bonded (Screwless)						
Stone Guard	2.0	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop 24" ATP						
Roof				less Aluminum				
Interior Walls			•	red Wood				
Interior Trim				m Wall Transitions				
Ceiling				ermoPly®				
Flooring				eered Wood				
Interior Lights				LED				







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 28					
Model #	KP10228VSSVCH-140					
SKU #	1L2P925					
MSRP	\$17,233					
CAPACITIES	¥17,1=00					
GVWR (lbs)	14000					
GAWR (lbs/axle)	7000					
CHASSIS	7000					
Frame	8" x 2" Steel Tube					
Tongue	6" Extension, 8" x 2" Steel Triple Tube					
Crossmembers	Formed Steel, 16" On-Center					
Integrated Step(s)	Interior Recessed					
Coupler	2-5/16" Adjustable					
Safety Chains	DOT Compliant					
Tongue Jack	7K Drop Leg, Set-Back					
Wall Studs	Steel Tube, 16" On-Center					
Roof Bows	Steel Tube, 16" On-Center					
Front Profile	30" Aero Wedge					
Beavertail	48"					
Ramp(s)	16" Extension with Bullnose Cap, 4000 lb. with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Smooth Aluminum					
Axle	(2) 7000 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST235/80R16E 10-PR					
Wheels	16", 8-Hole Aluminum					
Exterior Finish	.030" Aluminum					
Undercoating	Automotive					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Nose Cap, Brite Aluminum Rear Hoop					
Stone Guard	24" ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Extruded Aluminum Wall Transitions					
Ceiling	White ThermoPly®					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
•	,,					







	8.5 x 28
Connector Plug	Round 7-pin Blade
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights







CARGOSPORT FLAT TOP SLOPED V-NOSE 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24				
	KP10216VSSVCHA-	KP10218VSSVCHA-	KP10220VSSVCHA-	KP10222VSSVCHA-	KP10224VSSVCHA-				
Model #	070	070	070	070	070				
SKU #	9L5P00	9L9P50	1L0P400	1L0P850	1L1P300				
MSRP	\$12,666	\$13,266	\$13,866	\$14,466	\$15,066				
CAPACITIES									
GVWR (lbs)		7000							
GAWR (lbs/axle)			3500						
CHASSIS									
Frame		6" x 2'	' Double Hollow Aluminur	n Tube					
Tongue		6" x 2" Do	ouble Hollow Aluminum T	riple Tube					
Crossmembers			ıminum Tube, 16" On-Cer	•					
Coupler			2-5/16" A-Frame						
Safety Chains			DOT Compliant						
Tongue Jack			2K Coupler Mounted						
Wall Studs		Alı	ıminum Tube, 16" On-Cer	iter					
Roof Bows		Alı	ıminum Tube, 16" On-Cer	iter					
Front Profile		30'	' Sloped V-Nose with 6" D	rop					
Beavertail				48"					
Ramp(s)			ctension, Aluminum with						
Side Door		36" Wide F	lush Lock, Cast Aluminur	n Holdback					
Vents			Sidewall Airflow						
Fenders			Aluminum Treadplate	_					
Axle		(2	3500 lb. Drop Spring Bra	ake					
Hubs - ·		Easy Lube							
Breakaway		В	attery, Switch, and Lanya	ra					
Tires			ST205/75R15C 6-PR						
Wheels Exterior Finish			15", 5-Hole Steel .030" Aluminum						
Exterior Finish			VHB Bonded (Screwless)						
Exterior Trim	1 5"	Rottom Extrusion 2 5" To	op Extrusion, ATP Nose C		Hoon				
Stone Guard	1.0	Dottom Extrasion, 2.0 To	24" Sloped ATP	ap, color matering real	Поор				
Roof	Flat Top Seamless Aluminum								
Interior Walls		Engineered Wood							
Interior Trim			Vinyl Wall Transitions						
Ceiling			Lauan Strip						
Flooring			3/4" Engineered Wood						
Interior Lights			(2) LED						
Switches			(1) Dome Light, 12V						
Cargo Control		(4)	5000 lb. Recessed D-Rir	ngs					





CARGOSPORT ALUMINUM CAR HAULER

CARGOSPORT FLAT TOP SLOPED V-NOSE 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

© 2025 Novae LLC





CARGOSPORT FLAT TOP SLOPED V-NOSE 10K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30		
	KP10220VSSVCHA-	KP10222VSSVCHA-	KP10224VSSVCHA-			KP10230VSSVCHA-		
Model #	100	100	100	100	100	100		
SKU #	1L1P500	1L1P950	1L2P400	1L2P850	1L4P500	1L4P950		
MSRP	\$15,333	\$15,933	\$16,533	\$17,133	\$19,333	\$19,933		
CAPACITIES								
GVWR (lbs)		9900						
GAWR (lbs/axle)			50	00				
CHASSIS								
Frame		6" x 2" Double Holl	ow Aluminum Tube		8" x 2" Double Holl	ow Aluminum Tube		
Tongue		6" v 2" Double Hollow	Aluminum Triple Tube		8" x 2" Double Holl	ow Aluminum Triple		
		0 X 2 Double Hollow	•		Tu	ıbe		
Crossmembers				e, 16" On-Center				
Coupler				A-Frame				
Safety Chains				mpliant				
Tongue Jack		2K Couple	er Mounted		5K Couple	r Mounted		
Wall Studs			Aluminum Tube	e, 16" On-Center				
Roof Bows		Aluminum Tube, 16" On-Center						
Front Profile			30" Sloped V-No	ose with 6" Drop				
Beavertail		48"						
Ramp(s)		12" Extension, Aluminum with Assist						
Side Door		3	6" Wide Flush Lock, C		ck			
Vents		Sidewall Airflow						
Fenders				Treadplate				
Axle			(2) 5200 lb. Dro	op Spring Brake				
Hubs		Easy Lube						
Breakaway		Battery, Switch, and Lanyard						
Tires			ST225/75	R15D 8-PR				
Wheels			· · · · · · · · · · · · · · · · · · ·	ole Steel				
Exterior Finish		.030" Aluminum						
Exterior Fastening		VHB Bonded (Screwless)						
Exterior Trim		1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop						
Stone Guard		24" Sloped ATP						
Roof	Flat Top Seamless Aluminum							
Interior Walls	Engineered Wood							
Interior Trim			•	Transitions				
Ceiling				n Strip				
Flooring				eered Wood				
Interior Lights				LED				
Switches				Light, 12V				
Cargo Control			* *	cessed D-Rings				
Connector Plug			Round 7-	pin Blade				





CARGOSPORT ALUMINUM CAR HAULER

CARGOSPORT FLAT TOP SLOPED V-NOSE 10K

8.5 x 20 8.5 x 22 8.5 x 24 8.5 x 26 8.5 x 28 8.5 x 30

Exterior Lights Full LED, DOT Compliant, Integrated Backup/Taillights







CARGOSPORT FLAT TOP SLOPED V-NOSE 10K

	8.5 x 32					
Model #	KP10232VSSVCHA-100					
SKU #	1L5P450					
MSRP	\$20,600					
CAPACITIES						
GVWR (lbs)	9900					
GAWR (lbs/axle)	5000					
CHASSIS						
Frame	8" x 2" Double Hollow Aluminum Tube					
Tongue	8" x 2" Double Hollow Aluminum Triple Tube					
Crossmembers	Aluminum Tube, 16" On-Center					
Coupler	2-5/16" A-Frame					
Safety Chains	DOT Compliant					
Tongue Jack	5K Coupler Mounted					
Wall Studs	Aluminum Tube, 16" On-Center					
Roof Bows	Aluminum Tube, 16" On-Center					
Front Profile	30" Sloped V-Nose with 6" Drop					
Beavertail	48"					
Ramp(s)	12" Extension, Aluminum with Assist					
Side Door	36" Wide Flush Lock, Cast Aluminum Holdback					
Vents	Sidewall Airflow					
Fenders	Aluminum Treadplate					
Axle	(2) 5200 lb. Drop Spring Brake					
Hubs	Easy Lube					
Breakaway	Battery, Switch, and Lanyard					
Tires	ST225/75R15D 8-PR					
Wheels	15", 6-Hole Steel					
Exterior Finish	.030" Aluminum					
Exterior Fastening	VHB Bonded (Screwless)					
Exterior Trim	1.5" Bottom Extrusion, 2.5" Top Extrusion, ATP Nose Cap, Color Matching Rear Hoop					
Stone Guard	24" Sloped ATP					
Roof	Flat Top Seamless Aluminum					
Interior Walls	Engineered Wood					
Interior Trim	Vinyl Wall Transitions					
Ceiling	Lauan Strip					
Flooring	3/4" Engineered Wood					
Interior Lights	(2) LED					
Switches	(1) Dome Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	KP10216VSFBRT-	KP10218VSFBRT-	KP10220VSFBRT-	KP10222VSFBRT-	KP10224VSFBRT-	KP10226VSFBRT-
Model #	070	070	070	070	070	070
SKU #	9L3P50	9L9P50	1L0P300	1L0P650	1L1P000	1L1P600
MSRP	\$12,466	\$13,266	\$13,733	\$14,200	\$14,666	\$15,466
CAPACITIES						
GVWR (lbs)			70	00		
GAWR (lbs/axle)			35	000		
CHASSIS						
Frame			6" x 2" S	teel Tube		
Tongue			6" Extension, 6" x 2	2" Steel Triple Tube		
Crossmembers			Formed Steel,	16" On-Center		
Integrated Step(s)			Interior I	Recessed		
Coupler			2-5/16" <i>A</i>	djustable		
Safety Chains			DOT Co	mpliant		
Tongue Jack			2K Se	t-Back		
Wall Studs			Steel Tube, 1	6" On-Center		
Roof Bows			Steel Tube, 1	6" On-Center		
Front Profile			F	at		
Beavertail	32"			48"		
Ramp(s)			•	00 lb. with Assist		
Side Door		48	" Wide Flush Lock, C		ack	
Vents				, Sidewall Airflow		
Fenders		45) 5		Aluminum		
Axle		(2) 35	600 lb. Torsion Brake, _	•	ıration	
Hubs			-	Lube		
Breakaway 				h, and Lanyard		
Tires				R15C 6-PR		
Wheels			•	e Aluminum		
Exterior Finish				uminum notive		
Undercoating Exterior Fastening				l (Screwless)		
Exterior rastening	2 5" Ton Extrucion	2" Pottom Extrusion	v nb Bonded , Brite Aluminum Rad	,	rito Aluminum Poor H	loon Polished Cast
Exterior Trim	2.5 TOP EXTRUSION	, 5 BULLOIN EXTRUSION	•	Roof Corners	ille Aluminum kear n	loop, Polisileu Cast
Stone Guard				ATP		
Rear Spoiler			9" Brite Alu	minum Flare		
Roof			Flat Top Seam	less Aluminum		
Roof Cap			Brite Al	uminum		
Interior Walls			9mm Wh	nite Vinyl		
Interior Trim			Extruded Aluminu	m Wall Transitions		





9/16/24 | 159



CARGOSPORT FLAT TOP FLAT FRONT 7K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	
Ceiling		Vinyl Ceilin	g Transitions, White	Vinyl Liner with Alum	inum Coves		
Flooring	3/4" Engineered Wood						
Interior Lights	(2) 11" LED						
Switches			(1) Dome Light, 12V	, (1) Load Light, 12V			
Cargo Control			(4) 5000 lb. Re	cessed D-Rings			
Connector Plug		Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights						





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Model #	KP10216VSFBRT-	KP10218VSFBRT-	KP10220VSFBRT-	KP10222VSFBRT-	KP10224VSFBRT-	KP10226VSFBRT-
Model #	100	100	100	100	100	100
SKU #	9L8P75	1L0P475	1L0P825	1L1P175	1L1P525	1L2P125
MSRP	\$13,166	\$13,966	\$14,433	\$14,900	\$15,366	\$16,166
CAPACITIES						
GVWR (lbs)			99	00		
GAWR (lbs/axle)			50	00		
CHASSIS						
Frame			6" x 2" S	teel Tube		
Tongue			6" Extension, 6" x 2	2" Steel Triple Tube		
Crossmembers			Formed Steel,	16" On-Center		
Integrated Step(s)			Interior I	Recessed		
Coupler			2-5/16" <i>A</i>	djustable		
Safety Chains			DOT Co	mpliant		
Tongue Jack			2K Se	t-Back		
Wall Studs			Steel Tube, 1	6" On-Center		
Roof Bows			Steel Tube, 1	6" On-Center		
Front Profile			Fl	at		
Beavertail	32"			48"		
Ramp(s)				00 lb. with Assist		
Side Door		48	" Wide Flush Lock, C		ack	
Vents				, Sidewall Airflow		
Fenders		4->		Aluminum		
Axle		(2) 52	200 lb. Torsion Brake, _	•	ıration	
Hubs			-	Lube		
Breakaway 			-	h, and Lanyard		
Tires				R15D 8-PR		
Wheels			•	e Aluminum uminum		
Exterior Finish				notive		
Undercoating Exterior Fastening				l (Screwless)		
Exterior rastening	2 5" Top Extrucion	2" Pottom Extrusion	יחם פסווטפט Brite Aluminum Rac	,	rito Aluminum Poor H	Ioon Polished Cast
Exterior Trim	2.5 TOP EXTRUSION	, 5 BULLOIN EXTRUSION		Roof Corners	itte Aluminum kear n	loop, Polisiled Cast
Stone Guard				ATP		
Rear Spoiler			9" Brite Alu	minum Flare		
Roof			Flat Top Seam	less Aluminum		
Roof Cap			Brite Al	uminum		
Interior Walls			9mm Wh	nite Vinyl		
Interior Trim			Extruded Aluminu	m Wall Transitions		







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	
Ceiling		Vinyl Ceilin	g Transitions, White	Vinyl Liner with Alum	inum Coves		
Flooring		3/4" Engineered Wood					
Interior Lights	(2) 11" LED						
Switches			(1) Dome Light, 12V	, (1) Load Light, 12V			
Cargo Control			(4) 5000 lb. Re	cessed D-Rings			
Connector Plug		Round 7-pin Blade					
Exterior Lights		(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 28	8.5 x 30	8.5 x 32
Model #	KP10228VSFBRT-100	KP10230VSFBRT-100	KP10232VSFBRT-100
SKU #	1L3P775	1L4P375	1L4P975
MSRP	\$18,366	\$19,166	\$19,966
CAPACITIES			
GVWR (lbs)		9900	
GAWR (lbs/axle)		5000	
CHASSIS			
Frame		8" x 2" Steel Tube	
Tongue		6" Extension, 8" x 2" Steel Triple Tube	
Crossmembers		Formed Steel, 16" On-Center	
Integrated Step(s)		Interior Recessed	
Coupler		2-5/16" Adjustable	
Safety Chains		DOT Compliant	
Tongue Jack		5K Set-Back	
Wall Studs		Steel Tube, 16" On-Center	
Roof Bows		Steel Tube, 16" On-Center	
Front Profile		Flat	
Beavertail		48"	
Ramp(s)		16" Extension, 4000 lb. with Assist	
Side Door	48	3" Wide Flush Lock, Cast Aluminum Holdba	ck
Vents		Roof Vent Frame, Sidewall Airflow	
Fenders		Extruded Aluminum	
Axle	(2) 52	200 lb. Torsion Brake, Spread Axle Configu	ration
Hubs		Easy Lube	
Breakaway		Battery, Switch, and Lanyard	
Tires		ST225/75R15D 8-PR	
Wheels		15", 6-Hole Aluminum	
Exterior Finish		.030" Aluminum	
Undercoating		Automotive	
Exterior Fastening		VHB Bonded (Screwless)	
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion	n, Brite Aluminum Radius Front Corners, Br Aluminum Roof Corners	ite Aluminum Rear Hoop, Polished Cast
Stone Guard		24" ATP	
Rear Spoiler		9" Brite Aluminum Flare	
Roof		Flat Top Seamless Aluminum	
Roof Cap		Brite Aluminum	
Interior Walls		9mm White Vinyl	
Interior Trim		Extruded Aluminum Wall Transitions	
Ceiling	Vinyl Ceilin	ng Transitions, White Vinyl Liner with Alum	inum Coves
Flooring		3/4" Engineered Wood	





9/16/24 | 163



CARGOSPORT FLAT TOP FLAT FRONT 10K

	8.5 x 28	8.5 x 30	8.5 x 32				
Interior Lights		(2) 11" LED					
Switches	(1	(1) Dome Light, 12V, (1) Load Light, 12V					
Cargo Control		(4) 5000 lb. Recessed D-Rings					
Connector Plug		Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loadin	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26			
Nandal #	KP10216VSFBRT-	KP10218VSFBRT-	KP10220VSFBRT-	KP10222VSFBRT-	KP10224VSFBRT-	KP10226VSFBRT-			
Model #	140	140	140	140	140	140			
SKU #	1L1P575	1L2P175	1L2P525	1L2P875	1L3P225	1L3P825			
MSRP	\$15,433	\$16,233	\$16,700	\$17,166	\$17,633	\$18,433			
CAPACITIES									
GVWR (lbs)			14	000					
GAWR (lbs/axle)			70	100					
CHASSIS									
Frame			8" x 2" S	teel Tube					
Tongue			6" Extension, 8" x 2	2" Steel Triple Tube					
Crossmembers			Formed Steel,	16" On-Center					
Integrated Step(s)			Interior I	Recessed					
Coupler			2-5/16" <i>A</i>	Adjustable					
Safety Chains			DOT Co	mpliant					
Tongue Jack			7K Drop-Le	g, Set-Back					
Wall Studs			Steel Tube, 1	6" On-Center					
Roof Bows			Steel Tube, 1	6" On-Center					
Front Profile			F	at					
Beavertail	32"			48"					
Ramp(s)			16" Extension, 40	000 lb. with Assist					
Side Door		48	B" Wide Flush Lock, C	ast Aluminum Holdba	ack				
Vents				, Sidewall Airflow					
Fenders				Aluminum					
Axle		(2) 70	000 lb. Torsion Brake,	•	ıration				
Hubs			-	Lube					
Breakaway				h, and Lanyard					
Tires				R16E 10-PR					
Wheels			•	Aluminum					
Exterior Finish				luminum					
Undercoating				motive					
Exterior Fastening	0.511.7.5.	0 D 5		l (Screwless)					
Exterior Trim	2.5" Top Extrusion	, 3" Bottom Extrusion	n, Brite Aluminum Rac Aluminum F	lius Front Corners, Bi Roof Corners	rite Aluminum Rear H	loop, Polished Cast			
Stone Guard			24"	ATP					
Rear Spoiler			9" Brite Alu	minum Flare					
Roof			Flat Top Seam	less Aluminum					
Roof Cap			Brite Al	uminum					
Interior Walls			9mm Wh	nite Vinyl					
Interior Trim			Extruded Aluminu	m Wall Transitions					







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Ceiling		Vinyl Ceilin	g Transitions, White \	inyl Liner with Alum	inum Coves	
Flooring	3/4" Engineered Wood					
Interior Lights	(2) 11" LED					
Switches			(1) Dome Light, 12V	(1) Load Light, 12V		
Cargo Control			(4) 5000 lb. Red	cessed D-Rings		
Connector Plug		Round 7-pin Blade				
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34					
Model #	KP10228VSFBRT-140	KP10230VSFBRT-140	KP10232VSFBRT-140	KP10234VSFBRT-140					
SKU #	1L4P625	1L5P225	1L5P825	1L6P425					
MSRP	\$19,500	\$20,300	\$21,100	\$21,900					
CAPACITIES									
GVWR (lbs)		14000 7000							
GAWR (lbs/axle)		70	000						
CHASSIS									
Frame		8" x 2" S	teel Tube						
Tongue		6" Extension, 8" x	2" Steel Triple Tube						
Crossmembers		Formed Steel,	, 16" On-Center						
Integrated Step(s)		Interior	Recessed						
Coupler		2-5/16" /	Adjustable						
Safety Chains		DOT Co	ompliant						
Tongue Jack		7K Drop-Le	eg, Set-Back						
Wall Studs		Steel Tube, 1	16" On-Center						
Roof Bows		Steel Tube, 1	16" On-Center						
ront Profile		F	lat						
Beavertail		4	8"						
Ramp(s)		16" Extension, 40	000 lb. with Assist						
Side Door		48" Wide Flush Lock, C	ast Aluminum Holdback						
Vents		Roof Vent Frame	e, Sidewall Airflow						
enders		Extruded	Aluminum						
Axle		(2) 7000 lb. Torsion Brake	, Spread Axle Configuration						
Hubs		Easy	Lube						
Breakaway		Battery, Switc	h, and Lanyard						
Tires		ST235/80I	R16E 10-PR						
Wheels		16", 8-Hole	e Aluminum						
Exterior Finish		.030" A	luminum						
Undercoating		Autor	motive						
Exterior Fastening		VHB Bonded	d (Screwless)						
Exterior Trim	2.5" Top Extrusion, 3" Botton	·	dius Front Corners, Brite Alumin Roof Corners	um Rear Hoop, Polished Cas					
Stone Guard		24"	ATP						
Rear Spoiler		9" Brite Alu	minum Flare						
Roof		Flat Top Seam	less Aluminum						
Roof Cap		Brite Al	luminum						
Interior Walls		9mm Wl	hite Vinyl						
Interior Trim		Extruded Aluminu	m Wall Transitions						
Ceiling	\	inyl Ceiling Transitions, White	Vinyl Liner with Aluminum Cove	es .					
Flooring		3/4" Enain	eered Wood						







	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34		
Interior Lights		(2) 1	1" LED			
Switches	(1) Dome Light, 12V, (1) Load Light, 12V					
Cargo Control		(4) 5000 lb. Re	ecessed D-Rings			
Connector Plug		Round 7	-pin Blade			
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					



9/16/24 | 167



	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34				
Model #	KP10228VSFBRT-150	KP10230VSFBRT-150	KP10232VSFBRT-150	KP10234VSFBRT-150				
SKU #	1L5P900	1L6P500	1L7P100	1L7P700				
MSRP	\$21,200	\$22,000	\$22,800	\$23,600				
CAPACITIES								
GVWR (lbs)	15000							
GAWR (lbs/axle)		50	000					
CHASSIS								
Frame		8" x 2" S	teel Tube					
Tongue		6" Extension, 8" x	2" Steel Triple Tube					
Crossmembers		Formed Steel	, 16" On-Center					
Integrated Step(s)		Interior	Recessed					
Coupler		2-5/16" /	Adjustable					
Safety Chains		DOT Co	ompliant					
Tongue Jack		7K Drop-Le	eg, Set-Back					
Wall Studs		Steel Tube,	16" On-Center					
Roof Bows		Steel Tube,	16" On-Center					
Front Profile			lat					
Beavertail			.8"					
Ramp(s)		•	000 lb. with Assist					
Side Door		•	ast Aluminum Holdback					
Vents			e, Sidewall Airflow					
Fenders			Aluminum					
Axle			, Spread Axle Configuration					
Hubs		•	Lube					
Breakaway 			h, and Lanyard					
Tires			R15D 8-PR					
Wheels			e Aluminum					
Exterior Finish			luminum					
Undercoating			motive					
Exterior Fastening	2 E" Ton Extrusion 2" Potton		d (Screwless) dius Front Corners, Brite Alumin	um Door Hoop, Dolighad Cost				
Exterior Trim	2.5 TOP EXTRUSION, 5 BUTTON	·	ands Front Corners, Brite Aldinin Roof Corners	iuiii keai noop, Polisileu Cast				
Stone Guard			ATP					
Rear Spoiler			minum Flare					
Roof			lless Aluminum					
Roof Cap		·	luminum					
Interior Walls			hite Vinyl					
Interior Trim			ım Wall Transitions					
Ceiling	\		Vinyl Liner with Aluminum Cove	es				





9/16/24 | 169



CARGOSPORT FLAT TOP FLAT FRONT 15K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34			
Flooring		3/4" Engine	eered Wood				
Interior Lights		(2) 11" LED					
Switches		(1) Dome Light, 12V	, (1) Load Light, 12V				
Cargo Control		(4) 5000 lb. Re	cessed D-Rings				
Connector Plug		Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights						





	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30			
	KP10220VSFBRT-	KP10222VSFBRT-	KP10224VSFBRT-	KP10226VSFBRT-	KP10228VSFBRT-	KP10230VSFBRT-			
Model #	160	160	160	160	160	160			
SKU #	1L4P625	1L4P975	1L5P325	1L5P925	1L6P725	1L7P325			
MSRP	\$19,500	\$19,966	\$20,433	\$21,233	\$22,300	\$23,100			
CAPACITIES									
GVWR (lbs)			16	000					
GAWR (lbs/axle)			80	000					
CHASSIS									
Frame			8" x 2" S	teel Tube					
Tongue			6" Extension, 8" x	2" Steel Triple Tube					
Crossmembers			Formed Steel,	16" On-Center					
Integrated Step(s)			Interior I	Recessed					
Coupler			2-5/16" <i>A</i>	Adjustable					
Safety Chains			DOT Co	mpliant					
Tongue Jack			•	eg, Set-Back					
Wall Studs			-	6" On-Center					
Roof Bows			•	6" On-Center					
Front Profile				lat					
Beavertail	48"								
Ramp(s)			•	000 lb. with Assist					
Side Door		48	B" Wide Flush Lock, C		ack				
Vents				, Sidewall Airflow					
Fenders		(0) 00		Aluminum					
Axle	(2) 8000 lb. Torsion Brake, Spread Axle Configuration								
Hubs				Bath					
Breakaway			•	h, and Lanyard					
Tires Wheels				7.5J 18-PR					
Exterior Finish			•	le Aluminum Iuminum					
Undercoating				notive					
Exterior Fastening				l (Screwless)					
	2.5" Top Extrusion	. 3" Bottom Extrusion	n, Brite Aluminum Rac	· ,	rite Aluminum Rear H	loop. Polished Cast			
Exterior Trim	2.0 Top Extraores.	, o Bottom Extraoron		Roof Corners	The first treat is	oop, rononea east			
Stone Guard			24"	ATP					
Rear Spoiler			9" Brite Alu	minum Flare					
Roof	Flat Top Seamless Aluminum								
Roof Cap			Brite Al	uminum					
Interior Walls			9mm Wi	nite Vinyl					
Interior Trim			Extruded Aluminu	m Wall Transitions					





9/16/24 | 171



CARGOSPORT FLAT TOP FLAT FRONT 16K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	
Ceiling		Vinyl Ceilin	g Transitions, White	Vinyl Liner with Alum	inum Coves		
Flooring	3/4" Engineered Wood						
Interior Lights	(2) 11" LED						
Switches			(1) Dome Light, 12V	, (1) Load Light, 12V			
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Connector Plug	Round 7-pin Blade						
Exterior Lights		(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 32	8.5 x 34					
Model #	KP10232VSFBRT-160	KP10234VSFBRT-160					
SKU #	1L7P925	1L8P525					
MSRP	\$23,900	\$24,700					
CAPACITIES							
GVWR (lbs)	16	000					
GAWR (lbs/axle)	80	000					
CHASSIS							
Frame	8" x 2" S	teel Tube					
Tongue	6" Extension, 8" x :	2" Steel Triple Tube					
Crossmembers	Formed Steel,	16" On-Center					
Integrated Step(s)	Interior I	Recessed					
Coupler	2-5/16" <i>F</i>	Adjustable					
Safety Chains	DOT Co	ompliant					
Tongue Jack	12K Drop-L	eg, Set-Back					
Wall Studs	Steel Tube, 1	6" On-Center					
Roof Bows	Steel Tube, 1	6" On-Center					
Front Profile	F	lat					
Beavertail	4	8"					
Ramp(s)	16" Extension, 4000 lb. with Assist						
Side Door	48" Wide Flush Lock, Cast Aluminum Holdback						
Vents	Roof Vent Frame	, Sidewall Airflow					
Fenders	Extruded	Aluminum					
Axle	(2) 8000 lb. Torsion Brake	, Spread Axle Configuration					
Hubs	Oil	Bath					
Breakaway	Battery, Switc	h, and Lanyard					
Tires	215/75R1	7.5J 18-PR					
Wheels	17.5", 8-Ho	le Aluminum					
Exterior Finish	.030" A	luminum					
Undercoating	Autor	motive					
Exterior Fastening		d (Screwless)					
Exterior Trim	•	dius Front Corners, Brite Aluminum Rear Hoop, Polished Cast Roof Corners					
Stone Guard	24" ATP						
Rear Spoiler	9" Brite Alu	minum Flare					
Roof	Flat Top Seam	less Aluminum					
Roof Cap	Brite Aluminum						
Interior Walls	9mm White Vinyl						
Interior Trim	Extruded Aluminu	m Wall Transitions					
Ceiling	Vinyl Ceiling Transitions, White	Vinyl Liner with Aluminum Coves					
Flooring	3/4" Engine	eered Wood					







	8.5 x 32	8.5 x 34
Interior Lights	(2) 11'	LED
Switches	(1) Dome Light, 12V,	(1) Load Light, 12V
Cargo Control	(4) 5000 lb. Rec	essed D-Rings
Connector Plug	Round 7-p	in Blade
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Co	mpliant, Integrated Backup/Taillights





	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34					
Model #	KP10228VSFBRT-210	KP10230VSFBRT-210	KP10232VSFBRT-210	KP10234VSFBRT-210					
SKU #	1L6P500	1L7P100	1L7P700	1L8P300					
MSRP	\$22,000	\$22,800	\$23,600	\$24,400					
CAPACITIES									
GVWR (lbs)		21000							
GAWR (lbs/axle)		70	000						
CHASSIS									
Frame		8" x 2" S	teel Tube						
Tongue		6" Extension, 8" x	2" Steel Triple Tube						
Crossmembers		Formed Steel	, 16" On-Center						
Integrated Step(s)		Interior	Recessed						
Coupler		2-5/16" /	Adjustable						
Safety Chains		DOT Co	ompliant						
Tongue Jack		12K Drop-L	eg, Set-Back						
Wall Studs		Steel Tube,	16" On-Center						
Roof Bows		Steel Tube, 1	16" On-Center						
Front Profile			lat						
Beavertail	48"								
Ramp(s)	16" Extension, 4000 lb. with Assist								
Side Door		•	ast Aluminum Holdback						
Vents			e, Sidewall Airflow						
Fenders			Aluminum						
Axle			, Spread Axle Configuration						
Hubs			Lube						
Breakaway 		· · · · · · · · · · · · · · · · · · ·	h, and Lanyard						
Tires			R16E 10-PR						
Wheels			e Aluminum						
Exterior Finish			luminum						
Undercoating			motive						
Exterior Fastening	2 5" Ton Extrucion 2" Potton		d (Screwless) dius Front Corners, Brite Alumin	uum Door Hoon, Doliahad Cast					
Exterior Trim	2.5 TOP EXTRUSION, 5 BUTTON	·	·	ulli kedi noop, Polisiled Cast					
Stone Guard	Aluminum Roof Corners 24" ATP								
Rear Spoiler			minum Flare						
Roof			lless Aluminum						
Roof Cap		·	luminum						
Interior Walls			hite Vinyl						
Interior Trim			ım Wall Transitions						
Ceiling	\		Vinyl Liner with Aluminum Cove	 2\$					







	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34			
Flooring		3/4" Engineered Wood					
Interior Lights		(2) 11" LED					
Switches		(1) Dome Light, 12V, (1) Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Connector Plug	Round 7-pin Blade						
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights						





	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26		
	KP10216VSFBRTA-	KP10218VSFBRTA-	KP10220VSFBRTA-	KP10222VSFBRTA-	KP10224VSFBRTA-	KP10226VSFBRTA-		
Model #	070	070	070	070	070	070		
SKU #	1L1P995	1L2P465	1L2P795	1L3P320	1L3P745	1L4P170		
MSRP	\$15,993	\$16,620	\$17,060	\$17,760	\$18,326	\$18,893		
CAPACITIES								
GVWR (lbs)			70	100				
GAWR (lbs/axle)			35	500				
CHASSIS								
Frame			6" x 2" Double Holl	ow Aluminum Tube				
Tongue		(5" x 2" Double Hollow	Aluminum Triple Tub	e			
Crossmembers				e, 16" On-Center				
Coupler			2-5/16"	A-Frame				
Safety Chains			DOT Co	mpliant				
Tongue Jack			2K Se	t-Back				
Wall Studs			Aluminum Tube	e, 16" On-Center				
Roof Bows			Aluminum Tube	e, 16" On-Center				
Front Profile			F	lat				
Beavertail	32"			48"				
Ramp(s)	16" Extension with Bullnose Cap, Aluminum with Assist							
Side Door	48" Aluminum Pull-Out Step, 48" Wide Flush Lock, Cast Aluminum Holdback							
Vents	Roof Vent Frame, Sidewall Airflow							
Fenders				Aluminum				
Axle			· , ,	Torsion Brake				
Hubs		Easy Lube						
Breakaway			•	h, and Lanyard				
Tires		ST205/75R15C 6-PR						
Wheels				e Aluminum				
Exterior Finish				luminum				
Exterior Fastening	0 F# T Ft	. 011 D - 14 - 11 - E - 14 - 11 - 1		l (Screwless)	: Al D	D-li-b-d O4		
Exterior Trim	2.5 TOP EXTRUSION	n, 3" Bottom Extrusior		•	ite Aluminum Kear H	oop, Polisned Cast		
Stone Guard	Aluminum Roof Corners 24" ATP							
Rear Spoiler				minum Flare				
Roof	Flat Top Seamless Aluminum							
Roof Cap		Brite Aluminum						
Interior Walls		9mm White Vinyl						
Interior Trim	Extruded Aluminum Wall Transitions							
Ceiling	Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves							
Flooring		•	-	eered Wood				
Interior Lights				1" LED				







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Switches	(1) Dome Light, 12V, (1) Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					







	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26		
	KP10216VSFBRTA-	KP10218VSFBRTA-	KP10220VSFBRTA-	KP10222VSFBRTA-	KP10224VSFBRTA-	KP10226VSFBRTA-		
Model #	100	100	100	100	100	100		
SKU #	1L2P560	1L2P895	1L3P370	1L3P895	1L4P530	1L4P890		
MSRP	\$16,746	\$17,193	\$17,826	\$18,526	\$19,373	\$19,853		
CAPACITIES								
GVWR (lbs)		9900						
GAWR (lbs/axle)			50	100				
CHASSIS								
Frame			6" x 2" Double Holl	ow Aluminum Tube				
Tongue		(5" x 2" Double Hollow	Aluminum Triple Tub	e			
Crossmembers			Aluminum Tube	e, 16" On-Center				
Coupler			2-5/16"	A-Frame				
Safety Chains			DOT Co	mpliant				
Tongue Jack			2K Se	t-Back				
Wall Studs			Aluminum Tube	e, 16" On-Center				
Roof Bows			Aluminum Tube	e, 16" On-Center				
Front Profile			F	at				
Beavertail	32"			48"				
Ramp(s)	16" Extension with Bullnose Cap, Aluminum with Assist							
Side Door	48" Aluminum Pull-Out Step, 48" Wide Flush Lock, Cast Aluminum Holdback							
Vents		Roof Vent Frame, Sidewall Airflow						
Fenders			Smooth A	Aluminum				
Axle			• • • • • • • • • • • • • • • • • • • •	Torsion Brake				
Hubs				Lube				
Breakaway				h, and Lanyard				
Tires				R15D 8-PR				
Wheels			· · · · · · · · · · · · · · · · · · ·	Aluminum				
Exterior Finish				luminum				
Exterior Fastening				l (Screwless)				
Exterior Trim	2.5" Top Extrusion	2.5" Top Extrusion, 3" Bottom Extrusion, Brite Aluminum Radius Front Corners, Brite Aluminum Rear Hoop, Polished Cast Aluminum Roof Corners						
Stone Guard	24" ATP							
Rear Spoiler			9" Brite Alu	minum Flare				
Roof		Flat Top Seamless Aluminum						
Roof Cap				uminum				
Interior Walls	9mm White Vinyl							
Interior Trim	Extruded Aluminum Wall Transitions							
Ceiling		Vinyl Ceilin	g Transitions, White	Vinyl Liner with Alum	inum Coves			
Flooring			3/4" Engin	eered Wood				
Interior Lights			(2) 1	1" LED				







CARGOSPORT ALUMINUM RACE

CARGOSPORT FLAT TOP FLAT FRONT 10K

	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26
Switches	(1) Dome Light, 12V, (1) Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights		(2) Rear LED Loa	nding, Full LED, DOT C	ompliant, Integrated	Backup/Taillights	







	8.5 x 28	8.5 x 30	8.5 x 32
Model #	KP10228VSFBRTA-100	KP10230VSFBRTA-100	KP10232VSFBRTA-100
SKU #	1L5P855	1L6P165	1L6P785
MSRP	\$21,140	\$21,553	\$22,380
CAPACITIES			
GVWR (lbs)		9900	
GAWR (lbs/axle)		5000	
CHASSIS			
Frame		8" x 2" Double Hollow Aluminum Tube	
Tongue	8	" x 2" Double Hollow Aluminum Triple Tub	е
Crossmembers		Aluminum Tube, 16" On-Center	
Coupler		2-5/16" A-Frame	
Safety Chains		DOT Compliant	
Tongue Jack		5K Set-Back	
Wall Studs		Aluminum Tube, 16" On-Center	
Roof Bows		Aluminum Tube, 16" On-Center	
Front Profile		Flat	
Beavertail		48"	
Ramp(s)	16" Ex	tension with Bullnose Cap, Aluminum with	Assist
Side Door	48" Aluminum Pเ	ıll-Out Step, 48" Wide Flush Lock, Cast Alı	ıminum Holdback
Vents		Roof Vent Frame, Sidewall Airflow	
Fenders		Smooth Aluminum	
Axle		(2) 5200 lb. Torsion Brake	
Hubs		Easy Lube	
Breakaway		Battery, Switch, and Lanyard	
Tires		ST225/75R15D 8-PR	
Wheels		15", 6-Hole Aluminum	
Exterior Finish		.030" Aluminum	
Exterior Fastening		VHB Bonded (Screwless)	
Exterior Trim	2.5" Top Extrusion, 3" Bottom Extrusion	, Brite Aluminum Radius Front Corners, Br Aluminum Roof Corners	ite Aluminum Rear Hoop, Polished Cast
Stone Guard		24" ATP	
Rear Spoiler		9" Brite Aluminum Flare	
Roof		Flat Top Seamless Aluminum	
Roof Cap		Brite Aluminum	
Interior Walls		9mm White Vinyl	
Interior Trim		Extruded Aluminum Wall Transitions	
Ceiling	Vinyl Ceilin	g Transitions, White Vinyl Liner with Alum	inum Coves
Flooring		3/4" Engineered Wood	
Interior Lights		(2) 11" LED	
Switches		(1) Dome Light, 12V, (1) Load Light, 12V	







CARGOSPORT FLAT TOP FLAT FRONT 10K

	8.5 x 28	8.5 x 30	8.5 x 32
Cargo Control		(4) 5000 lb. Recessed D-Rings	
Connector Plug		Round 7-pin Blade	
Exterior Lights	(2) Rear LED Loa	ading, Full LED, DOT Compliant, Integrated	Backup/Taillights







CARGOSPORT FLAT TOP AERO WEDGE 7K

	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23	8.5 x 25	8.5 x 27	
Nadal #	KP10217VSFVMS-	KP10219VSFVMS-	KP10221VSFVMS-	KP10223VSFVMS-	KP10225VSFVMS-	KP10227VSFVMS-	
Model #	070	070	070	070	070	070	
SKU #	1L2P275	1L3P025	1L3P325	1L4P075	1L4P375	1L5P125	
MSRP	\$16,366	\$17,366	\$17,766	\$18,766	\$19,166	\$20,166	
CAPACITIES							
GVWR (lbs)			700	00			
GAWR (lbs/axle)			350	00			
CHASSIS							
Frame			6" x 2" St	eel Tube			
Tongue		6" x 2"	Steel Tube with Cent	er Drawbar, Max Exte	ension		
Crossmembers			Formed Steel,	16" On-Center			
Integrated Step(s)			Interior R	ecessed			
Coupler			2-5/16" Adjustable,	Equalizer Brackets			
Safety Chains			DOT Coi	mpliant			
Tongue Jack			5K Drop-Leg, F	rame Mounted			
Wall Studs			Steel Tube, 1	6" On-Center			
Roof Bows			Steel Tube, 1	6" On-Center			
Front Profile			60" Aero	Wedge			
Beavertail			32"		48"		
Ramp(s)	16" Extension with	n Bullnose Cap (Both F	Ramps), 4000 lb. with Bars (Botl		edge Wrap Around wi	th Assist, Traction	
		24" Wide Flush	Dais (Bott	i Kumpa)			
Side Door		Lock, Cast	36	" Wide Flush Lock. C	ast Aluminum Holdb	ack	
		Aluminum Holdback		,			
Access Doors			14" x 14	4" Fuel			
Vents			Sidewall	Airflow			
Fenders			Extruded A	Aluminum			
Axle		(2) 3500 lb. 7	Torsion Brake, (45° D	own), Spread Axle C	onfiguration		
Hubs			Easy				
Breakaway			Battery, Switch	, and Lanyard			
Tires			ST205/75F				
Wheels			15", 5-Hole				
Exterior Finish			.030" Alı				
Undercoating			Autom				
Exterior Fastening	a	.	VHB Bonded	,	- · · · -		
Exterior Trim	2.5"	Top Extrusion, 3" Botto		•	Brite Aluminum Rear	Ноор	
Stone Guard			24" /				
Rear Spoiler			9" Brite Alun				
Roof	Flat Top Seamless Aluminum						





CARGOSPORT PURESPORT MOTORSPORT

CARGOSPORT FLAT TOP AERO WEDGE 7K

	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23	8.5 x 25	8.5 x 27	
Interior Walls			9mm Whi	te Vinyl			
Interior Trim		ΑT	ΓΡ Kickplate, 12" Tall,	Vinyl Wall Transitior	ıs		
Ceiling		Vinyl Ceilin	g Transitions, White V	inyl Liner with Alumi	num Coves		
Flooring			3/4" Poly-Trea	ad Laminate			
Wheel Box			6" Tapered	Orive-over			
Interior Lights			(2) 11'	LED			
Switches			(1) Dome Light, 12V,	(2) Load Light, 12V			
Cargo Control		(4) 5000 lb. l	Recessed D-Rings, Xtr	eme Slide Track with	n (8) D-Rings		
Connector Plug		Round 7-pin Blade					
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights						







CARGOSPORT FLAT TOP AERO WEDGE 7K

	8.5 x 29	8.5 x 31	8.5 x 33	8.5 x 37				
Model #	KP10229VSFVMS-070	KP10231VSFVMS-070	KP10233VSFVMS- 070	KP10235VSFVMS- 070	KP10237VSFVMS 070			
SKU #	1L5P625	1L6P125	1L8P935	1L9P435	1L9P935			
MSRP	\$20,833	\$21,500	\$25,246	\$25,913	\$26,580			
CAPACITIES								
GVWR (lbs)			7000					
GAWR (lbs/axle)			3500					
CHASSIS								
rame	6" x 2" S	teel Tube		8" x 2" Steel Tube				
Tongue		n Center Drawbar, Max nsion	8" x 2" Steel Tu	ube with Center Drawbar	, Max Extension			
Crossmembers		Form	ned Steel, 16" On-Center	•				
ntegrated Step(s)			Interior Recessed					
Coupler		2-5/16" A	djustable, Equalizer Bra	ckets				
Safety Chains			DOT Compliant					
ongue Jack		5K Di	rop-Leg, Frame Mounted	i				
Vall Studs		Ste	el Tube, 16" On-Center					
oof Bows		Ste	el Tube, 16" On-Center					
ront Profile			60" Aero Wedge					
Beavertail			48"					
Ramp(s)	16" Extension with Bullr	ose Cap (Both Ramps), 40	00 lb. with Assist, 72" F Bars (Both Ramps)	ront Wedge Wrap Aroun	d with Assist, Tractio			
Side Door		36" Wide Flus	h Lock, Cast Aluminum	Holdback				
Access Doors			14" x 14" Fuel					
/ents			Sidewall Airflow					
enders			Extruded Aluminum					
\xle		(2) 3500 lb. Torsion Bra	ıke, (45° Down), Spread	Axle Configuration				
łubs			Easy Lube					
Breakaway		Batte	ery, Switch, and Lanyard					
Γires		9	ST205/75R15C 6-PR					
Vheels		1	5", 5-Hole Aluminum					
exterior Finish			.030" Aluminum					
Indercoating			Automotive					
xterior Fastening		VH	B Bonded (Screwless)					
xterior Trim	2.5" Top Ex	trusion, 3" Bottom Extrusio	on, Brite Aluminum Nose	e Cap, Brite Aluminum R	ear Hoop			
Stone Guard			24" ATP					
Rear Spoiler		9"	Brite Aluminum Flare					
Roof		Flat	Гор Seamless Aluminum	1				
nterior Walls			9mm White Vinyl					
Interior Trim		ATP Kickplate, 12" Tall, Vinyl Wall Transitions						





CARGOSPORT PURESPORT MOTORSPORT

CARGOSPORT FLAT TOP AERO WEDGE 7K

	8.5 x 29	8.5 x 31	8.5 x 33	8.5 x 35	8.5 x 37
Ceiling		Vinyl Ceiling Transitio	ns, White Vinyl Liner with	n Aluminum Coves	
Flooring		3/	4" Poly-Tread Laminate		
Wheel Box			6" Tapered Drive-over		
Interior Lights			(2) 11" LED		
Switches		(1) Dome	Light, 12V, (2) Load Ligh	t, 12V	
Cargo Control		(4) 5000 lb. Recessed I	D-Rings, Xtreme Slide Tra	ick with (8) D-Rings	
Connector Plug			Round 7-pin Blade		
Exterior Lights	(1) Front LED	Loading, (2) Rear LED Loa	ading, Full LED, DOT Com	pliant, Integrated Backup	/Taillights



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

9/16/24 | 185





CARGOSPORT FLAT TOP AERO WEDGE 10K

	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23	8.5 x 25	8.5 x 27
Model #	KP10217VSFVMS- 100	KP10219VSFVMS- 100	KP10221VSFVMS- 100	KP10223VSFVMS- 100	KP10225VSFVMS- 100	KP10227VSFVMS 100
SKU #	1L2P800	1L3P550	1L3P850	1L4P600	1L4P900	1L5P650
MSRP	\$17,066	\$18,066	\$18,466	\$19,466	\$19,866	\$20,866
CAPACITIES						
GVWR (lbs)			990	00		
GAWR (lbs/axle)			500			
CHASSIS						
Frame			6" x 2" St	aal Tuha		
Tongue		6" x 2"		ter Drawbar, Max Exte	ansion	
Crossmembers		0 12	Formed Steel,	•		
Integrated Step(s)			Interior R			
Coupler			2-5/16" Adjustable,			
Safety Chains			DOT Coi	•		
Tongue Jack			5K Drop-Leg, F	•		
Wall Studs			Steel Tube, 1			
Roof Bows			Steel Tube, 1			
Front Profile			60" Aero			
Beavertail			32"		48"	
D(a)	16" Extension with	n Bullnose Cap (Both F	Ramps), 4000 lb. with	n Assist, 72" Front We	edge Wrap Around wi	th Assist, Traction
Ramp(s)			Bars (Bot	h Ramps)		
		24" Wide Flush				
Side Door		Lock, Cast	36	" Wide Flush Lock, C	ast Aluminum Holdba	ack
		Aluminum Holdback				
Access Doors			14" x 1			
Vents			Sidewall			
Fenders			Extruded A			
Axle		(2) 5200 lb.	• •	own), Spread Axle C	onfiguration	
Hubs			Easy			
Breakaway 			Battery, Switch	•		
Tires			ST225/75F			
Wheels			15", 6-Hole			
Exterior Finish			.030" Alı			
Undercoating			Autom			
Exterior Fastening	-		VHB Bonded	· · · · · · · · · · · · · · · · · · ·		
Exterior Trim	2.5"	Top Extrusion, 3" Botto		• .	Brite Aluminum Rear	Ноор
Stone Guard			24" /			
Rear Spoiler			9" Brite Alun			
Roof			Flat Top Seaml	ess Aluminum		





CARGOSPORT PURESPORT MOTORSPORT

CARGOSPORT FLAT TOP AERO WEDGE 10K

	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23	8.5 x 25	8.5 x 27	
Interior Walls			9mm Whi	te Vinyl			
Interior Trim		A ⁻	ΓΡ Kickplate, 12" Tall,	Vinyl Wall Transition	ıs		
Ceiling		Vinyl Ceilin	g Transitions, White V	inyl Liner with Alumi	num Coves		
Flooring			3/4" Poly-Trea	nd Laminate			
Wheel Box			6" Tapered I	Orive-over			
Interior Lights			(2) 11"	LED			
Switches			(1) Dome Light, 12V,	(2) Load Light, 12V			
Cargo Control		(4) 5000 lb. l	Recessed D-Rings, Xtr	eme Slide Track with	n (8) D-Rings		
Connector Plug		Round 7-pin Blade					
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights						







CARGOSPORT FLAT TOP AERO WEDGE 10K

	LNIGAIT				
	8.5 x 29	8.5 x 31	8.5 x 33	8.5 x 35	8.5 x 37
Model #	KP10229VSFVMS-100	KP10231VSFVMS-100	KP10233VSFVMS- 100	KP10235VSFVMS- 100	KP10237VSFVMS- 100
SKU #	1L6P150	1L6P650	1L9P460	1L9P960	2L0P460
MSRP	\$21,533	\$22,200	\$25,946	\$26,613	\$27,280
CAPACITIES					
GVWR (lbs)			9900		
GAWR (lbs/axle)			5000		
Curb Weight	4760				
Payload	5140				
CHASSIS					
Frame	6" x 2" S	teel Tube		8" x 2" Steel Tube	
Tongue		n Center Drawbar, Max nsion	8" x 2" Steel Tu	be with Center Drawbar	, Max Extension
Crossmembers		Form	ed Steel, 16" On-Center	•	
Integrated Step(s)			Interior Recessed		
Coupler		2-5/16" A	djustable, Equalizer Bra	ckets	
Safety Chains			DOT Compliant		
Tongue Jack		5K Dr	op-Leg, Frame Mounted	l	
Wall Studs		Ste	el Tube, 16" On-Center		
Roof Bows		Ste	el Tube, 16" On-Center		
Front Profile			60" Aero Wedge		
Beavertail			48"		
Ramp(s)	16" Extension with Bullr	ose Cap (Both Ramps), 40	00 lb. with Assist, 72" F Bars (Both Ramps)	ront Wedge Wrap Aroun	d with Assist, Traction
Side Door		36" Wide Flus	h Lock, Cast Aluminum	Holdback	
Access Doors			14" x 14" Fuel		
Vents			Sidewall Airflow		
Fenders			Extruded Aluminum		
Axle		(2) 5200 lb. Torsion Bra	. , , , .	Axle Configuration	
Hubs			Easy Lube		
Breakaway			ery, Switch, and Lanyard		
Tires			T225/75R15D 8-PR		
Wheels		1	5", 6-Hole Aluminum		
Exterior Finish			.030" Aluminum		
Undercoating			Automotive		
Exterior Fastening			B Bonded (Screwless)		
Exterior Trim	2.5" Top Ex	trusion, 3" Bottom Extrusio		e Cap, Brite Aluminum R	ear Hoop
Stone Guard			24" ATP		
Rear Spoiler			Brite Aluminum Flare		
Roof		Flat 1	op Seamless Aluminum	1	





CARGOSPORT PURESPORT MOTORSPORT

CARGOSPORT FLAT TOP AERO WEDGE 10K

	8.5 x 29	8.5 x 31	8.5 x 33	8.5 x 35	8.5 x 37
Interior Walls			9mm White Vinyl		
Interior Trim		ATP Kickpla	te, 12" Tall, Vinyl Wall Tra	nsitions	
Ceiling		Vinyl Ceiling Transition	ons, White Vinyl Liner with	Aluminum Coves	
Flooring		3/	4" Poly-Tread Laminate		
Wheel Box			6" Tapered Drive-over		
Interior Lights			(2) 11" LED		
Switches		(1) Dome	Light, 12V, (2) Load Light	t, 12V	
Cargo Control		(4) 5000 lb. Recessed	D-Rings, Xtreme Slide Tra	ck with (8) D-Rings	
Connector Plug			Round 7-pin Blade		
Exterior Lights	(1) Front LED	Loading, (2) Rear LED Lo	ading, Full LED, DOT Com	pliant, Integrated Backup	o/Taillights







CARGOSPORT FLAT TOP AERO WEDGE 14K

	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23	8.5 x 25	8.5 x 27
Model #	KP10217VSFVMS- 140	KP10219VSFVMS- 140	KP10221VSFVMS- 140	KP10223VSFVMS- 140	KP10225VSFVMS- 140	KP10227VSFVMS- 140
SKU #	1L4P250	1L5P450	1L5P750	1L6P500	1L6P800	1L7P550
MSRP	\$19,000	\$20,600	\$21,000	\$22,000	\$22,400	\$23,400
CAPACITIES						
GVWR (lbs)			140	100		
GAWR (lbs/axle)			70			
CHASSIS						
Frame			8" x 2" St	eel Tube		
Tongue		8" x 2"		er Drawbar, Max Exte	ension	
Crossmembers			Formed Steel,	•		
Integrated Step(s)			Interior R			
Coupler			2-5/16" Adjustable,	Equalizer Brackets		
Safety Chains			DOT Cor	•		
Tongue Jack			5K Drop-Leg, F	rame Mounted		
Wall Studs			Steel Tube, 1	6" On-Center		
Roof Bows			Steel Tube, 1	6" On-Center		
Front Profile			60" Aero	Wedge		
Beavertail			32"		48"	
Ramp(s)	16" Extension with	n Bullnose Cap (Both F	Ramps), 4000 lb. with Bars (Bot		edge Wrap Around wi	th Assist, Traction
		24" Wide Flush				
Side Door		Lock, Cast Aluminum Holdback	36	" Wide Flush Lock, C	ast Aluminum Holdba	ack
Access Doors			14" x 1	4" Fuel		
Vents			Sidewall	Airflow		
Fenders			Extruded A	Aluminum		
Axle		(2) 7000 lb. 1	Torsion Brake, (45° D	own), Spread Axle C	onfiguration	
Hubs			Easy	Lube		
Breakaway			Battery, Switch	n, and Lanyard		
Tires			ST235/80R	16E 10-PR		
Wheels			16", 8-Hole	Aluminum		
Exterior Finish			.030" Alı	uminum		
Undercoating			Autom			
Exterior Fastening			VHB Bonded	(Screwless)		
Exterior Trim	2.5"	Top Extrusion, 3" Botto	om Extrusion, Brite A	luminum Nose Cap, I	Brite Aluminum Rear	Ноор
Stone Guard			24" /			
Rear Spoiler			9" Brite Alur	ninum Flare		
Roof			Flat Top Seaml	ess Aluminum		





CARGOSPORT PURESPORT MOTORSPORT

CARGOSPORT FLAT TOP AERO WEDGE 14K

	8.5 x 17	8.5 x 19	8.5 x 21	8.5 x 23	8.5 x 25	8.5 x 27	
Interior Walls			9mm Whi	te Vinyl			
Interior Trim		A ⁻	ΓΡ Kickplate, 12" Tall,	Vinyl Wall Transition	s		
Ceiling		Vinyl Ceilin	g Transitions, White V	inyl Liner with Alumi	num Coves		
Flooring			3/4" Poly-Trea	nd Laminate			
Wheel Box			6" Tapered I	Orive-over			
Interior Lights			(2) 11'	LED			
Switches			(1) Dome Light, 12V,	(2) Load Light, 12V			
Cargo Control		(4) 5000 lb. l	Recessed D-Rings, Xtr	eme Slide Track with	ı (8) D-Rings		
Connector Plug		Round 7-pin Blade					
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights						



2025 Pricing





CARGOSPORT FLAT TOP AERO WEDGE 14K

	8.5 x 29	8.5 x 31	8.5 x 33	8.5 x 35	8.5 x 37						
Model #	KP10229VSFVMS-140	KP10231VSFVMS-140	KP10233VSFVMS-140	KP10235VSFVMS-140	KP10237VSFVMS-140						
SKU #	1L8P050	1L8P550	2L0P050	2L1P050	2L2P050						
MSRP	\$24,066	\$24,733	\$26,733	\$28,066	\$29,400						
CAPACITIES											
GVWR (lbs)		14000									
GAWR (lbs/axle)		7000									
CHASSIS											
Frame			8" x 2" Steel Tube								
Tongue		8" x 2" Steel Tu	ube with Center Drawbar,	Max Extension							
Crossmembers		Fe	ormed Steel, 16" On-Cent	er							
Integrated Step(s)			Interior Recessed								
Coupler		2-5/16	" Adjustable, Equalizer Bı	ackets							
Safety Chains			DOT Compliant								
Tongue Jack		5H	C Drop-Leg, Frame Mount	ed							
Wall Studs			Steel Tube, 16" On-Cente								
Roof Bows		,	Steel Tube, 16" On-Cente	•							
Front Profile			60" Aero Wedge								
Beavertail			48"								
Ramp(s)	16" Extension with Bul	Inose Cap (Both Ramps),	4000 lb. with Assist, 72"	Front Wedge Wrap Arour	nd with Assist, Traction						
- 1 1		0411111 =	Bars (Both Ramps)								
Side Door		36" Wide F	lush Lock, Cast Aluminun	n Holdback							
Access Doors			14" x 14" Fuel Sidewall Airflow								
Vents Fenders			Extruded Aluminum								
Axle		(2) 7000 lb. Toroion	Brake, (45° Down), Sprea	d Avia Configuration							
Hubs		(2) 7000 ib. 10151011	Easy Lube	u Axie Conniguration							
Breakaway		D	attery, Switch, and Lanya	rd							
Tires			ST235/80R16E 10-PR	lu .							
Wheels			16", 8-Hole Aluminum								
Exterior Finish			.030" Aluminum								
Undercoating			Automotive								
Exterior Fastening			VHB Bonded (Screwless)								
Exterior Trim	2.5" Top E		usion, Brite Aluminum No		Rear Hoop						
Stone Guard	•		24" ATP	•	-						
Rear Spoiler			9" Brite Aluminum Flare								
Roof		FI	at Top Seamless Aluminu	m							
Interior Walls			9mm White Vinyl								
Interior Trim		ATP Kickp	late, 12" Tall, Vinyl Wall T	ransitions							
Ceiling		Vinyl Ceiling Transit	tions, White Vinyl Liner w	ith Aluminum Coves							
Flooring			3/4" Poly-Tread Laminate								





CARGOSPORT PURESPORT MOTORSPORT

CARGOSPORT FLAT TOP AERO WEDGE 14K

	8.5 x 29	8.5 x 31	8.5 x 33	8.5 x 35	8.5 x 37				
Wheel Box	6" Tapered Drive-over								
Interior Lights	(2) 11" LED								
Switches		(1) Dor	ne Light, 12V, (2) Load Liç	ght, 12V					
Cargo Control		(4) 5000 lb. Recesse	d D-Rings, Xtreme Slide T	rack with (8) D-Rings					
Connector Plug	Round 7-pin Blade								
Exterior Lights	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights								



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

9/16/24 | 193



	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Model #	KP8412TBFB-070	KP8414TBFB-070	KP8416TBFB-070	KP8418TBFB-070	KP8420TBFB-070	KP10212TBFB-070
SKU #	6L5P50	6L8P50	7L1P50	7L6P50	7L9P50	7L2P00
MSRP	\$8,733	\$9,133	\$9,533	\$10,200	\$10,600	\$9,600
CAPACITIES						
GVWR (lbs)			7	000		
GAWR (lbs/axle)			3	500		
CHASSIS						
Frame			6" x 2" 5	Steel Tube		
Tongue			6" x 2" Ste	el Triple Tube		
Crossmembers			Formed Stee	l, 16" On-Center		
Integrated Step(s)						Interior Recessed
Coupler			2-5/16	" A-Frame		
Safety Chains			DOT C	ompliant		
Tongue Jack			2K Coupl	er Mounted		
Wall Studs			Steel Tube,	16" On-Center		
Roof Bows			Steel Tube,	16" On-Center		
Front Profile			Ro	ound		
Ramp(s)			2500 lb. with Assist			4000 lb. with Assist
Side Door		30	6" Wide Flush Lock, (back	
Vents				III Airflow		
Fenders			Smooth	Aluminum		
Axle			(2) 3500 lb.	Torsion Brake		
Hubs			Eas	y Lube		
Breakaway			•	ch, and Lanyard		
Tires			ST205/7	5R15C 6-PR		
Wheels			·	Hole Steel		
Exterior Finish				Aluminum		
Undercoating				motive		
Exterior Fastening				d (Screwless)		
Exterior Trim		2.5" Top Ext	trusion, 3" Bottom Ex		ing Rear Hoop	
Stone Guard				" ATP		
Roof			•	nless Aluminum		
Roof Cap				P0		
Interior Walls				ered Wood		
Interior Trim			-	od Wall Transitions		
Ceiling				n Strip		
Flooring			-	neered Wood		
Interior Lights) LED		
Switches			(1) Dome	e Light, 12V		







	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Connector Plug			Round 7	'-pin Blade		
Exterior Lights		Full L	ED, DOT Compliant,	Integrated Backup/T	aillights	





	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Model #	KP10214TBFB-070	KP10216TBFB-070	KP10218TBFB-070	KP10220TBFB-070
KU #	7L5P00	7L8P00	8L3P00	8L6P00
ISRP	\$10,000	\$10,400	\$11,066	\$11,466
CAPACITIES				
VWR (lbs)		70	000	
AWR (lbs/axle)		35	500	
CHASSIS				
rame		6" x 2" S	teel Tube	
ongue		6" x 2" Stee	l Triple Tube	
rossmembers		Formed Steel,	16" On-Center	
ntegrated Step(s)		Interior I	Recessed	
oupler		2-5/16"	A-Frame	
afety Chains		DOT Co	mpliant	
ongue Jack		2K Couple	er Mounted	
/all Studs		Steel Tube, 1	6" On-Center	
oof Bows		Steel Tube, 1	6" On-Center	
ront Profile		Ro	und	
amp(s)		4000 lb. v	vith Assist	
ide Door		36" Wide Flush Lock, C	ast Aluminum Holdback	
ents		Sidewal	l Airflow	
enders		Smooth A	Aluminum	
xle		(2) 3500 lb.	Torsion Brake	
ubs		Easy	Lube	
reakaway		Battery, Switc	h, and Lanyard	
ires		ST205/75	R15C 6-PR	
/heels		15", 5-H	ole Steel	
xterior Finish		.030" A	luminum	
Indercoating			notive	
xterior Fastening			l (Screwless)	
xterior Trim	2.		rusion, Color Matching Rear Ho	ор
tone Guard		24"	ATP	
oof		· · · · · · · · · · · · · · · · · · ·	less Aluminum	
oof Cap			PO	
nterior Walls			red Wood	
nterior Trim		•	d Wall Transitions	
eiling			n Strip	
looring			eered Wood	
nterior Lights			LED	
witches		· ·	Light, 12V	
Connector Plug		Round 7-	pin Blade	







	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Exterior Lights		Full LED, DOT Compliant, I	ntegrated Backup/Taillights	





	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Model #	KP8412TBFB-100	KP8414TBFB-100	KP8416TBFB-100	KP8418TBFB-100	KP8420TBFB-100	KP10212TBFB-100
SKU #	7L0P75	7L3P75	7L6P75	8L1P75	8L4P75	7L7P25
MSRP	\$9,433	\$9,833	\$10,233	\$10,900	\$11,300	\$10,300
CAPACITIES						
GVWR (lbs)			91	900		
GAWR (lbs/axle)			50	000		
CHASSIS						
Frame			6" x 2" S	Steel Tube		
Tongue			6" x 2" Stee	el Triple Tube		
Crossmembers			Formed Steel	, 16" On-Center		
Integrated Step(s)						Interior Recessed
Coupler			2-5/16"	A-Frame		
Safety Chains			DOT Co	ompliant		
Tongue Jack			2K Couple	er Mounted		
Wall Studs			•	16" On-Center		
Roof Bows			Steel Tube,	16" On-Center		
Front Profile			Ro	ound		
Ramp(s)			4000 lb.	with Assist		
Side Door		36	5" Wide Flush Lock, C		oack	
Vents				ll Airflow		
Fenders			Smooth	Aluminum		
Axle			(2) 5200 lb.	Torsion Brake		
Hubs			Easy	/ Lube		
Breakaway			•	ch, and Lanyard		
Tires				5R15D 8-PR		
Wheels			•	lole Steel		
Exterior Finish				luminum		
Undercoating				motive		
Exterior Fastening				d (Screwless)		
Exterior Trim		2.5" Top Ext	rusion, 3" Bottom Ex		ing Rear Hoop	
Stone Guard				ATP		
Roof			•	nless Aluminum		
Roof Cap				P0		
Interior Walls				red Wood		
Interior Trim			-	d Wall Transitions		
Ceiling				n Strip		
Flooring			-	eered Wood		
Interior Lights				LED		
Switches			(1) Dome	Light, 12V		







	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Connector Plug			Round 7	-pin Blade		
Exterior Lights		Full L	ED, DOT Compliant, I	ntegrated Backup/T	aillights	





	RICAN			- ROOMS FROM			
	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20			
lodel #	KP10214TBFB-100	KP10216TBFB-100	KP10218TBFB-100	KP10220TBFB-100			
KU #	8L0P25	8L3P25	8L8P25	9L1P25			
ISRP	\$10,700	\$11,100	\$11,766	\$12,166			
CAPACITIES							
GVWR (lbs)		99	000				
GAWR (lbs/axle)		50	000				
CHASSIS							
rame		6" x 2" S	teel Tube				
Tongue		6" x 2" Stee	l Triple Tube				
Crossmembers		Formed Steel,	16" On-Center				
ntegrated Step(s)		Interior I	Recessed				
Coupler		2-5/16"	A-Frame				
Safety Chains		DOT Co	ompliant				
ongue Jack		2K Couple	er Mounted				
Wall Studs			6" On-Center				
Roof Bows			6" On-Center				
Front Profile		Ro	und				
tamp(s)			vith Assist				
Side Door			ast Aluminum Holdback				
/ents			l Airflow				
enders			Aluminum				
Axle		• • • • • • • • • • • • • • • • • • • •	Torsion Brake				
lubs		•	Lube				
Breakaway		•	h, and Lanyard				
Tires		•	R15D 8-PR				
Wheels		·	ole Steel				
Exterior Finish			luminum				
Indercoating			motive				
Exterior Fastening	-		l (Screwless)				
Exterior Trim	2.	•	rusion, Color Matching Rear Ho	op			
Stone Guard			ATP				
Roof		•	less Aluminum				
Roof Cap			PO				
nterior Walls		•	red Wood				
nterior Trim			d Wall Transitions				
Ceiling		Lauan Strip					
Flooring nterior Lights	3/4" Engineered Wood						
	(2) LED (1) Dome Light, 12V						
Switches		, ,					







	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20
Exterior Lights		Full LED, DOT Compliant, I	ntegrated Backup/Taillights	



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

2025 Pricing



PXT HAMMER FLAT TOP ROUND FRONT 7K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Model #	KP8412MHFB-070	KP8414MHFB- 070	KP8416MHFB- 070	KP8418MHFB- 070	KP8420MHFB- 070	KP10212MHFB-070
SKU #	1L1P000	1L2P000	1L2P600	1L3P600	1L4P200	1L1P500
MSRP	\$14,666	\$16,000	\$16,800	\$18,133	\$18,933	\$15,333
CAPACITIES						
GVWR (lbs)			7(000		
GAWR (lbs/axle)				500		
CHASSIS						
Frame			6" x 2" S	Steel Tube		
Tongue			6" Extension, 6" x	2" Steel Triple Tub	e	
Crossmembers			·	, 16" On-Center		
Integrated Step(s)						Interior Recessed
Coupler			2-5/16" /	Adjustable		
Safety Chains			DOT C	ompliant		
Tongue Jack			7K Drop-Lo	eg, Set-Back		
Wall Studs			Steel Tube,	16" On-Center		
Roof Bows			Steel Tube,	8" On-Center		
Front Profile			Ro	ound		
Stabilizers			Rear Drop	-Leg Jacks		
Rear Door		Barn-	Style Double with	Cambar and Step I	Bumper	
Side Door		36" Wide Flush Loc	k, Additional Barlo	ck and Hasp, Cast	Aluminum Holdba	ck
Vents		R	oof Vent Frame, S		ow	
Fenders				Aluminum		
Axle			` '	Torsion Brake		
Hubs			-	/ Lube		
Breakaway			•	ch, and Lanyard		
Tires				5R15C 6-PR		
Wheels			·	lole Steel		
Exterior Finish				luminum		
Undercoating				motive		
Exterior Fastening	0 F" Ton 1	Cutuusian 2" Datta		d (Screwless)	vo Color Motobino	Daarllaan
Exterior Trim Stone Guard	2.5 10μ	extrusion, 3 botto		' ATP	rs, Color Matching	кеат поор
Roof				nless Aluminum		
Roof Cap			•	PO		
Exterior Storage	(4) Heavy Duty	Ladder Racks with		(5) Heavy Duty L	adder Racks with	(4) Heavy Duty Ladder Racks with Rear Roller
Exterior Accessories		ATP and Fno	gineered Wood Tor			Madro With Near Notice
Interior Walls		711. und Elly	-	red Wood		



9/16/24 | 203



PXT HAMMER FLAT TOP ROUND FRONT 7K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12		
Interior Trim			Engineered Wood	l Wall Transition	ıs			
Flooring			3/4" Engine	eered Wood				
Interior Lights		(2	2) 48" 110V Wrap A	Around LED, (2)	LED			
Switches		(1) 110V, (1) Dome Light, 12V, (1) Pair Top Fuel 3-Way, 12V						
Fixtures	(3) Tool Cabinets with Aluminum Work Station	(2) Tool Cabinets Work St		` '	ets with Aluminum k Station	(3) Tool Cabinets with Aluminum Work Station		
Cargo Control		(4) 5000 lb. Re	cessed D-Rings, I	Recessed Wall E	-Track, One Row			
Connector Plug			Round 7-	pin Blade				
Exterior Lights	(:	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights						
110v Electrical	(1) Exterior GFI Rece	ptacle, 30 Amp, 25) Amp Motor Bas tacles	se Plug, 30 Amp Ser	vice Panel, (4) Interior		





PXT HAMMER FLAT TOP ROUND FRONT 7K

8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20		
KP10214MHFB-070	KP10216MHFB-070	KP10218MHFB-070	KP10220MHFB-070		
1L2P500	1L3P100	1L4P100	1L4P700		
\$16,666	\$17,466	\$18,800	\$19,600		
	70	00			
	35	00			
	6" x 2" S	teel Tube			
	6" Extension, 6" x 2	2" Steel Triple Tube			
	Formed Steel,	16" On-Center			
	Interior I	Recessed			
	2-5/16" <i>A</i>	djustable			
	DOT Co	mpliant			
	7K Drop-Le	g, Set-Back			
	Steel Tube, 1	6" On-Center			
	Steel Tube,	8" On-Center			
	Ro	und			
	Rear Drop	-Leg Jacks			
	Barn-Style Double with (Cambar and Step Bumper			
36" Wid	e Flush Lock, Additional Barlo	ck and Hasp, Cast Aluminum H	oldback		
	Roof Vent Frame, Sa	lem Sidewall Airflow			
	Smooth A	Aluminum			
	(2) 3500 lb.	Torsion Brake			
	Easy	Lube			
	•	· · · · · · · · · · · · · · · · · · ·			
	ST205/75	R15C 6-PR			
	·				
		· · · · · · · · · · · · · · · · · · ·			
2.5" Top Extrusi			ching Rear Hoop		
	•				
/A					
		, , , , ,			
	•	•	r		
3/4" Engineered Wood					
	KP10214MHFB-070 1L2P500 \$16,666 36" Wid 2.5" Top Extrusion (4) Heavy Duty Ladder	KP10214MHFB-070 1L2P500 1L3P100 \$16,666 \$17,466 70 35 6" x 2" S 6" Extension, 6" x 2 Formed Steel, Interior F 2-5/16" A DOT Co 7K Drop-Le Steel Tube, 1 Steel Tube, 1 Steel Tube, 3 Roi Rear Drop Barn-Style Double with C 36" Wide Flush Lock, Additional Barlor Roof Vent Frame, Sa Smooth A (2) 3500 lb. T Easy Battery, Switc ST205/75 15", 5-H .030" Al Autor VHB Bonded 2.5" Top Extrusion, 3" Bottom Extrusion, ATP R 24" Flat Top Seam II (4) Heavy Duty Ladder Racks with Rear Roller ATP and Engineered Wood Ton- Engineere Engineered Wood	KP10214MHFB-070 1L2P500 1L3P100 \$16,666 \$17,466 \$17,466 \$18,800 7000 3500 6" x 2" Steel Tube 6" Extension, 6" x 2" Steel Triple Tube Formed Steel, 16" On-Center Interior Recessed 2-5/16" Adjustable DOT Compliant 7K Drop-Leg, Set-Back Steel Tube, 16" On-Center Steel Tube, 8" On-Center Round Rear Drop-Leg Jacks Barn-Style Double with Cambar and Step Bumper 36" Wide Flush Lock, Additional Barlock and Hasp, Cast Aluminum H Roof Vent Frame, Salem Sidewall Airflow Smooth Aluminum (2) 3500 lb. Torsion Brake Easy Lube Battery, Switch, and Lanyard ST205/75R15C 6-PR 15", 5-Hole Steel .030" Aluminum Automotive VHB Bonded (Screwiess) 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Radius Front Corners, Color Mat 24" ATP Flat Top Seamless Aluminum TPO (4) Heavy Duty Ladder Racks with Rear Roller ATP and Engineered Wood Engineered Wood Engineered Wood Engineered Wood Engineered Wood Engineered Wood		



9/16/24 | 205



PXT HAMMER FLAT TOP ROUND FRONT 7K

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	
Switches		(1) 110V, (1) Dome Light, 12V	(1) Pair Top Fuel 3-Way, 12V		
Fixtures	(2) Tool Cabinets with	Aluminum Work Station	(4) Tool Cabinets with A	Aluminum Work Station	
Cargo Control	(4	l) 5000 lb. Recessed D-Rings, F	Recessed Wall E-Track, One Ro	w	
Connector Plug		Round 7-	oin Blade		
Exterior Lights	(2) Rea	r LED Loading, Full LED, DOT Co	ompliant, Integrated Backup/Ta	aillights	
110v Electrical	(1) Exterior GFI Receptacle	(1) Exterior GFI Receptacle, 30 Amp, 25 ft. Power Cord, 30 Amp Motor Base Plug, 30 Amp Service Panel, (4) Inter Receptacles			





PXT HAMMER FLAT TOP ROUND FRONT 10K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12
Model #	KP8412MHFB-100	KP8414MHFB- 100	KP8416MHFB- 100	KP8418MHFB- 100	KP8420MHFB- 100	KP10212MHFB-100
SKU #	1L1P525	1L2P525	1L3P125	1L4P125	1L4P725	1L2P025
MSRP	\$15,366	\$16,700	\$17,500	\$18,833	\$19,633	\$16,033
CAPACITIES						
GVWR (lbs)			9	900		
GAWR (lbs/axle)			5	000		
CHASSIS						
Frame			6" x 2" 5	Steel Tube		
Tongue			6" Extension, 6" x	2" Steel Triple Tub	ie	
Crossmembers			•	, 16" On-Center		
Integrated Step(s)						Interior Recessed
Coupler			2-5/16"	Adjustable		
Safety Chains			DOT C	ompliant		
Tongue Jack			7K Drop-L	eg, Set-Back		
Wall Studs			Steel Tube,	16" On-Center		
Roof Bows			Steel Tube,	8" On-Center		
Stabilizers			Rear Drop	-Leg Jacks		
Rear Door		Barn-	Style Double with	Cambar and Step I	Bumper	
Side Door	;	36" Wide Flush Loc	k, Additional Barlo	ock and Hasp, Cast	Aluminum Holdba	ck
Vents		R	Roof Vent Frame, S	alem Sidewall Airf	low	
Fenders			Smooth	Aluminum		
Axle			(2) 5200 lb.	Torsion Brake		
Hubs				y Lube		
Breakaway			•	ch, and Lanyard		
Tires				5R15D 8-PR		
Wheels			•	lole Steel		
Exterior Finish				luminum		
Undercoating				motive		
Exterior Fastening	0.511.7	- · · · · · · · · · · · · · · · · · · ·		d (Screwless)		.
Exterior Trim	2.5" lop	Extrusion, 3" Botto			rs, Color Matching	кеаг ноор
Stone Guard Roof				' ATP nless Aluminum		
Roof Cap				PO		
Exterior Storage	(4) Heavy Duty	Ladder Racks with		(5) Heavy Duty L	adder Racks with Roller	(4) Heavy Duty Ladder
Exterior Accessories		ATP and Fno	gineered Wood Tor	ngue Cover, Front A		
Interior Walls		and the second	•	red Wood		
Interior Trim				d Wall Transitions		



9/16/24 | 207



PXT HAMMER FLAT TOP ROUND FRONT 10K

	7 x 12	7 x 14	7 x 16	7 x 18	7 x 20	8.5 x 12	
Flooring			3/4" Engin	eered Wood			
Interior Lights			(2) 48" 110V Wrap	Around LED, (2) L	ED		
Switches		(1) 110V, (1) Dome Light, 12\	/, (1) Pair Top Fue	l 3-Way, 12V		
Fixtures	(3) Tool Cabinets with Aluminum Work Station	(2) Tool Cabinets with Aluminum Work Station		(4) Tool Cabinets with Aluminum Work Station		(3) Tool Cabinets with Aluminum Work Station	
Cargo Control		(4) 5000 lb. I	Recessed D-Rings,	Recessed Wall E-	Track, One Row		
Connector Plug			Round 7-	pin Blade			
Exterior Lights	(:	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights					
110v Electrical	(1) Exterior GFI Rece	(1) Exterior GFI Receptacle, 30 Amp, 25 ft. Power Cord, 30 Amp Motor Base Plug, 30 Amp Service Panel, (4) Interior Receptacles					





PXT HAMMER FLAT TOP ROUND FRONT 10K

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20			
Model #	KP10214MHFB-100	KP10216MHFB-100	KP10218MHFB-100	KP10220MHFB-100			
SKU #	1L3P025	1L3P625	1L4P625	1L5P225			
MSRP	\$17,366	\$18,166	\$19,500	\$20,300			
CAPACITIES							
GVWR (lbs)		99	000				
GAWR (lbs/axle)		50	000				
CHASSIS							
rame		6" x 2" S	teel Tube				
Tongue		6" Extension, 6" x	2" Steel Triple Tube				
Crossmembers		Formed Steel	16" On-Center				
Integrated Step(s)		Interior	Recessed				
Coupler		2-5/16" /	Adjustable				
Safety Chains		DOT Co	ompliant				
Tongue Jack		7K Drop-Le	g, Set-Back				
Wall Studs		Steel Tube, 1	6" On-Center				
Roof Bows		Steel Tube,	8" On-Center				
Stabilizers		Rear Drop	-Leg Jacks				
Rear Door		Barn-Style Double with	Cambar and Step Bumper				
Side Door	36" Wid	36" Wide Flush Lock, Additional Barlock and Hasp, Cast Aluminum Holdback					
/ents		Roof Vent Frame, Salem Sidewall Airflow					
enders		Smooth Aluminum					
Axle			Torsion Brake				
Hubs		•	Lube				
Breakaway		•	h, and Lanyard				
Tires			R15D 8-PR				
Wheels		·	ole Steel				
Exterior Finish			luminum				
Undercoating			notive				
Exterior Fastening			l (Screwless)				
Exterior Trim	2.5" Top Extrusi		adius Front Corners, Color Mat	ching Rear Hoop			
Stone Guard			ATP				
Roof		Flat Top Seamless Aluminum					
Roof Cap	ا بناناه ا المانا ماناه المانا (۸)	TPO (4) Heavy Duty Ladder Racks with Rear Roller (5) Heavy Duty Ladder Racks with Rear Roller					
Exterior Storage	, , , ,			Racks with Rear Roller			
Exterior Accessories nterior Walls		<u> </u>	gue Cover, Front Access Ladde	II			
Interior Walls Interior Trim			red Wood d Wall Transitions				
Flooring			eered Wood				
Interior Lights		•	Around LED, (2) LED				
Switches		· , ,	/, (1) Pair Top Fuel 3-Way, 12V				



9/16/24 | 209



PXT HAMMER FLAT TOP ROUND FRONT 10K

	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20		
Fixtures	(2) Tool Cabinets with A	Aluminum Work Station	(4) Tool Cabinets with A	Aluminum Work Station		
Cargo Control	(4	(4) 5000 lb. Recessed D-Rings, Recessed Wall E-Track, One Row				
Connector Plug		Round 7-pin Blade				
Exterior Lights	(2) Real	(2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights				
110v Electrical	(1) Exterior GFI Receptacle, 30 Amp, 25 ft. Power Cord, 30 Amp Motor Base Plug, 30 Amp Service Panel, (4) Inte Receptacles					





	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22		
Model #	KP10212LTRF-100	KP10214LTRF-100	KP10216LTRF-100	KP10218LTRF-100	KP10220LTRF-100	KP10222LTRF-100		
SKU #	9L8P00	9L9P00	1L0P000	1L0P300	1L0P700	1L1P100		
MSRP	\$13,066	\$13,200	\$13,333	\$13,733	\$14,266	\$14,800		
CAPACITIES								
GVWR (lbs)			99	00				
GAWR (lbs/axle)			50	00				
CHASSIS								
Frame			6" x 2" S	teel Tube				
Tongue			6" x 2" Steel Triple	Tube, Max Extension				
Crossmembers		Fo	rmed Steel, 12" On-0	Center, Reinforced R	ear			
Integrated Step(s)			Interior I	Recessed				
Coupler			2-5/16" <i>A</i>	djustable				
Safety Chains				mpliant				
Tongue Jack			•	g, Set-Back				
Wall Studs		He	avy Duty Gussets, St	eel Tube, 16" On-Cei	nter			
Roof Bows			Steel Tube, 1	6" On-Center				
Front Profile				und				
Ramp(s)			000 lb. with Assist ar					
Side Door		36" Wide Flush Lo	ock, Additional Barlo		uminum Holdback			
Vents				l Airflow				
Fenders				Aluminum				
Axle		(2) 5200	lb. Drop Spring Brak		ing Brake			
Hubs			•	Lube				
Breakaway 			•	h, and Lanyard				
Tires		15" C Hala C		R15D 8-PR				
Wheels		15", 6-Hole S	Steel, Center Caps ar		atching Spare			
Exterior Finish Protective Coating(s)				uminum M Truck Body Liner				
Exterior Fastening				M Truck Body Liner (Screwless)				
Exterior Trim	080 Alumir	um Roof Cove 3" Ro		• •	rs, ATP Rear Corners	and Header		
Stone Guard	.ooo Aluiliii	am Roof Gove, o Be		ATP	io, Air iteal comers	and ricude		
Roof								
Roof Cap		Round Top Seamless Aluminum TPO						
Exterior Storage				Spare Tire Carrier				
Interior Walls				Galvanized Barrier				
Interior Trim		3/4" Engineered Wood Kickplate, 24" Tall, Engineered Wood Wall Transitions						
Flooring			3/4" Engineered Woo					
Interior Lights			(2)	LED				
Switches			(1) Dome	Light, 12V				







	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 24	8.5 x 26
Model #	KP10224LTRF-100	KP10226LTRF-100
SKU #	1L1P500	1L1P900
MSRP	\$15,333	\$15,866
CAPACITIES		
GVWR (lbs)		9900
GAWR (lbs/axle)		5000
CHASSIS		
Frame	6" x	2" Steel Tube
Tongue	6" x 2" Steel Tri	ple Tube, Max Extension
Crossmembers	Formed Steel, 12"	On-Center, Reinforced Rear
ntegrated Step(s)	Inter	rior Recessed
Coupler	2-5/1	16" Adjustable
Safety Chains	DO	T Compliant
Tongue Jack	7K Dro	p-Leg, Set-Back
Wall Studs	Heavy Duty Gusset	s, Steel Tube, 16" On-Center
Roof Bows	Steel Tu	be, 16" On-Center
ront Profile		Round
Ramp(s)	4000 lb. with Assi	st and Integrated Transition
Side Door	36" Wide Flush Lock, Additional B	arlock and Hasp, Cast Aluminum Holdback
/ents	Side	ewall Airflow
enders	Smo	oth Aluminum
Axle	(2) 5200 lb. Drop Spring	Brake, 5200 lb. Drop Spring Brake
Hubs	Ī	Easy Lube
Breakaway	Battery, S	witch, and Lanyard
Tires	ST225	5/75R15D 8-PR
Wheels	15", 6-Hole Steel, Center Cap	os and Beauty Rings1, Matching Spare
Exterior Finish	.03	0" Aluminum
Protective Coating(s)		ear XM Truck Body Liner
Exterior Fastening		nded (Screwless)
Exterior Trim	.080 Aluminum Roof Cove, 3" Bottom Extrusion,	ATP Radius Front Corners, ATP Rear Corners and Header
Stone Guard		24" ATP
Roof	Round Top	Seamless Aluminum
Roof Cap		TP0
Exterior Storage	•	nted Spare Tire Carrier
nterior Walls	-	ood, Galvanized Barrier
nterior Trim	-	24" Tall, Engineered Wood Wall Transitions
Flooring	3/4" Engineered	Wood, Galvanized Barrier
Interior Lights		(2) LED
Switches	• •	ome Light, 12V
Connector Plug	Rour	nd 7-pin Blade







	8.5 x 24	8.5 x 26
Exterior Lights	Full LED, DOT Compliant, Integ	grated Backup/Taillights





	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22			
Model #	KP10212LTRF-140	KP10214LTRF-140	KP10216LTRF-140	KP10218LTRF-140	KP10220LTRF-140	KP10222LTRF-140			
SKU #	1L0P850	1L0P950	1L1P050	1L1P350	1L1P750	1L2P150			
MSRP	\$14,466	\$14,600	\$14,733	\$15,133	\$15,666	\$16,200			
CAPACITIES									
GVWR (lbs)			14	000					
GAWR (lbs/axle)			70	00					
CHASSIS									
Frame			8" x 2" S	teel Tube					
Tongue			8" x 2" Steel Triple	Tube, Max Extension					
Crossmembers		Fo	rmed Steel, 12" On-0	Center, Reinforced Re	ear				
Integrated Step(s)			Interior I	Recessed					
Coupler			2-5/16" <i>A</i>	djustable					
Safety Chains			DOT Co	mpliant					
Tongue Jack			•	g, Set-Back					
Wall Studs		He	avy Duty Gussets, St	•	nter				
Roof Bows				6" On-Center					
Front Profile				und					
Ramp(s)			00 lb. with Assist ar						
Side Door		36" Wide Flush Lo	ck, Additional Barlo		uminum Holdback				
Vents				l Airflow					
Fenders				Aluminum					
Axle				op Spring Brake					
Hubs			•	Lube					
Breakaway			•	h, and Lanyard					
Tires Wheels		16" 0 Hala 6	-	R16E 10-PR	atahina Cnara				
Exterior Finish		To , o-noie s	Steel, Center Caps ar	uminum	itcilling Spare				
Protective Coating(s)				M Truck Body Liner					
Exterior Fastening				(Screwless)					
Exterior Trim	.080 Alumin	um Roof Cove. 3" Bo	ottom Extrusion, ATP		rs. ATP Rear Corners	and Header			
Stone Guard		,		ATP					
Roof				nless Aluminum					
Roof Cap			•	20					
Exterior Storage			Tongue Mounted	Spare Tire Carrier					
Interior Walls			Engineered Wood,	Galvanized Barrier					
Interior Trim		3/4" Engineered V	Nood Kickplate, 24" ⁻	Гаll, Engineered Woo	d Wall Transitions				
Flooring		,	3/4" Engineered Woo	d, Galvanized Barrie	r				
Interior Lights			(2)	LED					
Switches			(1) Dome	Light, 12V					







	8.5 x 12	8.5 x 14	8.5 x 16	8.5 x 18	8.5 x 20	8.5 x 22
Connector Plug	Round 7-pin Blade					
Exterior Lights	Full LED, DOT Compliant, Integrated Backup/Taillights					





	8.5 x 24	8.5 x 26
Model #	KP10224LTRF-140	KP10226LTRF-140
SKU #	1L2P550	1L2P950
MSRP	\$16,733	\$17,266
CAPACITIES		
GVWR (lbs)		14000
GAWR (lbs/axle)		7000
CHASSIS		
Frame	8" x	2" Steel Tube
Tongue	8" x 2" Steel Tri	iple Tube, Max Extension
Crossmembers	Formed Steel, 12"	On-Center, Reinforced Rear
ntegrated Step(s)	Inte	rior Recessed
Coupler	2-5/	16" Adjustable
Safety Chains	DO	T Compliant
Tongue Jack	7K Dro	p-Leg, Set-Back
Wall Studs	Heavy Duty Gusset	s, Steel Tube, 16" On-Center
Roof Bows	Steel Tu	be, 16" On-Center
Front Profile		Round
Ramp(s)	4000 lb. with Assi	st and Integrated Transition
Side Door	36" Wide Flush Lock, Additional B	Barlock and Hasp, Cast Aluminum Holdback
/ents	Sid	ewall Airflow
enders	Smo	oth Aluminum
Axle	(2) 7000 lk	o. Drop Spring Brake
lubs	İ	Easy Lube
Breakaway	Battery, S	witch, and Lanyard
Tires	ST235	5/80R16E 10-PR
Wheels	16", 8-Hole Steel, Center Cap	ps and Beauty Rings1, Matching Spare
Exterior Finish	.03	0" Aluminum
Protective Coating(s)	Tongue and Re	ear XM Truck Body Liner
Exterior Fastening	VHB Bo	nded (Screwless)
Exterior Trim	.080 Aluminum Roof Cove, 3" Bottom Extrusion,	ATP Radius Front Corners, ATP Rear Corners and Header
Stone Guard		24" ATP
Roof	Round Top	Seamless Aluminum
Roof Cap		TP0
Exterior Storage	•	nted Spare Tire Carrier
nterior Walls	-	ood, Galvanized Barrier
Interior Trim	-	24" Tall, Engineered Wood Wall Transitions
Flooring	3/4" Engineered	Wood, Galvanized Barrier
Interior Lights		(2) LED
Switches	• • •	ome Light, 12V
Connector Plug	Roui	nd 7-pin Blade







LANDSCAPER ROUND TOP ROUND FRONT 14K

	8.5 x 24	8.5 x 26
Exterior Lights	Full LED, DOT Compliant, Integr	ated Backup/Taillights





KP10220PRFBRT-070 1L3P700 \$18,266	KP10222PRFBRT-070 1L4P300 \$19,066	KP10224PRFBRT-070 1L4P900 \$19,866	KP10226PRFBRT-070 1L5P500 \$20,666				
	\$19,066						
\$18,266		\$19,866	¢20 666				
			9 2 0,000				
	70	00					
3500							
	6" x 2" S	teel Tube					
	12" Extension, 6" x	2" Steel Triple Tube					
	Formed Steel,	16" On-Center					
	2-5/16" A	djustable					
	DOT Co	mpliant					
	7K Drop-Le	g, Set-Back					
	Steel Tube, 1	6" On-Center					
	Steel Tube, 1	6" On-Center					
	Fl	at					
32"		48"					
16" Extension with Bullnose Cap (Both Ramps), (2) Recessed Cam Locks, 4000 lb. with Assist							
48" Aluminum Pull-Out Step, 48" Wide Flush Lock, Cast Aluminum Holdback							
(1) Manual Roof, Sidewall Airflow							
	Extruded A	Aluminum					
	(2) 3500 lb. Torsion Brake,	Spread Axle Configuration					
	Easy	Lube					
	Battery, Switch	h, and Lanyard					
	ST205/75	R15C 6-PR					
	15", 5-Hole	e Aluminum					
	.030" Al	uminum					
	Auton	notive					
	VHB Bonded	l (Screwless)					
5.5" Bottom Extrusion, Hea	, , , , ,	•	of Corners, Stainless Steel				
		•					
		•					
	·						
	•	· •					
Inculat			. Coves				
ilioula	· · · · · · · · · · · · · · · · · · ·	•	JOYCS				
	16" Extension w 48" Alu 5.5" Bottom Extrusion, Hea	12" Extension, 6" x Formed Steel, 2-5/16" A DOT Co 7K Drop-Le Steel Tube, 1 Steel Tube, 1 Steel Tube, 1 32" 16" Extension with Bullnose Cap (Both Ramps) 48" Aluminum Pull-Out Step, 48" Wide (1) Manual Roof, Extruded (2) 3500 lb. Torsion Brake, Easy Battery, Switc ST205/75 15", 5-Hole .030" Al Autor VHB Bonded 5.5" Bottom Extrusion, Heavy Duty Truck Body Top Extrusi Radius Corners, Stain 24" 6" Stainless Stee Flat Top Seam Stainle: Aluminum Overlay Extruded Aluminu Insulation, Vinyl Ceiling Transitions, V	16" Extension with Bullnose Cap (Both Ramps), (2) Recessed Cam Locks, 4000 48" Aluminum Pull-Out Step, 48" Wide Flush Lock, Cast Aluminum Ho				







	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26		
Interior Lights		(2) 1	1" LED			
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings					
Connector Plug	Round 7-pin Blade					
Exterior Lights	(2) Rear LED Loading, (4) Additional Stop/Turn/Tail, Full LED, DOT Compliant, Integrated Backup/Taillights					
HVAC		Bracing and \	Wire for HVAC			





	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30		
Model #	KP10220PRFBRT-	KP10222PRFBRT-	KP10224PRFBRT-	KP10226PRFBRT-	KP10228PRFBRT-	KP10230PRFBRT-		
	100	100	100	100	100	100		
SKU #	1L4P225	1L4P825	1L5P425	1L6P025	1L7P625	1L8P225		
MSRP	\$18,966	\$19,766	\$20,566	\$21,366	\$23,500	\$24,300		
CAPACITIES								
GVWR (lbs)			99	000				
GAWR (lbs/axle)		5000						
CHASSIS								
Frame		6" x 2" Steel Tube 8" x 2" Steel Tube						
Tongue		12" Extension, 6" x	2" Steel Triple Tube		12" Extension, 8" x	2" Steel Triple Tube		
Crossmembers			Formed Steel,	16" On-Center				
Coupler			2-5/16" <i>A</i>	Adjustable				
Safety Chains			DOT Co	mpliant				
Tongue Jack			7K Drop-Le	g, Set-Back				
Wall Studs		Steel Tube, 16" On-Center						
Roof Bows		Steel Tube, 16" On-Center						
Front Profile		Flat						
Beavertail	32"			48"				
Ramp(s)			Bullnose Cap, (2) Re					
Side Door		48" Aluminum Pเ	ıll-Out Step, 48" Wide	·	ıminum Holdback			
Vents			• • • • • • • • • • • • • • • • • • • •	, Sidewall Airflow				
Fenders				Aluminum				
Axle		(2) 52	200 lb. Torsion Brake,	· ·	ıration			
Hubs				Lube				
Breakaway			•	h, and Lanyard				
Tires				R15D 8-PR				
Wheels			·	e Aluminum 				
Exterior Finish				luminum				
Undercoating Exterior Fastening				notive L(Sorowlood)				
Exterior rastening	E E" Dottom Ext	rusian Hasyy Duty Tr		l (Screwless)	uminum Doof Corner	Ctainless Ctasl		
Exterior Trim	5.5 BOLLOIN EXT		uck Body Top Extrusi Radius Corners, Stair			s, Stailliess Steel		
Stone Guard				ATP	y			
Rear Spoiler				el Flare with Taper				
Roof				less Aluminum				
Roof Cap			•	ss Steel				
Interior Walls				, Engineered Wood				
Interior Trim			•	m Wall Transitions				
Ceiling		Insulation. Vinvl	Ceiling Transitions, V		Aluminum Coves			





9/16/24 | 221



SHADOW GT FLAT TOP FLAT FRONT 10K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30		
Flooring		3/4" Engineered Wood						
Interior Lights		(2) 11" LED						
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V							
Cargo Control	(4) 5000 lb. Recessed D-Rings							
Connector Plug	Round 7-pin Blade							
Exterior Lights	(2) Rear LE	(2) Rear LED Loading, (4) Additional Stop/Turn/Tail, Full LED, DOT Compliant, Integrated Backup/Taillights						
HVAC			Bracing and \	Vire for HVAC				





	8.5 x 32
Model #	KP10232PRFBRT-100
SKU #	1L8P825
MSRP	\$25,100
	\$23,100
CAPACITIES	
GVWR (lbs)	9900
GAWR (lbs/axle)	5000
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	12" Extension, 8" x 2" Steel Triple Tube
Crossmembers	Formed Steel, 16" On-Center
Coupler	2-5/16" Adjustable
Safety Chains	DOT Compliant
Tongue Jack	7K Drop-Leg, Set-Back
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	Flat
Beavertail	48"
Ramp(s)	16" Extension with Bullnose Cap, (2) Recessed Cam Locks, 4000 lb. with Assist
Side Door	48" Aluminum Pull-Out Step, 48" Wide Flush Lock, Cast Aluminum Holdback
Vents	(1) Manual Roof, Sidewall Airflow
Fenders	Extruded Aluminum
Axle	(2) 5200 lb. Torsion Brake, Spread Axle Configuration
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST225/75R15D 8-PR
Wheels	15", 6-Hole Aluminum
Exterior Finish	.040" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	5.5" Bottom Extrusion, Heavy Duty Truck Body Top Extrusion, Polished Cast Aluminum Roof Corners, Stainless Steel
	Radius Corners, Stainless Steel Rear Hoop
Stone Guard	24" ATP
Rear Spoiler	6" Stainless Steel Flare with Taper
Roof	Flat Top Seamless Aluminum
Roof Cap	Stainless Steel
Interior Walls	Aluminum Overlay, Engineered Wood
Interior Trim	Extruded Aluminum Wall Transitions
Ceiling	Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves
Flooring	3/4" Engineered Wood
Interior Lights	(2) 11" LED





9/16/24 | 223



SHADOW GT FLAT TOP FLAT FRONT 10K

	8.5 x 32
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade
Exterior Lights	(2) Rear LED Loading, (4) Additional Stop/Turn/Tail, Full LED, DOT Compliant, Integrated Backup/Taillights
HVAC	Bracing and Wire for HVAC





	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30			
B0 - 1 - 1 //	KP10220PRFBRT-	KP10222PRFBRT-	KP10224PRFBRT-	KP10226PRFBRT-	KP10228PRFBRT-	KP10230PRFBRT-			
Model #	140	140	140	140	140	140			
SKU #	1L5P925	1L6P525	1L7P125	1L7P725	1L9P325	1L9P925			
MSRP	\$21,233	\$22,033	\$22,833	\$23,633	\$25,766	\$26,566			
CAPACITIES									
GVWR (lbs)			14	000					
GAWR (lbs/axle)		6000			7000				
CHASSIS									
Frame		8" x 2" Steel Tube							
Tongue			12" Extension, 8" x	2" Steel Triple Tube					
Crossmembers			Formed Steel,	16" On-Center					
Coupler			2-5/16" <i>A</i>	Adjustable					
Safety Chains			DOT Co	mpliant					
Tongue Jack		7K Drop-Leg, Set-Back							
Wall Studs		Steel Tube, 16" On-Center							
Roof Bows		Steel Tube, 16" On-Center							
Front Profile		Flat							
Beavertail	32"			48"					
Ramp(s)		16" Extension with Bullnose Cap, (2) Recessed Cam Locks, 4000 lb. with Assist							
Side Door		48" Aluminum Pu	ıll-Out Step, 48" Wide	•	uminum Holdback				
Vents				, Sidewall Airflow					
Fenders				Aluminum					
Axle		(2) 70	000 lb. Torsion Brake, _	•	ıration				
Hubs			•	Lube					
Breakaway			•	h, and Lanyard					
Tires				R16E 10-PR					
Wheels			·	e Aluminum					
Exterior Finish				luminum notive					
Undercoating Exterior Fastening				l (Screwless)					
Exterior rastelling	5 5" Rottom Evt	rucion Heavy Duty Tr	uck Body Top Extrusi	,	uminum Poof Corner	c Stainlass Staal			
Exterior Trim	J.J BULLOIII EXT		Radius Corners, Stair	•		s, Stailliess Steel			
Stone Guard			•	ATP	y				
Rear Spoiler				l Flare with Taper					
Roof				less Aluminum					
Roof Cap			•	ss Steel					
Interior Walls			Aluminum Overlay	, Engineered Wood					
Interior Trim			•	m Wall Transitions					
Ceiling		Insulation, Vinyl	Ceiling Transitions, V	White Vinyl Liner with	Aluminum Coves				





9/16/24 | 225



SHADOW GT FLAT TOP FLAT FRONT 14K

	8.5 x 20	8.5 x 22	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30		
Flooring		3/4" Engineered Wood						
Interior Lights	(2) 11" LED							
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V							
Cargo Control			(4) 5000 lb. Re	cessed D-Rings				
Connector Plug	Round 7-pin Blade							
Exterior Lights	(2) Rear LED Loading, (4) Additional Stop/Turn/Tail, Full LED, DOT Compliant, Integrated Backup/Taillights							
HVAC		Bracing and Wire for HVAC						





	8.5 x 32	8.5 x 34			
Model #	KP10232PRFBRT-140	KP10234PRFBRT-140			
SKU #	2L0P525	2L1P125			
MSRP	\$27,366	\$28,166			
CAPACITIES					
GVWR (lbs)	14	000			
GAWR (lbs/axle)		000			
	70	, ou			
CHASSIS					
Frame		teel Tube			
Tongue	·	2" Steel Triple Tube			
Crossmembers		, 16" On-Center			
Coupler		Adjustable			
Safety Chains		ompliant			
Tongue Jack	•	eg, Set-Back			
Wall Studs	Steel Tube, 1	16" On-Center			
Roof Bows	Steel Tube, 1	16" On-Center			
Front Profile	Flat				
Beavertail	48"				
Ramp(s)	16" Extension with Bullnose Cap, (2) Re	ecessed Cam Locks, 4000 lb. with Assist			
Side Door	48" Aluminum Pull-Out Step, 48" Wide	e Flush Lock, Cast Aluminum Holdback			
Vents	(1) Manual Roof	, Sidewall Airflow			
Fenders	Extruded	Aluminum			
Axle	(2) 7000 lb. Torsion Brake	, Spread Axle Configuration			
Hubs	Easy	Lube			
Breakaway	Battery, Switc	h, and Lanyard			
Tires	ST235/80I	R16E 10-PR			
Wheels	16", 8-Hole	e Aluminum			
Exterior Finish	.040" A	luminum			
Undercoating	Autor	motive			
Exterior Fastening	VHB Bonded	d (Screwless)			
Exterior Trim		ion, Polished Cast Aluminum Roof Corners, Stainless Steel nless Steel Rear Hoop			
Stone Guard	24"	ATP			
Rear Spoiler	6" Stainless Stee	el Flare with Taper			
Roof	Flat Top Seam	less Aluminum			
Roof Cap	Stainle	ss Steel			
Interior Walls	Aluminum Overlay	, Engineered Wood			
Interior Trim	Extruded Aluminu	m Wall Transitions			
Ceiling	Insulation, Vinyl Ceiling Transitions, V	White Vinyl Liner with Aluminum Coves			
Flooring	3/4" Engin	eered Wood			
Interior Lights	(2) 1	1" LED			





9/16/24 | 227



SHADOW GT FLAT TOP FLAT FRONT 14K

	8.5 x 32	8.5 x 34
Switches	(1) Top Fuel Dome Light, 12V,	(1) Top Fuel Load Light, 12V
Cargo Control	(4) 5000 lb. Rec	essed D-Rings
Connector Plug	Round 7-p	in Blade
Exterior Lights	(2) Rear LED Loading, (4) Additional Stop/Turn/Tail, Fu	ıll LED, DOT Compliant, Integrated Backup/Taillights
HVAC	Bracing and W	ire for HVAC





	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34		
	KP10224PRFBRT-	KP10226PRFBRT-	KP10228PRFBRT-	KP10230PRFBRT-	KP10232PRFBRT-	KP10234PRFBRT-		
Model #	160	160	160	160	160	160		
SKU #	1L9P300	1L9P900	2L0P500	2L1P100	2L1P700	2L2P300		
MSRP	\$25,733	\$26,533	\$27,333	\$28,133	\$28,933	\$29,733		
CAPACITIES								
GVWR (lbs)			16	000				
GAWR (lbs/axle)		8000						
CHASSIS								
Frame		8" x 2" Steel Tube						
Tongue			12" Extension, 8" x	2" Steel Triple Tube				
Crossmembers			Formed Steel,	16" On-Center				
Coupler			2-5/16" <i>A</i>	djustable				
Safety Chains			DOT Co	mpliant				
Tongue Jack			12K Drop-Lo	eg, Set-Back				
Wall Studs			Steel Tube, 1	6" On-Center				
Roof Bows			Steel Tube, 1	6" On-Center				
Front Profile		Flat						
Beavertail		48"						
Ramp(s)		16" Extension with Bullnose Cap, (2) Recessed Cam Locks, 4000 lb. with Assist						
Side Door		48" Aluminum Pเ	ıll-Out Step, 48" Wide		uminum Holdback			
Vents			` ,	Sidewall Airflow				
Fenders				Aluminum				
Axle		(2) 80	000 lb. Torsion Brake,		ıration			
Hubs				Bath				
Breakaway 			•	h, and Lanyard				
Tires				7.5J 18-PR				
Wheels			•	e Aluminum				
Exterior Finish				uminum				
Undercoating Exterior Fastening				notive				
exterior rastening	E E" Pottom Ext	rusion Hoovy Duty Tr	ruck Body Top Extrusi	l (Screwless)	uminum Boof Corner	Ctainless Ctasl		
Exterior Trim	5.5 BULLOIN EXT		Radius Corners, Stair			s, Stailliess Steel		
Stone Guard				ATP	y			
Rear Spoiler				l Flare with Taper				
Roof				less Aluminum				
Roof Cap			•	ss Steel				
Interior Walls				, Engineered Wood				
Interior Trim			•	m Wall Transitions				
Ceiling		Insulation, Vinvl	Ceiling Transitions, V	White Vinyl Liner with	Aluminum Coves			





9/16/24 | 229



SHADOW GT FLAT TOP FLAT FRONT 16K

	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34	
Flooring			3/4" Engin	eered Wood			
Interior Lights	(2) 11" LED						
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V						
Cargo Control			(4) 5000 lb. Re	cessed D-Rings			
Connector Plug			Round 7-	pin Blade			
Exterior Lights	(2) Rear LE	D Loading, (4) Additi	onal Stop/Turn/Tail,	Full LED, DOT Complia	ant, Integrated Backı	ıp/Taillights	
HVAC	Bracing and Wire for HVAC						





	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34	
Model #	KP10226PRFBRT-210	KP10228PRFBRT-210	KP10230PRFBRT- 210	KP10232PRFBRT-210	KP10234PRFBRT-210	
SKU #	1L9P900	2L0P010	2L0P580	2L1P700	2L2P300	
MSRP	\$26,533	\$26,680	\$27,440	\$28,933	\$29,733	
CAPACITIES						
GVWR (lbs)			21000			
GAWR (lbs/axle)			7000			
CHASSIS						
Frame	8" x 2" S	teel Tube		8" x 2" S	teel Tube	
Tongue		2" Steel Triple Tube			2" Steel Triple Tube	
Crossmembers		16" On-Center			16" On-Center	
Coupler		Adjustable			Adjustable	
Safety Chains		mpliant			mpliant	
Tongue Jack		eg, Set-Back			•	
Wall Studs		6" On-Center		12K Drop-Leg, Set-Back Steel Tube, 16" On-Center		
Roof Bows	Steel Tube, 16" On-Center			Steel Tube, 16" On-Center		
Front Profile	Flat			Flat		
Beavertail	4	8"		48"		
D (-)	16" Extension with Bullnose Cap, (2) Recessed			16" Extension with Bull	nose Cap, (2) Recessed	
Ramp(s)	Cam Locks, 400	0 lb. with Assist		Cam Locks, 4000 lb. with Assist		
Side Door	48" Aluminum Pull-Out S	tep, 48" Wide Flush Lock,		48" Aluminum Pull-Out Step, 48" Wide Flush		
Side Door	Cast Alumin	um Holdback		Cast Aluminum Holdback		
Vents		(1) Ma	nual Roof, Sidewall	Airflow		
Fenders	Extruded	Aluminum		Extruded	Aluminum	
Axle	(3) 7000 lb. Torsion	Brake, Spread Axle		(3) 7000 lb. Torsion	Brake, Spread Axle	
AAIC	Config	uration		Configuration		
Hubs		Lube		·	Lube	
Breakaway	•	h, and Lanyard		Battery, Switch, and Lanyard		
Tires	ST235/80F	R16E 10-PR			R16E 10-PR	
Wheels	·	e Aluminum		,	e Aluminum	
Exterior Finish		luminum			uminum	
Undercoating		notive		Automotive		
Exterior Fastening		l (Screwless)			l (Screwless)	
	·	eavy Duty Truck Body Top		·	eavy Duty Truck Body Top	
Exterior Trim	·	Aluminum Roof Corners,		Extrusion, Polished Cast Aluminum Roof Corr		
· · · · · · · · · · · · · · · · · · ·		Corners, Stainless Steel		Stainless Steel Radius Corners, Stainless St		
		Hoop			Hoop	
Stone Guard		ATP			ATP	
Rear Spoiler	6" Stainless Stee	l Flare with Taper		6" Stainless Stee	l Flare with Taper	





9/16/24 | 231



SHADOW GT FLAT TOP FLAT FRONT 21K

	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34	
Roof	Flat Top Seamless Al	uminum		Flat Top Seamless Aluminum		
Roof Cap	Stainless Stee	I		Stainles	s Steel	
Interior Walls	Aluminum Overlay, Engin	eered Wood		Aluminum Overlay,	Engineered Wood	
Interior Trim	Extruded Aluminum Wall	Transitions		Extruded Aluminur	n Wall Transitions	
Ceiling	Insulatio	on, Vinyl Ceiling Trans	sitions, White Vinyl	Liner with Aluminum Cove	S	
Flooring	3/4" Engineered V	/ood		3/4" Engineered Wood		
Interior Lights	(2) 11" LED			(2) 11" LED		
Switches	(1) Top Fuel Dome Light, 12V, (Light, 12V	(1) Top Fuel Load		(1) Top Fuel Dome Light, 12V, (1) Top Fue Light, 12V		
Cargo Control	(4) 5000 lb. Recessed	D-Rings		(4) 5000 lb. Red	essed D-Rings	
Connector Plug	Round 7-pin Bla	de		Round 7- _I	oin Blade	
	(2) Rear LED Loading, (4)) Additional		(2) Rear LED Load	ng, (4) Additional	
Exterior Lights	Stop/Turn/Tail, Full LED, DO	OT Compliant,		Stop/Turn/Tail, Full L	.ED, DOT Compliant,	
	Integrated Backup/Ta	aillights		Integrated Bac	kup/Taillights	
HVAC	Bracing and Wire for	HVAC		Bracing and W	/ire for HVAC	







	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34						
Model #	KP10228PRFBGNRT-100	KP10230PRFBGNRT-100	KP10232PRFBGNRT-100	KP10234PRFBGNRT-100						
SKU #	2L0P500	2L1P100	2L1P700	2L2P300						
MSRP	\$27,333	\$28,133	\$28,933	\$29,733						
CAPACITIES										
GVWR (lbs)	9900									
GAWR (lbs/axle)	5000									
CHASSIS										
Frame		8" x 2" S	teel Tube							
Tongue		Goos	eneck							
Crossmembers		Formed Steel,	16" On-Center							
Coupler		2-5/16" @	Gooseneck							
Safety Chains		DOT Co	mpliant							
Tongue Jack		Dual 12K, 2-Spe	ed Landing Gear							
Wall Studs		Steel Tube, 1	6" On-Center							
Roof Bows		Steel Tube, 1	6" On-Center							
Front Profile		F	lat							
Beavertail	48"									
Ramp(s)	16" Exte	nsion with Bullnose Cap, (2) Re	cessed Cam Locks, 4000 lb. wi	th Assist						
Side Door	48" Aluminum Pull-Out Step, 48" Wide Flush Lock, Cast Aluminum Holdback									
Access Doors		16" x 48	" in Riser							
Vents		(1) Manual Roof	, Sidewall Airflow							
Fenders		Extruded	Aluminum							
Axle		(2) 5200 lb. Torsion Brake	, Spread Axle Configuration							
Hubs		Easy	Lube							
Breakaway		Battery, Switc	h, and Lanyard							
Tires		ST225/75	R15D 8-PR							
Wheels		15", 6-Hole	e Aluminum							
Exterior Finish		.040" A	luminum							
Undercoating		Autor	notive							
Exterior Fastening		VHB Bonded	l (Screwless)							
Exterior Trim	5.5" Bottom Extrusion, ATF		Body Top Extrusion, Polished Ca ers, Stainless Steel Rear Hoop	st Aluminum Roof Corners,						
Rear Spoiler			el Flare with Taper							
Roof			less Aluminum							
Roof Cap		•	ss Steel							
Interior Walls		Aluminum Overlay	, Engineered Wood							
Interior Trim		•	m Wall Transitions							
Ceiling	Insula	tion, Vinyl Ceiling Transitions, V	White Vinyl Liner with Aluminum	Coves						
Flooring		<u> </u>	eered Wood							







	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34			
Interior Lights		(2) 1	1" LED				
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V						
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Connector Plug		Round 7-	pin Blade				
Exterior Lights	(2) Rear LED Loading	, (4) Additional Stop/Turn/Tail,	Full LED, DOT Compliant, Integra	ated Backup/Taillights			
HVAC		Bracing and Wire for HVAC					



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

9/16/24 | 233





	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34					
Model #	KP10228PRFBGNRT-140	KP10230PRFBGNRT-140	KP10232PRFBGNRT-140	KP10234PRFBGNRT-140					
SKU #	2L2P200	2L2P800	2L3P400	2L4P000					
MSRP	\$29,600	\$30,400	\$31,200	\$32,000					
CAPACITIES									
GVWR (lbs)	14000								
GAWR (lbs/axle)	7000								
CHASSIS									
Frame		8" x 2" S	teel Tube						
Tongue		Goos	eneck						
Crossmembers		Formed Steel,	16" On-Center						
Coupler		2-5/16" @	Gooseneck						
Safety Chains		DOT Co	mpliant						
Tongue Jack		Dual 12K, 2-Spe	ed Landing Gear						
Wall Studs		Steel Tube, 1	6" On-Center						
Roof Bows		Steel Tube, 1	6" On-Center						
Front Profile			lat						
Beavertail	48"								
Ramp(s)		• • • •	cessed Cam Locks, 4000 lb. wi						
Side Door	48" Alı	• •	e Flush Lock, Cast Aluminum Ho	oldback					
Access Doors			" in Riser						
Vents		``,	, Sidewall Airflow						
Fenders			Aluminum						
Axle			, Spread Axle Configuration						
Hubs		•	Lube						
Breakaway		· · · · · · · · · · · · · · · · · · ·	h, and Lanyard						
Tires Wheels		•	R16E 10-PR						
wneers Exterior Finish		•	e Aluminum Iuminum						
Undercoating			notive						
Exterior Fastening			l (Screwless)						
Exterior rastelling	5 5" Rottom Extrusion ATE		Rody Top Extrusion, Polished Ca	est Aluminum Roof Corners					
Exterior Trim	0.5 Dottom Extrasion, ATT		ers, Stainless Steel Rear Hoop	ist Aldillillillilli Roof Corners,					
Rear Spoiler			el Flare with Taper						
Roof			less Aluminum						
Roof Cap		•	ss Steel						
Interior Walls		Aluminum Overlay	, Engineered Wood						
Interior Trim		•	m Wall Transitions						
Ceiling	Insula	tion, Vinyl Ceiling Transitions, V	White Vinyl Liner with Aluminum	Coves					
Flooring		3/4" Enain	eered Wood						







8.5 x 28 8.5 x 30 8.5 x 32 8.5 x 34 **Interior Lights** (2) 11" LED **Switches** (1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V **Cargo Control** (4) 5000 lb. Recessed D-Rings **Connector Plug** Round 7-pin Blade **Exterior Lights** (2) Rear LED Loading, (4) Additional Stop/Turn/Tail, Full LED, DOT Compliant, Integrated Backup/Taillights **Bracing and Wire for HVAC HVAC**



2025 Pricing





	8.5 x 30	8.5 x 32	8.5 x 34	8.5 x 36	8.5 x 38						
	KP10230PRFBGNRT-	KP10232PRFBGNRT-	KP10234PRFBGNRT-	KP10236PRFBGNRT-	KP10238PRFBGNRT-						
Model #	150	150	150	150	150						
SKU #	2L2P800	2L3P400	2L4P000	2L4P600	2L5P200						
MSRP	\$30,400	\$31,200	\$32,000	\$32,800	\$33,600						
CAPACITIES											
GVWR (lbs)		15000									
GAWR (lbs/axle)			5000								
CHASSIS											
Frame			8" x 2" Steel Tube								
Tongue			Gooseneck								
Crossmembers		F	ormed Steel, 16" On-Cent	er							
Coupler			2-5/16" Gooseneck								
Safety Chains			DOT Compliant								
Tongue Jack		Dua	al 12K, 2-Speed Landing (Gear							
Wall Studs			Steel Tube, 16" On-Cente	r							
Roof Bows			Steel Tube, 16" On-Cente	r							
Front Profile			Flat								
Beavertail			48"								
Ramp(s)	16	16" Extension with Bullnose Cap, (2) Recessed Cam Locks, 4000 lb. with Assist									
Side Door	•	48" Aluminum Pull-Out S	tep, 48" Wide Flush Lock,	Cast Aluminum Holdbac	k						
Access Doors			16" x 48" in Riser								
Vents		(1)	Manual Roof, Sidewall Air	rflow							
Fenders			Extruded Aluminum								
Axle		(3) 5200 lb. To	orsion Brake, Spread Axle	Configuration							
Hubs			Easy Lube								
Breakaway		В	attery, Switch, and Lanya	rd							
Tires			ST225/75R15D 8-PR								
Wheels			15", 6-Hole Aluminum								
Exterior Finish			.040" Aluminum								
Undercoating			Automotive								
Exterior Fastening	F F" Dottom Extrucio	on ATD Diggs Well Heavy	VHB Bonded (Screwless) Duty Truck Body Top Ext		minum Doof Corners						
Exterior Trim	5.5 BORROW EXTRASTO	•	Radius Corners, Stainless	•	minum Roof Comers,						
Rear Spoiler			tainless Steel Flare with 1	•							
Roof		F	lat Top Seamless Aluminu	ım							
Roof Cap			Stainless Steel								
Interior Walls		Alum	inum Overlay, Engineered	Wood							
Interior Trim		Extru	ded Aluminum Wall Trans	sitions							
Ceiling		Insulation, Vinyl Ceiling 1	Transitions, White Vinyl Li	iner with Aluminum Cove	s						







	8.5 x 30	8.5 x 32	8.5 x 34	8.5 x 36	8.5 x 38			
Flooring	3/4" Engineered Wood							
Interior Lights	(2) 11" LED							
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V							
Cargo Control		(4) 5000 lb. Recessed D-Rir	igs				
Connector Plug			Round 7-pin Blade					
Exterior Lights	(2) Rear LED Lo	ading, (4) Additional Sto	p/Turn/Tail, Full LED, DOT	Compliant, Integrated Ba	ackup/Taillights			
HVAC	Bracing and Wire for HVAC							







	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34						
Model #	KP10228PRFBGNRT-160	KP10230PRFBGNRT-160	KP10232PRFBGNRT-160	KP10234PRFBGNRT-160						
SKU #	2L5P900	2L6P500	2L7P100	2L7P700						
MSRP	\$34,533	\$35,333	\$36,133	\$36,933						
CAPACITIES										
GVWR (lbs)		16	000							
GAWR (lbs/axle)	8000									
CHASSIS										
Frame		8" x 2" S	teel Tube							
Tongue		Goos	eneck							
Crossmembers		Formed Steel,	16" On-Center							
Coupler		2-5/16" @	Gooseneck							
Safety Chains		DOT Co	ompliant							
Tongue Jack		Dual 12K, 2-Spe	ed Landing Gear							
Wall Studs		Steel Tube, 1	6" On-Center							
Roof Bows		Steel Tube, 1	6" On-Center							
Front Profile			lat							
Beavertail	48"									
Ramp(s)		• • • •	cessed Cam Locks, 4000 lb. wi							
Side Door	48" Alı	• •	Flush Lock, Cast Aluminum Ho	oldback						
Access Doors			" in Riser							
Vents		``,	, Sidewall Airflow							
Fenders			Aluminum							
Axle		· · ·	, Spread Axle Configuration							
Hubs			Bath							
Breakaway		•	h, and Lanyard							
Tires		·	7.5J 18-PR							
Wheels Exterior Finish		·	le Aluminum							
			luminum notive							
Undercoating Exterior Fastening			l (Screwless)							
exterior rastelling	5 5" Rottom Extrusion ATE		r (Screwiess) Body Top Extrusion, Polished Ca	set Aluminum Poof Cornare						
Exterior Trim	J.J BULLOIII EXTRUSION, ATF		ers, Stainless Steel Rear Hoop	ist Aluminum Roof Comers,						
Rear Spoiler			el Flare with Taper							
Roof			less Aluminum							
Roof Cap		·	ss Steel							
Interior Walls			, Engineered Wood							
Interior Trim		•	m Wall Transitions							
Ceiling	Insula	tion, Vinyl Ceiling Transitions, V	White Vinyl Liner with Aluminum	Coves						
Flooring		<u> </u>	eered Wood							







SHADOW GT GOOSENECK RACE

SHADOW GT FLAT TOP FLAT FRONT 16K

	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34			
Interior Lights		(2) 1	1" LED				
Switches		(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V					
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Connector Plug		Round 7-	pin Blade				
Exterior Lights	(2) Rear LED Loading,	(4) Additional Stop/Turn/Tail,	Full LED, DOT Compliant, Integra	ated Backup/Taillights			
HVAC	Bracing and Wire for HVAC						



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

2025 Pricing





	8.5 x 40	8.5 x 42	8.5 x 44	8.5 x 46	8.5 x 48	8.5 x 50		
	KP10240PRFBGNRT-	KP10242PRFBGNRT-	KP10244PRFBGNRT-	KP10246PRFBGNRT-	KP10248PRFBGNRT-	KP10250PRFBGNRT-		
Model #	210	210	210	210	210	210		
SKU #	2L9P500	3L0P100	3L0P700	3L1P300	3L1P900	3L2P500		
MSRP	\$39,333	\$40,133	\$40,933	\$41,733	\$42,533	\$43,333		
CAPACITIES								
GVWR (lbs)			21	000				
GAWR (lbs/axle)			70	00				
CHASSIS								
Frame			8" x 2" S	teel Tube				
Tongue			Goos	eneck				
Crossmembers			Formed Steel,	16" On-Center				
Coupler			2-5/16" G	ooseneck				
Safety Chains			DOT Co	mpliant				
Tongue Jack			Dual 12K, 2-Spe	ed Landing Gear				
Wall Studs			Steel Tube, 1	6" On-Center				
Roof Bows			Steel Tube, 1	6" On-Center				
Front Profile			Fl	at				
Beavertail		48"						
Ramp(s)		16" Extension with Bullnose Cap, (2) Recessed Cam Locks, 4000 lb. with Assist						
Side Door		48" Aluminum I	Pull-Out Step, 48" Wide	Flush Lock, Cast Alun	ninum Holdback			
Access Doors			16" x 48	" in Riser				
Vents			(1) Manual Roof	Sidewall Airflow				
Fenders			Extruded	Aluminum				
Axle		(3)	7000 lb. Torsion Brake,	Spread Axle Configura	ation			
Hubs			Easy	Lube				
Breakaway			•	h, and Lanyard				
Tires			ST235/80F	R16E 10-PR				
Wheels			16", 8-Hole	Aluminum				
Exterior Finish			.040" A	uminum				
Undercoating				notive				
Exterior Fastening				(Screwless)				
Exterior Trim	5.5" Bottom Extrusio	n, ATP Riser Wall, Hea	vy Duty Truck Body Top Radius Corners, Staiı	Extrusion, Polished C nless Steel Rear Hoop	ast Aluminum Roof Co	rners, Stainless Steel		
Rear Spoiler			6" Stainless Stee	l Flare with Taper				
Roof			Flat Top Seam	less Aluminum				
Roof Cap			Stainle	ss Steel				
Interior Walls			Aluminum Overlay	, Engineered Wood				
Interior Trim			Extruded Aluminu	m Wall Transitions				
Ceiling		Insulation, Viny	/I Ceiling Transitions, V	hite Vinyl Liner with A	Aluminum Coves			
Flooring			3/4" Engino	eered Wood				
Interior Lights			(2) 1	" LED				
Switches		(1) To _l	p Fuel Dome Light, 12V	, (1) Top Fuel Load Lig	ht, 12V			







	8.5 x 40	8.5 x 42	8.5 x 44	8.5 x 46	8.5 x 48	8.5 x 50	
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Connector Plug	Round 7-pin Blade						
Exterior Lights	(2) Rea	r LED Loading, (4) Addit	ional Stop/Turn/Tail,	Full LED, DOT Complian	t, Integrated Backup/ ⁻	Taillights	
HVAC			Bracing and '	Wire for HVAC			







	8.5 x 52
Model #	KP10252PRFBGNRT-210
SKU #	3L3P100
MSRP	\$44,133
CAPACITIES	V.1,100
GVWR (lbs)	21000
GAWR (lbs/axle)	7000
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	Gooseneck
Crossmembers	Formed Steel, 16" On-Center
Coupler	2-5/16" Gooseneck
Safety Chains	DOT Compliant
Tongue Jack	Dual 12K, 2-Speed Landing Gear
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	Flat
Beavertail	48"
Ramp(s)	16" Extension with Bullnose Cap, (2) Recessed Cam Locks, 4000 lb. with Assist
Side Door	48" Aluminum Pull-Out Step, 48" Wide Flush Lock, Cast Aluminum Holdback
Access Doors	16" x 48" in Riser
Vents	(1) Manual Roof, Sidewall Airflow
Fenders	Extruded Aluminum
Axle	(3) 7000 lb. Torsion Brake, Spread Axle Configuration
Hubs	Easy Lube
Breakaway	Battery, Switch, and Lanyard
Tires	ST235/80R16E 10-PR
Wheels	16", 8-Hole Aluminum
Exterior Finish	.040" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	5.5" Bottom Extrusion, ATP Riser Wall, Heavy Duty Truck Body Top Extrusion, Polished Cast Aluminum Roof Corners, Stainless Steel
D O 'I	Radius Corners, Stainless Steel Rear Hoop
Rear Spoiler	6" Stainless Steel Flare with Taper
Roof	Flat Top Seamless Aluminum
Roof Cap	Stainless Steel
Interior Walls	Aluminum Overlay, Engineered Wood Extruded Aluminum Wall Transitions
Interior Trim	
Ceiling	Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves
Flooring	3/4" Engineered Wood
Interior Lights	(2) 11" LED
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade



 $Specifications \ and \ Pricing \ subject \ to \ change \ without \ notice, \ please \ reference \ confirmation \ sheet \ for \ final \ pricing.$





	8.5 x 52
Exterior Lights	(2) Rear LED Loading, (4) Additional Stop/Turn/Tail, Full LED, DOT Compliant, Integrated Backup/Taillights
HVAC	Bracing and Wire for HVAC







	8.5 x 40	8.5 x 42	8.5 x 44	8.5 x 46	8.5 x 48	8.5 x 50		
	KP10240PRFBGNRT-	KP10242PRFBGNRT-	KP10244PRFBGNRT-	KP10246PRFBGNRT-	KP10248PRFBGNRT-	KP10250PRFBGNRT-		
Model #	240	240	240	240	240	240		
SKU #	3L1P300	3L1P900	3L2P500	3L3P100	3L3P700	3L4P300		
MSRP	\$41,733	\$42,533	\$43,333	\$44,133	\$44,933	\$45,733		
CAPACITIES								
GVWR (lbs)			24	000				
GAWR (lbs/axle)			80	00				
CHASSIS								
Frame			8" x 2" S	teel Tube				
Tongue			Goos	eneck				
Crossmembers			Formed Steel,	16" On-Center				
Coupler			2-5/16" G	ooseneck				
Safety Chains			DOT Co	mpliant				
Tongue Jack			Dual 12K, 2-Spe	ed Landing Gear				
Wall Studs			Steel Tube, 1	6" On-Center				
Roof Bows			Steel Tube, 1	6" On-Center				
Front Profile	Flat							
Beavertail	48"							
Ramp(s)		16" Extension with Bullnose Cap, (2) Recessed Cam Locks, 4000 lb. with Assist						
Side Door		48" Aluminum I	Pull-Out Step, 48" Wide	Flush Lock, Cast Alun	ninum Holdback			
Access Doors			16" x 48	" in Riser				
Vents			(1) Manual Roof	Sidewall Airflow				
Fenders			Extruded	Aluminum				
Axle		(3)	8000 lb. Torsion Brake,	Spread Axle Configura	ation			
Hubs			Oil	Bath				
Breakaway			Battery, Switc	h, and Lanyard				
Tires			215/75R1	7.5J 18-PR				
Wheels			17.5", 8-Ho	e Aluminum				
Exterior Finish			.040" A	uminum				
Undercoating				notive				
Exterior Fastening				(Screwless)				
Exterior Trim	5.5" Bottom Extrusio	n, ATP Riser Wall, Hea	vy Duty Truck Body Top Radius Corners, Stair	Extrusion, Polished C nless Steel Rear Hoop	ast Aluminum Roof Co	rners, Stainless Steel		
Rear Spoiler			6" Stainless Stee	l Flare with Taper				
Roof			Flat Top Seam	less Aluminum				
Roof Cap			Stainle	ss Steel				
Interior Walls			Aluminum Overlay	, Engineered Wood				
Interior Trim		Extruded Aluminum Wall Transitions						
Ceiling		Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves						
Flooring			3/4" Engino	eered Wood				
Interior Lights			(2) 1	" LED				
Switches		(1) To _l	p Fuel Dome Light, 12V	, (1) Top Fuel Load Lig	ht, 12V			







	8.5 x 40	8.5 x 42	8.5 x 44	8.5 x 46	8.5 x 48	8.5 x 50		
Cargo Control	(4) 5000 lb. Recessed D-Rings							
Connector Plug	Round 7-pin Blade							
Exterior Lights	(2) Rear LED Loading, (4) Additional Stop/Turn/Tail, Full LED, DOT Compliant, Integrated Backup/Taillights							
HVAC			Bracing and '	Wire for HVAC				







	8.5 x 52
Model #	KP10252PRFBGNRT-240
SKU #	3L4P900
MSRP	\$46,533
CAPACITIES	
GVWR (lbs)	24000
GAWR (lbs/axle)	8000
CHASSIS	
Frame	8" x 2" Steel Tube
Tongue	Gooseneck
Crossmembers	Formed Steel, 16" On-Center
Coupler	2-5/16" Gooseneck
Safety Chains	DOT Compliant
Tongue Jack	Dual 12K, 2-Speed Landing Gear
Wall Studs	Steel Tube, 16" On-Center
Roof Bows	Steel Tube, 16" On-Center
Front Profile	Flat
Beavertail	48"
Ramp(s)	16" Extension with Bullnose Cap, (2) Recessed Cam Locks, 4000 lb. with Assist
Side Door	48" Aluminum Pull-Out Step, 48" Wide Flush Lock, Cast Aluminum Holdback
Access Doors	16" x 48" in Riser
Vents	(1) Manual Roof, Sidewall Airflow
Fenders	Extruded Aluminum
Axle	(3) 8000 lb. Torsion Brake, Spread Axle Configuration
Hubs	Oil Bath
Breakaway	Battery, Switch, and Lanyard
Tires	215/75R17.5J 18-PR
Wheels	17.5", 8-Hole Aluminum
Exterior Finish	.040" Aluminum
Undercoating	Automotive
Exterior Fastening	VHB Bonded (Screwless)
Exterior Trim	5.5" Bottom Extrusion, ATP Riser Wall, Heavy Duty Truck Body Top Extrusion, Polished Cast Aluminum Roof Corners, Stainless Steel
	Radius Corners, Stainless Steel Rear Hoop
Rear Spoiler	6" Stainless Steel Flare with Taper
Roof	Flat Top Seamless Aluminum
Roof Cap	Stainless Steel
Interior Walls	Aluminum Overlay, Engineered Wood
Interior Trim	Extruded Aluminum Wall Transitions
Ceiling	Insulation, Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves
Flooring	3/4" Engineered Wood
Interior Lights	(2) 11" LED
Switches	(1) Top Fuel Dome Light, 12V, (1) Top Fuel Load Light, 12V
Cargo Control	(4) 5000 lb. Recessed D-Rings
Connector Plug	Round 7-pin Blade



 $Specifications \ and \ Pricing \ subject \ to \ change \ without \ notice, \ please \ reference \ confirmation \ sheet \ for \ final \ pricing.$





	8.5 x 52
Exterior Lights	(2) Rear LED Loading, (4) Additional Stop/Turn/Tail, Full LED, DOT Compliant, Integrated Backup/Taillights
HVAC	Bracing and Wire for HVAC







	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34		
Model #	KP10224PRFBSRT-	KP10226PRFBSRT-	KP10228PRFBSRT-	KP10230PRFBSRT-	KP10232PRFBSRT-	KP10234PRFBSRT-		
Model #	BP-210	BP-210	BP-210	BP-210	BP-210	BP-210		
SKU #	4L6P250	4L6P875	4L9P875	5L0P500	5L1P125	5L1P750		
MSRP	\$61,666	\$62,500	\$66,500	\$67,333	\$68,166	\$69,000		
CAPACITIES								
GVWR (lbs)			21	000				
GAWR (lbs/axle)			70	000				
CHASSIS								
Frame			8" x 2" S	teel Tube				
Tongue			6" Extension, 8" x	2" Steel Triple Tube				
Crossmembers			Formed Steel,	16" On-Center				
Coupler			2-5/16" <i>A</i>	Adjustable				
Safety Chains			DOT Co	ompliant				
Tongue Jack			6K Hy	draulic				
Wall Studs			Steel 3" x 1" Tub	e, 16" On-Center				
Roof Bows			Steel Tube, 1	12" On-Center				
Front Profile			F	lat				
Ramp(s)		16" Extension with	Bullnose Cap, (2) Re	cessed Cam Locks, 4	1000 lb. with Assist			
Side Door		60" Aluminum Pull-Out Step, 60" Wide Double Flush Lock, Cast Aluminum Holdback						
Access Doors			36" x 33"	Generator				
Vents			(1) Manual Roof	, Sidewall Airflow				
Fenders			Extruded	Aluminum				
Axle		(3) 70	000 lb. Torsion Brake	, Spread Axle Configu	ıration			
Hubs			Easy	Lube				
Breakaway			Battery, Switc	h, and Lanyard				
Tires			ST235/80I	R16E 10-PR				
Wheels			16", 8-Hole	e Aluminum				
Exterior Finish				omposite				
Undercoating				notive				
Exterior Fastening				d (Screwless)				
Exterior Trim	5.5" Bottom Exti			ion, Polished Cast Al		s, Stainless Steel		
				nless Steel Rear Hoo	p			
Stone Guard				ATP				
Rear Spoiler				el Flare with Taper				
Roof			•	less Aluminum				
Roof Cap				ss Steel				
Exterior Accessories		Bogey Wheels						
Interior Walls	Aluminum Overlay, Engineered Wood							
Interior Trim		36" Carpet Wall Liner, Extruded Aluminum Wall Transitions						
Ceiling		Insulation, Vinyl	Ceiling Transitions, V	White Vinyl Liner with	Aluminum Coves			



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

© 2025 Novae LLC





	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 30	8.5 x 32	8.5 x 34	
Flooring		3/4"	Engineered Wood, Bl	ack Rubber Tread Ov	erlay		
Interior Lights			(10) 1 ⁻	1" LED			
Switches			(3) Pair Top Fu	ıel 3-Way, 12V			
Fixtures	24" Full-Height Wardrobe, L-Shaped Base Cabinet, L-Shaped Overhead Cabinet, Storage Loft						
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Interior Accessories	8' Removable Wall-Mount Ladder						
Connector Plug			Round 7-	pin Blade			
Exterior Lights	(2) 22" Rear Ram	p LED Loading, (6) A	\dditional Stop/Turn/	Tail, Full LED, DOT Co	mpliant, Integrated I	Backup/Taillights	
Hydraulic Components	14' 4-Pos	t Auto Lift		16' 4-Pos	t Auto Lift		
12v Electrical	12 Volt DC 24 Battery, Stereo with 4 Speakers, Subwoofer, USB Port and Receptacle						
110v Electrical	(1) Exterior GFI Receptacle, (4) Interior Receptacles, 50 Amp Motor Base Plug, 50 Amp Power Converter, 50 Amp Power					ter, 50 Amp Power	
Cord, 50 Amp Service Panel, Air Compressor Prep, Generator Prep with Transfer					ep with Transfer Swit	ch	
HVAC			Bracing and V	Vire for HVAC			







	8.5 x 24	8.5 x 26	8.5 x 28	- 8.5 x 34						
Model #	KP10224PRFBSRT-BP-240	KP10226PRFBSRT-BP-240	KP10228PRFBSRT-BP-240	KP10234PRFBSRT-BP-240						
SKU #	5L1P250	5L1P875	5L4P875	5L6P750						
MSRP	\$68,333	\$69,166	\$73,166	\$75,666						
CAPACITIES										
GVWR (lbs)		24000								
GAWR (lbs/axle)	8000									
CHASSIS										
Frame		8" x 2" S	teel Tube							
Tongue		6" Extension, 8" x :	2" Steel Triple Tube							
Crossmembers		Formed Steel,	16" On-Center							
Coupler		2-5/16" <i>A</i>	Adjustable							
Safety Chains		DOT Co	mpliant							
Tongue Jack		6K Hy	draulic							
Wall Studs		Steel 3" x 1" Tub	e, 16" On-Center							
Roof Bows		Steel Tube, 1	2" On-Center							
Front Profile	Flat									
Ramp(s)	16" Extension with Bullnose Cap, (2) Recessed Cam Locks, 4000 lb. with Assist									
Side Door	60" Alumini	ım Pull-Out Step, 60" Wide Do	uble Flush Lock, Cast Aluminu	m Holdback						
Access Doors		36" x 33"	Generator							
Vents		• • • • • • • • • • • • • • • • • • • •	, Sidewall Airflow							
Fenders		Extruded	Aluminum							
Axle			Spread Axle Configuration							
Hubs			Bath							
Breakaway		· ·	h, and Lanyard							
Tires			7.5J 18-PR							
Wheels		17.5", 8-Ho	le Aluminum							
Exterior Finish			omposite							
Undercoating			notive							
Exterior Fastening			l (Screwless)							
Exterior Trim	5.5" Bottom Extrusion, Heav		on, Polished Cast Aluminum R nless Steel Rear Hoop	Roof Corners, Stainless Steel						
Stone Guard			ATP							
Rear Spoiler		6" Stainless Stee	l Flare with Taper							
Roof			less Aluminum							
Roof Cap		•	ss Steel							
Exterior Accessories		Bogey	Wheels							
Interior Walls			, Engineered Wood							
Interior Trim		•	ed Aluminum Wall Transitions							
Ceiling	Insulati	•	Vhite Vinyl Liner with Aluminui	m Coves						







	8.5 x 24	8.5 x 26	8.5 x 28	8.5 x 34				
Flooring	3/4" Engineered Wood, Black Rubber Tread Overlay							
Interior Lights		(10) 1	11" LED					
Switches		(3) Pair Top F	uel 3-Way, 12V					
Fixtures	24" Full-Height Wardrobe, L-Shaped Base Cabinet, L-Shaped Overhead Cabinet, Storage Loft							
Cargo Control	(4) 5000 lb. Recessed D-Rings							
Interior Accessories	8' Removable Wall-Mount Ladder							
Connector Plug		Round 7	-pin Blade					
Exterior Lights	(2) 22" Rear Ramp LED Load	ing, (6) Additional Stop/Turn,	Tail, Full LED, DOT Compliant,	Integrated Backup/Taillights				
Hydraulic Components	14' 4-Post	: Auto Lift	16' 4-Pos	t Auto Lift				
12v Electrical	12 Volt DC 2	24 Battery, Stereo with 4 Spea	kers, Subwoofer, USB Port and	l Receptacle				
110v Electrical	(1) Exterior GFI Receptacle	e, (4) Interior Receptacles, 50	Amp Motor Base Plug, 50 Amp	Power Converter, 50 Amp				
I IUV EIECTLICAI	Power Cord, 50 A	mp Service Panel, Air Compr	essor Prep, Generator Prep wit	h Transfer Switch				
HVAC	Bracing and Wire for HVAC							



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

9/16/24 | 251





HIGHMARK FLAT TOP SLOPED V-NOSE 7K

	7 x 19	7 x 23	7 x 27	7 x 29					
Model #	KP8419KASVA-070	KP8423KASVA-070	KP8427KASVA-070	KP8429KASVA-070					
SKU #	9L1P50	9L6P50	1L0P150	1L0P800					
MSRP	\$12,200	\$12,866	\$13,533	\$14,400					
CAPACITIES									
GVWR (lbs)	7000								
GAWR (lbs/axle)		3500							
CHASSIS									
Frame		5" x 2" Double Hollow Alumin	um Tube						
Tongue	5" :	x 3" Double Hollow Aluminum	Straight Tube						
Crossmembers		Aluminum Tube, 16" On-C	enter						
Coupler		2-5/16" Straight Demo	00						
Safety Chains		DOT Compliant							
Tongue Jack		2K Frame Mounted							
Wall Studs		Aluminum Tube, 16" On-C	enter						
Roof Bows		Aluminum Tube, 16" On-C	enter						
Front Profile		60" Aero Wedge							
Ramp(s)	12" Extension (Both	Ramps), 61" Front Wedge with	Assist, Aluminum with As	ssist					
Side Door	32" Wide Flush Lock, Wire Holdback	36" V	Vide Flush Lock, Wire Holo	lback					
Vents		Sidewall Airflow							
Fenders		Smooth Aluminum							
Axle		(2) 3500 lb. Drop Spring I	Brake						
Hubs		Easy Lube							
Breakaway		Battery, Switch, and Lan	yard						
Tires		ST205/75R15C 6-PR	1						
Wheels	15",	5-Hole Steel, Center Caps and	Beauty Rings1						
Exterior Finish		.030" Aluminum							
Exterior Fastening		VHB Bonded (Screwles	ss)						
Exterior Trim	1.5" Bot	tom Extrusion, 2.5" Top Extrus	ion, ATP Nose Cap						
Stone Guard		16" ATP							
Rear Spoiler		9" Flare							
Roof		Flat Top Seamless Alumi	num						
Interior Walls		Engineered Wood							
Interior Trim	3/4" Engineered V	lood Kickplate, 12" Tall, Engine	eered Wood Wall Transition	ns					
Ceiling		Lauan Strip							
Flooring		3/4" Engineered Woo	d						
Interior Lights		(2) LED							
Switches		(1) Dome Light, 12V, (2) Load	<u> </u>						
Cargo Control		(9) 2.5K Recessed D-Ri	ngs						
Connector Plug		Round 7-pin Blade							





HIGHMARK ALUMINUM MOTORSPORT

HIGHMARK FLAT TOP SLOPED V-NOSE 7K

7 x 19 7 x 23 7 x 27 7 x 29 (1) Front LED Loading, (1) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights **Exterior Lights**



Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.

2025 Pricing





HIGHMARK DELUXE FLAT TOP AERO WEDGE 7K

	7 x 19	7 x 23	7 x 27	7 x 29	7.5 x 17	7.5 x 19
Model #	KP8419ADSVA-070	KP8423ADSVA- 070	KP8427ADSVA- 070	KP8429ADSVA- 070	KP9017ADSVA-070	KP9019ADSVA-070
SKU #	9L9P25	1L0P825	1L1P640	1L1P940	1L0P500	1L1P250
MSRP	\$13,233	\$14,433	\$15,520	\$15,920	\$14,000	\$15,000
CAPACITIES						
GVWR (lbs)			700	ın		
GAWR (lbs/axle)			350			
CHASSIS			000	.•		
	- 11	011 011 111			(" 0" D 11 11 11	
Frame	5" X	2" Double Hollow	Aluminum Tube			ow Aluminum Tube
Tongue	5" x 3" Double H	Iollow Aluminum St	raight Tube, Max E	xtension		ow Aluminum Triple Extension
Crossmembers			Aluminum Tube,	16" On-Center		
Coupler		2-5/16" Straigh			2-5/16" A	djustable
Safety Chains			DOT Con	npliant		
Tongue Jack		2K Frame Mo			5K Drop-Leg, F	rame Mounted
Wall Studs			Aluminum Tube,			
Roof Bows			Aluminum Tube,			
Front Profile			60" Aero			
Ramp(s)		ith Hingeless Brack	cets (Both Ramps),	61" Front Wedge v	vith Assist, Aluminum	with Assist
Side Door	32" Wide Flush Lock, Cast Aluminum Holdback	36" Wide Flus	h Lock, Cast Alumi	num Holdback		ck, Cast Aluminum back
Access Doors			(2) 14" x ⁻	14" Fuel		
Vents			Sidewall	Airflow		
Fenders			Smooth A	luminum		
Axle			(2) 3500 lb. Dro	p Spring Brake		
Hubs			Easy L	_ube		
Breakaway			Battery, Switch	•		
Tires			ST205/75R			
Wheels			15", 5-Hole			
Exterior Finish		.030	" Aluminum, Two-T		trip	
Exterior Fastening			VHB Bonded	` ,		
Exterior Trim	2.5"	Top Extrusion, 3" B	•	• •	r Matching Rear Hoop)
Stone Guard			24" A			
Rear Spoiler			9" Fl			
Roof			Flat Top Seamle			
Interior Walls		2/4" Fw:	9mm Whi	•	l Transitions	
Interior Trim			ed Wood Kickplate,	• •		
Ceiling		villyi ceiling II	ransitions, White V	myı Liner with Alur	minum coves	





HIGHMARK DELUXE FLAT TOP AERO WEDGE 7K

	7 x 19	7 x 23	7 x 27	7 x 29	7.5 x 17	7.5 x 19			
Flooring			3/4" Engine	ered Wood					
Interior Lights		(2) 11" LED							
Switches		(1)	Dome Light, 12V,	(2) Load Light, 12V	1				
Cargo Control			(9) 2.5K Reces	sed D-Rings					
Connector Plug		Round 7-pin Blade							
Exterior Lights	(1) Front LED	Loading, (2) Rear I	LED Loading, Full L	ED, DOT Compliant	, Integrated Backup/1	Taillights			







HIGHMARK DELUXE FLAT TOP AERO WEDGE 7K

	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27	7.5 x 29	7.5 x 31				
	KP9021ADSVA-	KP9023ADSVA-	KP9025ADSVA-	KP9027ADSVA-	KP9029ADSVA-	KP9031ADSVA-				
Model #	070	070	070	070	070	070				
SKU #	1L1P550	1L2P000	1L2P500	1L3P250	1L3P750	1L4P250				
MSRP	\$15,400	\$16,000	\$16,666	\$17,666	\$18,333	\$19,000				
CAPACITIES										
GVWR (lbs)	7000									
GAWR (lbs/axle)			35	500						
CHASSIS										
Frame			6" x 2" Double Holl	ow Aluminum Tube						
Tongue		6" x 2" D	ouble Hollow Alumin	um Triple Tube, Max	Extension					
Crossmembers			Aluminum Tube	e, 16" On-Center						
Coupler			2-5/16" <i>A</i>	Adjustable						
Safety Chains			DOT Co	mpliant						
Tongue Jack			5K Drop-Leg, F	rame Mounted						
Wall Studs			Aluminum Tube	e, 16" On-Center						
Roof Bows			Aluminum Tube	e, 16" On-Center						
Front Profile			60" Aer	o Wedge						
Ramp(s)	12" Extens	ion with Hingeless B	rackets (Both Ramps)), 61" Front Wedge wi	ith Assist, Aluminum	with Assist				
Side Door		36	" Wide Flush Lock, C		ack					
Access Doors			· · ·	14" Fuel						
Vents				l Airflow						
Fenders				Aluminum						
Axle				op Spring Brake						
Hubs			•	Lube						
Breakaway			•	h, and Lanyard						
Tires			•	R15C 6-PR						
Wheels				Aluminum						
Exterior Finish).	030" Aluminum, Two-		ip					
Exterior Fastening		0.511.7. 5		l (Screwless)	M . I . D . II					
Exterior Trim		2.5" Top Extrusion, 3	B" Bottom Extrusion,	• •	Matching Rear Hoop					
Stone Guard				ATP Flare						
Rear Spoiler Roof				less Aluminum						
Interior Walls			•							
Interior waiis Interior Trim		2/// Engin	eered Wood Kickplate	nite Vinyl a. 24" Tall, Vinyl Wall	Trancitions					
Ceiling			g Transitions, White	· · · · ·						
Flooring		viliyi Cellin		vinyi Liner with Alum eered Wood	imum coves					
Interior Lights				eerea wood 1" LED						
Switches			• • • • • • • • • • • • • • • • • • • •	ו נבט /, (2) Load Light, 12V						
			· ·	essed D-Rings						
Cargo Control			(a) 7.2K Kece	ะจงยน ม-หมายูร						





HIGHMARK DELUXE FLAT TOP AERO WEDGE 7K

	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27	7.5 x 29	7.5 x 31			
Connector Plug		Round 7-pin Blade							
Exterior Lights	(1) Fron	(1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights							



 $Specifications\ and\ Pricing\ subject\ to\ change\ without\ notice,\ please\ reference\ confirmation\ sheet\ for\ final\ pricing.$

© 2025 Novae LLC





HIGHMARK DELUXE FLAT TOP AERO WEDGE 7K

	7.5 x 33	7.5 x 35	7.5 x 37						
Model #	KP9033ADSVA-070	KP9035ADSVA-070	KP9037ADSVA-070						
SKU #	1L4P950	1L5P500	1L6P250						
MSRP	\$19,933	\$20,666	\$21,666						
CAPACITIES									
GVWR (lbs)		7000							
GAWR (lbs/axle)		3500							
CHASSIS									
Frame		6" x 2" Double Hollow Aluminum Tube							
Tongue	6" x 2" Dou	ıble Hollow Aluminum Triple Tube, Max E	xtension						
Crossmembers		Aluminum Tube, 16" On-Center							
Coupler		2-5/16" Adjustable							
Safety Chains		DOT Compliant							
Tongue Jack		5K Drop-Leg, Frame Mounted							
Wall Studs		Aluminum Tube, 16" On-Center							
Roof Bows		Aluminum Tube, 16" On-Center							
Front Profile		60" Aero Wedge							
Ramp(s)	12" Extension with Hingeless Bra	ckets (Both Ramps), 61" Front Wedge wi	th Assist, Aluminum with Assist						
Side Door	36"	Wide Flush Lock, Cast Aluminum Holdba	ck						
Access Doors		(2) 14" x 14" Fuel							
Vents		Sidewall Airflow							
Fenders		Smooth Aluminum							
Axle		(2) 3500 lb. Drop Spring Brake							
Hubs		Easy Lube							
Breakaway		Battery, Switch, and Lanyard							
Tires		ST205/75R15C 6-PR							
Wheels		15", 5-Hole Aluminum							
Exterior Finish	.03	0" Aluminum, Two-Tone with Divider Stri	р						
Exterior Fastening		VHB Bonded (Screwless)							
Exterior Trim	2.5" Top Extrusion, 3"	Bottom Extrusion, ATP Nose Cap, Color	Matching Rear Hoop						
Stone Guard		24" ATP							
Rear Spoiler		9" Flare							
Roof		Flat Top Seamless Aluminum							
Interior Walls		9mm White Vinyl							
Interior Trim	3/4" Enginee	ered Wood Kickplate, 24" Tall, Vinyl Wall	Transitions						
Ceiling	Vinyl Ceiling	Transitions, White Vinyl Liner with Alum	inum Coves						
Flooring		3/4" Engineered Wood							
Interior Lights		(2) 11" LED							
Switches		1) Dome Light, 12V, (2) Load Light, 12V							
Cargo Control		(9) 2.5K Recessed D-Rings							
Connector Plug		Round 7-pin Blade							





HIGHMARK DELUXE FLAT TOP AERO WEDGE 7K

	7.5 x 33	7.5 x 35	7.5 x 37
Exterior Lights	(1) Front LED Loading, (2) Rear	LED Loading, Full LED, DOT Compliant,	Integrated Backup/Taillights







HIGHMARK DELUXE FLAT TOP AERO WEDGE 10K

Model # KP9017ADSVA-100 100 100 100 110 110 112P960 112P9600 112P960 112P9600 112P96000 112P960000 112P960000 112P960000 112P960000 112P9600000 112P9600000 112P96000000000000000000000000000000000000		7.5 x 17	7.5 x 19	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27		
No		VD00174D0V4 100	KD00104D0V4 100	KP9021ADSVA-	KP9023ADSVA-	KP9025ADSVA-	KP9027ADSVA-		
MSRP	Model #	KP901/ADSVA-100	KP9019AD5VA-100	100	100	100	100		
GAWR (Ibs) GAWR (Ibs/axle) CHASSIS Frame 6" x 2" Double Hollow Aluminum Tube Tongue 6" x 2" Double Hollow Aluminum Triple Tube, Max Extension Crossmembers Aluminum Tube, 16" On-Center Coupler 2-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack Mall Studs Aluminum Tube, 16" On-Center Aluminum Tube, 16" On-Center Mall Studs Aluminum Tube, 16" On-Center Aluminum Tube, 16" On-Center Mall Studs Aluminum Tube, 16" On-Center Aluminum Tube, 16" On-Center More Bows Front Profile 32" Wide Flush Lock, Cast Aluminum Holdback Access Doors (2) 14" x 14" Fuel Vents Side Door 32" Wide Flush Lock, Cast Aluminum Holdback (2) \$200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R150 8-PR Wheels Etterior Finish Construction Co	SKU #	1L0P900	1L1P650	1L1P950	1L2P400	1L2P900	1L3P650		
GVWR (lbs) GAWR (lbs/axle) CHASSIS Frame 6° x 2" Double Hollow Aluminum Tube Tongue 6° x 2" Double Hollow Aluminum Triple Tube, Max Extension Crossmembers Aluminum Tube, 16" On-Center Coupler 2-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack Aluminum Tube, 16" On-Center Coupler 3-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Front Profile 60" Aero Wedge Ramp(s) 12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist Side Door 12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist Side Door 12" Wide Flush Lock, Cast Aluminum Holdback 12" Wide Flush Lock, Cast Aluminum Side Wide Flush Lock, Cast Aluminum Aluminum Aluminum Aluminum Ale (2) 14" x 14" Fuel Vents Sidewall Airflow Fenders Smooth Aluminum Ale (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires S1225/7SR158 -P.PR Wheels 15", 6-Hole Aluminum Exterior Finish O30" Aluminum, Two-Tone with Divider Strip Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard 24" ATP Rear Spoiler 9" Flare Roof Flat Top Seamless Aluminum Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring	MSRP	\$14,533	\$15,533	\$15,933	\$16,533	\$17,200	\$18,200		
GAWR (lbs/axle) CHASSIS Frame 6' x 2" Double Hollow Aluminum Tube Tongue 6'' x 2" Double Hollow Aluminum Tube Crossmembers Aluminum Tube, 16'' On-Center Coupler 2-5/16' Adjustable Safety Chains DOT Compliant Tongue Jack Mall Studs Aluminum Tube, 16'' On-Center Roof Bows Aluminum Tube, 16'' On-Center Front Profile Ramp(s) 12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist Side Door Holdback 32" Wide Flush Lock, Cast Aluminum Holdback Access Doors (2) 14" x 14" Fuel Wents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 2500 lb. Drop Spring Brake Hubs Breakaway Battery, Switch, and Lanyard Tires ST225/7SR 158 e-PR Wheels 15", 6-Hole Aluminum Exterior Finish Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard Roof Flat Top Seamless Aluminum Interior Trim 3/4" Engineered Wood Kink Juny Ival Irransitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring Jegineered Wood Flagineered Wood Flagineered Wood Flagineered Wood Flagineered Wood Flagineered Wood Flagineered Wood	CAPACITIES								
GAWR (lbs/axle) CHASSIS Frame 6' x 2" Double Hollow Aluminum Tube Tongue 6' x 2" Double Hollow Aluminum Triple Tube, Max Extension Crossmembers Aluminum Tube, 16" On-Center Coupler 2-5/16' Adjustable Safety Chains DOT Compliant Tongue Jack Aluminum Tube, 16" On-Center Coupler 3-5/16' Adjustable Safety Chains DOT Compliant Tongue Jack Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Front Profile 60" Aero Wedge Ramp(s) 12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist Side Door Holdback 22" Wide Flush Lock, Cast Aluminum Holdback Access Doors (2) 14" x 14" Fuel Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires S1225/7SR158-P-R Wheels 15", 6-Hole Aluminum Exterior Finish Exterior Finish Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard 9" Flare Roof Flat Top Seamless Aluminum Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 1/4" Engineered Wood Flat gineered Wood Flooring 1/4" Engineered Wood Flooring 1/4" Engineered Wood	GVWR (lbs)			990	0				
Frame 6° x 2" Double Hollow Aluminum Tube Tongue 6" x 2" Double Hollow Aluminum Triple Tube, Max Extension Crossmembers Aluminum Tube, 16" On-Center Coupler 2-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack SK Drop-Leg, Frame Mounted Wall Studs Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Front Profile 60" Aero Wedge Ramp(s) 12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist Side Door Aluminum Tube, 16" On-Center Front Profile 60" Aero Wedge Ramp(s) 32" Wide Flush Lock, Cast Aluminum Holdback Cecess Doors (2) 14" x 14" Fuel Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 5200 lb. Drop Spring Brake Hubs Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Aluminum Exterior Finish .030" Aluminum, Two-Tone with Divider Strip Exterior Fastening Exterior Finish 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard Rear Spoiler Roof Flat Top Seamless Aluminum Interior Walls Interior Walls Interior Walls Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring	GAWR (lbs/axle)			500	0				
Tongue 6" x 2" Double Hollow Aluminum Triple Tube, Max Extension Crossmembers Aluminum Tube, 16" On-Center Coupler Safety Chains DOT Compliant Tongue Jack Wall Studs Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Romper Stude Flush Lock, Cast Aluminum Tube, 16" On-Center Front Profile Ramp(s) 32" Wide Flush Lock, Cast Aluminum Medidback Access Doors Aluminum Tube, 16" On-Center Fonders Sidewall Airflow Sidewall Airflow Fenders Smooth Aluminum Axle (2) 14" x 14" Fuel Sidewall Airflow Fenders Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels ST225/75R15D 8-PR Wheels ST25/75R15D 8-PR Wheels	CHASSIS								
Tongue 6" x 2" Double Hollow Aluminum Triple Tube, Max Extension Crossmembers Aluminum Tube, 16" On-Center Coupler Safety Chains DOT Compliant Tongue Jack Wall Studs Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Romper Stude Flush Lock, Cast Aluminum Tube, 16" On-Center Front Profile Ramp(s) 32" Wide Flush Lock, Cast Aluminum Medidback Access Doors Aluminum Tube, 16" On-Center Fonders Sidewall Airflow Sidewall Airflow Fenders Smooth Aluminum Axle (2) 14" x 14" Fuel Sidewall Airflow Fenders Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels ST225/75R15D 8-PR Wheels ST25/75R15D 8-PR Wheels	Frame		6	5" x 2" Double Hollov	w Aluminum Tuhe				
Crossmembers Coupler C						xtension			
Coupler 2-5/16" Adjustable Safety Chains DOT Compliant Tongue Jack SK Drop-Leg, Frame Mounted Wall Studs Aluminum Tube, 16" On-Center Roof Bows - 60" Aero Wedge Ramp(s) 12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Access Doors (2) 14" x 14" Fuel Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R150 8-PR Wheels 15", 6-Hole Aluminum, Two-Tone with Divider Strip Exterior Finish Colspan="2">Colspan					•				
Tongue Jack Wall Studs Roof Bows Front Profile Ramp(s) 32" Wide Flush Lock, Cast Aluminum Hold Flush Lock, Cast Aluminum Holdback Holdback Rocess Doors Vents Fenders Breakaway				•					
Tongue Jack Wall Studs Roof Bows Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Front Profile Ramp(s) 12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist 32" Wide Flush Lock, Cast Aluminum Holdback Access Doors Access Do	•				*				
Wall Studs Aluminum Tube, 16" On-Center Roof Bows Aluminum Tube, 16" On-Center Front Profile 60" Aero Wedge Ramp(s) 12" Extension with Hingeless Bracks (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Access Doors (2) 14" x 14" Fuel Vents Sidewall Airflow Fenders Smooth Aluminum Axle 36" Wide Flush Lock, Cast Aluminum Holdback Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Aluminum Exterior Finish .030" Aluminum, Two-Tone with Divider Strip Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard 24" ATP Rear Spoiler 9" Flare Roof Flat Top Seamless Aluminum Interior Walls 9mm White Vinyl Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling	•				•				
Front Profile Ramp(s) 12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Access Doors (2) 14" x 14" Fuel Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakway Battery, Switch, and Lanyard Tires \$T225/75R15D 8-PR Wheels \$15", 6-Hole Aluminum Exterior Finish \$Crewin Fastening Exterior Fastening Exterior Fastening Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Noes Cap, Color Matching Rear Hoop Stone Guard Rear Spoiler Roof Flat Top Seamless Aluminum Interior Walls Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring	Wall Studs			Aluminum Tube,	16" On-Center				
Ramp(s) 12" Extension with Hingeless Brackets (Both Ramps), 61" Front Wedge with Assist, Aluminum with Assist 32" Wide Flush Lock, Cast Aluminum Holdback Access Doors (2) 14" x 14" Fuel Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 5200 lb. Drop Spring Brake Hubs Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels Exerior Finish Caterior Finish Exterior Fastening Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard Rear Spoiler Roof Flat Top Seamless Aluminum Interior Walls Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring	Roof Bows			Aluminum Tube,	16" On-Center				
Side Door 32" Wide Flush Lock, Cast Aluminum Holdback Access Doors (2) 14" x 14" Fuel Vents Sidewall Airflow Fenders Smooth Aluminum Axle (2) 5200 lb. Drop Spring Brake Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels Exterior Finish Aluminum, Two-Tone with Divider Strip Exterior Fastening Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard Rear Spoiler Roof Flat Top Seamless Aluminum Interior Walls Person Advance And Aluminum Svinyl Ceiling Transitions, White Vinyl Union With Illine with Aluminum Coves Flooring Stone Guard Summa Mite Vinyl Engineered Wood Flooring Stone Guard Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring	Front Profile			60" Aero V	Wedge				
Access Doors Access Doors Celling Holdback Access Doors Access Doors Access Doors Access Doors Access Doors Celling Holdback Access Doors Access Doors Access Doors Celling Access Doors Access Doors Access Doors Celling Access Doors Cidewall Airflow Sidewall Airflow Smooth Aluminum Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels Access Doors Aluminum, Two-Tone with Divider Strip Exterior Finish Access Doors Aluminum, Two-Tone with Divider Strip Exterior Fastening Access Doors Aluminum, Two-Tone with Divider Strip Celling Access Doors Aluminum, Two-Tone With Divider Strip Access Doors Access D	Ramp(s)	12" Extensio	n with Hingeless Brac	kets (Both Ramps),	61" Front Wedge wit	h Assist, Aluminum	with Assist		
VentsSidewall AirflowFendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakawayBattery, Switch, and LanyardTires\$T225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish.030" Aluminum, Two-Tone with Divider StripExterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear HoopStone Guard24" ATPRear Spoiler9" FlareRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior Trim3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered Wood	Side Door		•	36'	" Wide Flush Lock, C	ast Aluminum Holdb	ack		
FendersSmooth AluminumAxle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakwayBattery, Switch, and LanyardTires\$T225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish.030" Aluminum, Two-Tone with Divider StripExterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear HoopStone Guard24" ATPRear Spoiler9" FlareRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior Trim3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered Wood	Access Doors			(2) 14" x 1	4" Fuel				
Axle(2) 5200 lb. Drop Spring BrakeHubsEasy LubeBreakwayBattery, Switch, and LanyardTiresST225/75R15D 8-PRWheels15", 6-Hole AluminumExterior Finish.030" Aluminum, Two-Tone with Divider StripExterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear HoopStone Guard24" ATPRear Spoiler9" FlareRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior Trim3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered Wood	Vents			Sidewall A	Airflow				
Hubs Easy Lube Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Aluminum Exterior Finish .030" Aluminum, Two-Tone with Divider Strip Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard 24" ATP Rear Spoiler 9" Flare Roof Flat Top Seamless Aluminum Interior Walls 9mm White Vinyl Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood	Fenders			Smooth Alı	uminum				
Breakaway Battery, Switch, and Lanyard Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Aluminum Exterior Finish N030" Aluminum, Two-Tone with Divider Strip Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard Rear Spoiler Pir Flare Roof Flat Top Seamless Aluminum Interior Walls Merior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood	Axle			(2) 5200 lb. Drop	Spring Brake				
Tires ST225/75R15D 8-PR Wheels 15", 6-Hole Aluminum Exterior Finish .030" Aluminum, Two-Tone with Divider Strip Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard 24" ATP Rear Spoiler 9" Flare Roof Flat Top Seamless Aluminum Interior Walls 9mm White Vinyl Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood	Hubs			Easy L	ube				
Wheels15", 6-Hole AluminumExterior Finish.030" Aluminum, Two-Tone with Divider StripExterior FasteningVHB Bonded (Screwless)Exterior Trim2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear HoopStone Guard24" ATPRear Spoiler9" FlareRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior Trim3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered Wood	Breakaway			Battery, Switch,	and Lanyard				
Exterior Finish Exterior Fastening VHB Bonded (Screwless) Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard Rear Spoiler Roof Flat Top Seamless Aluminum Interior Walls Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood									
Exterior Fastening Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop Stone Guard 24" ATP Rear Spoiler Roof Flat Top Seamless Aluminum Interior Walls 9mm White Vinyl Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves 3/4" Engineered Wood				•					
Exterior Trim 2.5" Top Extrusion, 3" Bottom Extrusion, ATP Nose Cap, Color Matching Rear Hoop 24" ATP Rear Spoiler Roof Flat Top Seamless Aluminum Interior Walls 9mm White Vinyl Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves 3/4" Engineered Wood			.030	•	·)			
Stone Guard Rear Spoiler Roof Flat Top Seamless Aluminum Interior Walls Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood				·	· · · · · · · · · · · · · · · · · · ·				
Rear Spoiler9" FlareRoofFlat Top Seamless AluminumInterior Walls9mm White VinylInterior Trim3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall TransitionsCeilingVinyl Ceiling Transitions, White Vinyl Liner with Aluminum CovesFlooring3/4" Engineered Wood		2	2.5" Top Extrusion, 3" E		•	Matching Rear Hoop			
Roof Flat Top Seamless Aluminum Interior Walls 9mm White Vinyl Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood									
Interior Walls Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood									
Interior Trim 3/4" Engineered Wood Kickplate, 24" Tall, Vinyl Wall Transitions Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood				•					
Ceiling Vinyl Ceiling Transitions, White Vinyl Liner with Aluminum Coves Flooring 3/4" Engineered Wood			2/4" Engineer		•	rancitions			
Flooring 3/4" Engineered Wood			•						
•			vinyi cening i	•	•	iuiii Goves			
	Interior Lights								





HIGHMARK DELUXE FLAT TOP AERO WEDGE 10K

	7.5 x 17	7.5 x 19	7.5 x 21	7.5 x 23	7.5 x 25	7.5 x 27			
Switches	(1) Dome Light, 12V, (2) Load Light, 12V								
Cargo Control		(9) 2.5K Recessed D-Rings							
Connector Plug		Round 7-pin Blade							
Exterior Lights	(1) Front	LED Loading, (2) Rea	r LED Loading, Full LE	D, DOT Compliant, I	ntegrated Backup/Ta	aillights			





HIGHMARK DELUXE FLAT TOP AERO WEDGE 10K

	7.5 x 29	7.5 x 31	7.5 x 33	7.5 x 35	7.5 x 37						
Model #	KP9029ADSVA-100	KP9031ADSVA-100	KP9033ADSVA-100	KP9035ADSVA-100	KP9037ADSVA-100						
SKU #	1L4P150	1L4P650	1L5P350	1L5P900	1L6P650						
MSRP	\$18,866	\$19,533	\$20,466	\$21,200	\$22,200						
CAPACITIES											
GVWR (lbs)		9900									
GAWR (lbs/axle)			5000								
CHASSIS											
Frame		6" x 2	" Double Hollow Aluminur	n Tube							
Tongue		6" x 2" Double Ho	ollow Aluminum Triple Tul	oe, Max Extension							
Crossmembers		Al	uminum Tube, 16" On-Cer	nter							
Coupler			2-5/16" Adjustable								
Safety Chains			DOT Compliant								
Tongue Jack		5	K Drop-Leg, Frame Mount	ed							
Wall Studs		Al	uminum Tube, 16" On-Cer	nter							
Roof Bows		Al	uminum Tube, 16" On-Cer	nter							
Front Profile			60" Aero Wedge								
Ramp(s)	12" Extension	with Hingeless Brackets ((Both Ramps), 61" Front V	Vedge with Assist, Alumi	num with Assist						
Side Door		36" Wide F	lush Lock, Cast Aluminur	n Holdback							
Access Doors			(2) 14" x 14" Fuel								
Vents			Sidewall Airflow								
Fenders			Smooth Aluminum								
Axle		(2) 5200 lb. Drop Spring Bra	ake							
Hubs			Easy Lube								
Breakaway		В	attery, Switch, and Lanya	rd							
Tires			ST225/75R15D 8-PR								
Wheels			15", 6-Hole Aluminum								
Exterior Finish		.030" Alu	minum, Two-Tone with Di	vider Strip							
Exterior Fastening			VHB Bonded (Screwless)								
Exterior Trim	2.5	" Top Extrusion, 3" Bottor	n Extrusion, ATP Nose Ca	p, Color Matching Rear H	loop						
Stone Guard			24" ATP								
Rear Spoiler			9" Flare								
Roof		F	lat Top Seamless Aluminu	ım							
Interior Walls			9mm White Vinyl								
Interior Trim		3/4" Engineered W	ood Kickplate, 24" Tall, Vi	nyl Wall Transitions							
Ceiling		Vinyl Ceiling Transi	tions, White Vinyl Liner w	ith Aluminum Coves							
Flooring			3/4" Engineered Wood								
Interior Lights			(2) 11" LED								
Switches		(1) Dor	ne Light, 12V, (2) Load Lig	ght, 12V							
Cargo Control			(9) 2.5K Recessed D-Ring	s							
Connector Plug			Round 7-pin Blade								





HIGHMARK DELUXE FLAT TOP AERO WEDGE 10K

7.5 x 29 7.5 x 31 7.5 x 33 7.5 x 35 7.5 x 37

Exterior Lights (1) Front LED Loading, (2) Rear LED Loading, Full LED, DOT Compliant, Integrated Backup/Taillights







MOAB FLAT TOP SLOPED V-NOSE 10K

	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20
Model #	KP9014MOSV-100	KP9016MOSV-100	KP9018MOSV-100	KP9020M0SV-100
SKU #	1L7P000	1L7P500	1L8P000	1L8P500
MSRP	\$22,666	\$23,333	\$24,000	\$24,666
CAPACITIES				
GVWR (lbs)		99	00	
GAWR (lbs/axle)		50	00	
CHASSIS				
Frame		6" x 2" S	teel Tube	
Tongue		6" x 2" Stee	l Triple Tube	
Crossmembers		Formed Steel,	16" On-Center	
Coupler		2-5/16" <i>A</i>	djustable	
Tongue Jack		5K Drop-Leg, F	rame Mounted	
Wall Studs		Steel Tube, 1	6" On-Center	
Roof Bows		Steel Tube, 1	6" On-Center	
Front Profile		30" Sloped V-No	se with 12" Drop	
Stabilizers		Rear Fold-I	Down Jacks	
Ramp(s)		1500 lb. v	vith Assist	
Side Door	36"	Wide Flush Lock, Cast Alumin	um Holdback, Single Fold-Out S	Step
Window		30" x 27	" Egress	
Vents		(1) 12	V Roof	
Fenders		Smooth /	Aluminum	
Axle		(2) 5200 lb.	Spring Brake	
Hubs		Easy	Lube	
Breakaway		Battery, Switc	h, and Lanyard	
Tires		ST235/75R150	6-PR Apex A/T	
Wheels		15", 6-Hole Alumin	um, Matching Spare	
Exterior Finish		.030" A	uminum	
Exterior Fastening		VHB Bonded	l (Screwless)	
Exterior Trim	2.	5" Top Extrusion, 3" Bottom Ext	rusion, Color Matching Rear Ho	оор
Stone Guard		24"	ATP	
Rear Spoiler		9" Brite Alu	minum Flare	
Roof		Sprint Style Sea	mless Aluminum	
Exterior Storage		•	Spare Tire Carrier	
Interior Walls		, ,	neered Wood, Insulation	
Ceiling	Insulat		Vhite Vinyl Liner with Aluminun	n Coves
Flooring		•	ack Rubber Tread Overlay	
Interior Lights		· · · · · · · · · · · · · · · · · · ·	B" LED	
Switches		. , , , , , , , , , , , , , , , , , , ,	, (1) Load Light, 12V	
Fixtures	Cassette Toilet, Ha	ppijac® Bed Lift with Queen M	attress, Privacy Curtain, Sink a	nd Vanity Assembly







MOAB FLAT TOP SLOPED V-NOSE 10K

	7.5 x 14	7.5 x 16	7.5 x 18	7.5 x 20			
Cargo Control	(4) 5000 lb. Recessed D-Rings						
Interior Accessories	Fire Extinguisher, Smoke/CO2 Detector						
Connector Plug		Round 7-	pin Blade				
Exterior Lights	(2) Rear L	ED Loading, (4) Additional Sto	p/Turn/Tail, Integrated Backup,	/Taillights			
12v Electrical	10 <i>A</i>	Amp Control Panel, 30 Watt So	ar Panel, USB Port and Recept	acle			





INTERIOR PACKAGE

SKU	UPG	DESCRIPTION	UOM	MSRP
L9K0	KUPGEN2121	Interior Package	LTF	\$129
Panka	ge Features:	· Vinyl Walls, Floor, Ceiling		
Facka	ge realures.	· .045 ATP Ramp Covering		

RACER PACKAGES

SKU	UPG	DESCRIPTION	UOM	MSRP
L6K325	KUPGEN2117	Racer Package (24ft & Below)	EA	\$9,036
L6K550	KUPGEN2117	Racer Package (26ft - 28ft)	EA	\$9,357
L6K800	KUPGEN2117	Racer Package (30ft - 34ft)	EA	\$9,714
Packa	ge Features:	· Aluminum L-Shaped Dverhead Cabinet · Aluminum L-Shaped Overhead Cabinet · 24" Wardrobe Cabinet · Blackout Cabinet Trim · Black Rubber Floor, Ramp, Flap · 45A Converter · 50A Fuse Panel/Motorbase & Cord · USB Charging Wall Port · 12V Battery w/ Box · (4) 120V Receptacle · 3-Way Switches · (10) 18" Deluxe Dome Light · Exterior GFCI · Top Fuel Toggle Switches · Generator Prep PKG · Bogey Wheels · (2) 22" Angled Light · Brace & Wire for A/C		

BASE RACER PACKAGES

SKU	UPG	DESCRIPTION	UOM	MSRP
L3K495	KUPGEN2120	Base Racer Package	EA	\$4,993
Packaç	ge Features:	• 45A RV Power Center (Converter, 30A Motorbase Plug, 25' Shore Cord) • 12v Battery w/ Box • (6) 18" Deluxe Dome Lights • (3) 110v Receptacles • Exterior GFCI • Brace & Wire for A/C • (2) 22" Angled Lights • Straight OH Aluminum Cabinet • Base Straight Aluminum Cabinet • Electric Tongue Jack • Aluminum Wheels		

DELUXE RACER PACKAGES

SKU	UPG	DESCRIPTION	UOM	MSRP
L2K850	KUPGEN2118	Deluxe Racer Package (24ft & Below)	EA	\$4,071
L3K050	KUPGEN2118	Deluxe Racer Package (26ft - 28ft)	EA	\$4,357
L3K400	KUPGEN2118	Deluxe Racer Package (30ft - 34ft)	EA	\$4,857
Package Features:		· 60" Challenger RV Door · Aluminum Ceiling w/ Aluminum Coves · 36" High Wall Carpet · Stereo System w/ (4) Interior & (2) Exterior Speakers		





PRO RACER PACKAGES

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K2750	KUPGEN2119	Pro Racer Package (24ft & Below)	EA	\$18,214
L1K3400	KUPGEN2119	Pro Racer Package (26ft - 28ft)	EA	\$19,143
L1K4200	KUPGEN2119	Pro Racer Package (30ft - 34ft)	EA	\$20,286
Package Features:		· Everything Included in Racer Package · Everything Included in Deluxe Racer Package · Wheel Well Cabinet w/ (4) Shelves · Air Compressor Prep w/ Receptacle & Switch · Equalizer Hydraulic Jack		

UTV PACKAGES

SKU	UPG	DESCRIPTION	UOM	MSRP
L2K3	KUPGEN2122	UTV Package (Add 6in Height)	LTF	\$33
L3K7	KUPGEN2123	UTV Package (Add 12in Height)	LTF	\$53
Packa	ge Features:	· Add 6"/ Add 12" Height · (4) D-Rings · Pair of Stab Jacks		
		· Aluminum Spare Tire Mount (Shipped Loose) · 7-Way Plastic Plug Holder		

UTV ESCAPE DOOR PACKAGES

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K675	KUPGEN2124	UTV Escape Door Package (Add 6in Height) (12ft)	EA	\$2,393
L1K750	KUPGEN2124	UTV Escape Door Package (Add 6in Height) (14ft)	EA	\$2,500
L1K850	KUPGEN2124	UTV Escape Door Package (Add 6in Height) (16ft)	EA	\$2,643
L2K000	KUPGEN2124	UTV Escape Door Package (Add 6in Height) (18ft)	EA	\$2,857
Package Features:		· Everything Included in UTV Package w/ +6" Height · Notched Escape Door · Integrated Transition for Ramp · Rear Flare w/ Black Loading Light		
		· (2) Top Fuel Switches		





COUPLERS

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K50	KUPGEN1328	Bulldog 2in Slide Sleeve Locking Coupler 7K	EA	\$214
L2K5	KUPGEN1044	Upgrade from 2in Coupler to 2-5/16in Coupler	EA	\$36
L2K25	KUPGEN1045	Bulldog 2-5/16in Slide Sleeve Locking Coupler w/ 5000lb Square Tube Jack	EA	\$321
L1K60	KUPGEN1046	Adjustable (14,000 GVW) 2-5/16in Ball Coupler w/ 3rd Member	EA	\$229
L1K85	KUPGEN1047	Adjustable (25,000 GVW) 2-5/16in Ball Coupler w/ 3rd Member	EA	\$264
L1K60	KUPGEN1048	Adjustable (14,000 GVW) Pintle Eye Coupler w/ 3rd Member	EA	\$229
L1K85	KUPGEN1049	Adjustable (25,000 GVW) Pintle Eye Coupler w/ 3rd Member	EA	\$264

TONGUE

SKU	UPG	DESCRIPTION	UOM	MSRP
L9K0	KUPGEN1709	Hitch - 6in Extended Tongue	EA	\$129
L1K10	KUPGEN1710	Hitch - 12in Extended Tongue	EA	\$157
L7K5	KUPGEN1701	Add Third Member to A-Frame Tongue	EA	\$107
L2K60	KUPGEN1063	Hitch - 6in Extended 3 Piece with Adjustable Coupler - (3in or 4in Hitch)	EA	\$371
L2K25	KUPGEN1064	Hitch 6in Extended 3 Piece with Adjustable Coupler - (6in Hitch)	EA	\$322
L3K50	KUPGEN1065	Hitch 6in Extended 3 Piece with Adjustable Coupler - (8in Hitch)	EA	\$500
L2K70	KUPGEN1066	Hitch 12in Extended 3 Piece with Adjustable Coupler - (3in or 4in Hitch)	EA	\$386
L2K50	KUPGEN1067	Hitch 12in Extended 3 Piece with Adjustable Coupler - (6in Hitch)	EA	\$358
L3K90	KUPGEN1068	Hitch 12in Extended 3 Piece with Adjustable Coupler - (8in Hitch)	EA	\$557
L3K85	KUPGEN1860	Hitch 18in Extended 3 Piece with Adjustable Coupler - (3in, 4in, 6in Hitch)	EA	\$550
L5K75	KUPGEN1861	Hitch 18in Extended 3 Piece with Adjustable Coupler - (8in Hitch)	EA	\$821
L5K0	KUPGEN1069	Weight Distribution Brackets	EA	\$71
L1K15	KUPGEN1636	Steel Weld-On Equalizer Brackets (Pair)	EA	\$164
L1K25	KUPGEN1808	Steel Tread Plate (1/8") Welded-On Tongue	EA	\$179
L1K25	KUPGEN1070	Aluminum Tread Plate (.045) on Tongue over 3/4in Higher Performance Liner	EA	\$179

TONGUE JACKS

SKU	UPG	DESCRIPTION	UOM	MSRP
L4K5	KUPGEN1902	Upgrade from 2K Jack to Quick Drop Leg 2K Jack	EA	\$64
L0K	KUPGEN1051	Setback Jack Upgrade - 2K	EA	\$0
L4K0	KUPGEN1052	Upgrade to 5000lb Tongue Jack	EA	\$57
L7K5	KUPGEN1053	Upgrade to 8000lb Tongue Jack	EA	\$107
L2K5	KUPGEN1054	Dolly Wheel for Jack	EA	\$36
L5K00	KUPGEN1055	Electric 12V Tongue Jack (4000lb)(With Battery)	EA	\$715
L1K350	KUPGEN1056	Hydraulic Tongue Jack (4000lb Capacity) with 12V Battery	EA	\$1,929
L1K300	KUPGEN1057	Single Leg Hydraulic Landing Gear with 12V Battery in Battery Box	EA	\$1,857
L1K800	KUPGEN1058	Dual Leg Hydraulic Landing Gear with 12V Battery in Battery Box	EA	\$2,571

STABILIZER JACKS

SKU	UPG	DESCRIPTION	UOM	MSRP
L4K5	KUPGEN1059	Fold Down Stabilizer Jacks 11-1/2"	PR	\$64
L1K30	KUPGEN1060	Heavy Duty Scissor Jacks with Hand Crank	PR	\$186
L1K00	KUPGEN1061	Corner Post Drop Down Jack 20in (Single Axle)	PR	\$143
L1K75	KUPGEN1062	Corner Post Drop Down Jack 28-3/4in (Tandem/Triple Axle)	PR	\$250
L6K5	KUPGEN1823	Fold Down Stabilizer Jacks - 16-1/2"	PR	\$93

Specifications and Pricing subject to change without notice, please reference confirmation sheet for final pricing.



260.758.9838 NOVAECORP.COM 2025 Pricing © 2025 Novae LLC 9/16/24 | 268



STRUCTURAL

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K95	KUPGEN2100	Upgrade to 24" Deep V-Nose w/ 12in Tongue Extension	EA	\$279
L2K50	KUPGEN2101	Upgrade to 30" Deep V-Nose w/ 12in Tongue Extension (Only 8.5w)	EA	\$357
L9K0	KUPGEN1698	Upgrade to Slant Wedge	EA	\$129
L4K75	KUPGEN1825	Upgrade to 60" Deep V-Nose	EA	\$679
L2K50	KUPGEN1782	Tapered Nose on Gooseneck	EA	\$357
L8K	KUPGEN1313	Upgrade Roof Bows - 24" OC to 16" OC	LF	\$11
L8K	KUPGEN1314	Upgrade to 120C Roof Bows (from 160C)	LF	\$11
L3K5	KUPGEN1819	Reinforced Roof (Flat Top) (Includes Ladder & 12" OC Roof Bows)	LF	\$50
L1K0	KUPGEN1087	Additional 6in Extra Height	LF	\$15
L2K0	KUPGEN1245	Add 12in Extra Height	LF	\$29
L3K0	KUPGEN1264	Add 18in Extra Height	LF	\$43
L6K	KUPGEN1695	Upgrade Wall Posts - 24" OC to 16" OC	LF	\$9
L5K	KUPGEN1699	Upgrade 24" OC Tube Post to 24" OC Tube Wall Post	LF	\$7
L1K1	KUPGEN1826	Upgrade 24" OC Tube Post to 16" OC Tube Wall Post	EA	\$16
L2K3	KUPGEN2098	Upgrade 24" OC Tube Post to 16" OC Tube Wall Post w/ Screwless Exterior	EA	\$33
L1K8	KUPGEN2099	Upgrade 24" OC Tube Wall Post to 16" OC Tube Wall Post w/ Screwless Exterior	EA	\$26
L6K	KUPGEN1700	Upgrade 16" OC Tube Post to 16" OC Tube Wall Post	LF	\$9
L5K00	KUPGEN1736	Deck Over Upgrade (Steel)	EA	\$714
L8K	KUPGEN1319	Upgrade Crossmembers - 24" OC to 16" OC	LF	\$11
L1K2	KUPGEN1697	Upgrade Crossmembers - 24" OC to 12" OC	LF	\$17
L8K	KUPGEN1320	Upgrade Crossmembers - 16" OC to 12" OC	LF	\$11
L4K000	KUPGEN1859	Porch 8ft, 1/8" Painted Steel Diamond Plate & 12" Centers w/ Side Rail	EA	\$5,714
L1K75	KUPGEN1080	Bogey Wheels	PR	\$250

SUSPENSION

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K05	KUPGEN1717	Upgrade Spring Idler to Torsion Idler	AXLE	\$150
L3K25	KUPGEN1581	Torsion Axle Upgrade - Tandem - 7000lb GVWR - 8.5W 3500lb 10 Deg Up 5-4.5 75.5 OB 94.5 HF - 6in MR	EA	\$464
L4K00	KUPGEN1582	Torsion Axle Upgrade - Tandem - 10000lb GVWR - 8.5W 5200lb 10 Deg Up 6-5.5 75.5 OB 94.5 HF - 6in MR	EA	\$571
L4K00	KUPGEN1582	Torsion Axle Upgrade - Tandem - 10000lb GVWR - 8.5W 5200lb 10 Deg Up 6-5.5 75.5 OB 94.5 HF - 8in MR	EA	\$571
L5K50	KUPGEN1584	Torsion Axle Upgrade - Tandem - 14000lb GVWR - 8.5W 7000lb 10 Deg Up 8-6.5 75.5 OB 94.5 HF - 8in MR	EA	\$786
L7K00	KUPGEN1718	Upgrade Spring Axle to Torsion Axle 16K GVWR (2 x 8,000lb)	EA	\$1,000
L2K50	KUPGEN1719	Spread Axles (Tandem)	AXLE	\$357
L5K50	KUPGEN1720	Spread Axles (Triple)	AXLE	\$786
L4K50	KUPGEN1828	Surge Brake 3.5K	EA	\$643
L7K25	KUPGEN1829	Surge Brake 7K (2 x 3.5K)	EA	\$1,036
L9K00	KUPGEN1830	Surge Brake 10K (2 x 5K)	EA	\$1,286





WHEELS

SKU	UPG	DESCRIPTION	UOM	MSRP
L2K3	KUPGEN2098	Choice of Silver or Black Mod Wheel Assembly	AXLE	\$33
L1K20	KUPGEN1638	Upgrade to Silver Aluminum Wheel Assembly - ST205/75R15, 5 Lug	AXLE	\$171
L1K40	KUPGEN1638	Upgrade to Silver Aluminum Wheel Assembly - ST225/75R15, 6 Lug	AXLE	\$200
L1K65	KUPGEN1638	Upgrade to Silver Aluminum Wheel Assembly - ST235/80R16, 8 Lug	AXLE	\$236
L1K20	KUPGEN1014	Upgrade to Black Aluminum Wheel Assembly - ST205/75R15, 5 Lug	AXLE	\$171
L1K40	KUPGEN1015	Upgrade to Black Aluminum Wheel Assembly - ST225/75R15, 6 Lug	AXLE	\$200
L1K65	KUPGEN1016	Upgrade to Black Aluminum Wheel Assembly - ST235/80R16, 8 Lug	AXLE	\$236
L4K2	KUPGEN1702	Chrome Trim Ring on Steel Wheel	PR	\$60
L2K5	KUPGEN1037	Chrome Plastic Hub Cap 5 Bolt	PR	\$36
L2K5	KUPGEN1038	Chrome Plastic Hub Cap 6 Bolt	PR	\$36

SPARE MOUNTS

SKU	UPG	DESCRIPTION	UОМ	MSRP
L8K5	KUPGEN1039	Exterior Spare Tire Mount (Mount on Tongue)	EA	\$121
L5K5	KUPGEN1040	Interior Spare Tire Mount (Floor Level)	EA	\$79
L0K	KUPGEN1041	Interior Spare Tire Mount/ (High Mount)	EA	\$0
L3K50	KUPGEN1262	Below Floor Spare Tire Compartment-Hinged Cover	EA	\$500

SPARE TIRES

SKU	UPG	DESCRIPTION	иом	MSRP
L1K05	KUPGEN1025	Spare 205/75R15 5 Bolt LR C Black Mod Steel Wheel	EA	\$150
L1K25	KUPGEN1026	Spare 225/75R15 6 Bolt LR D Black Mod Steel Wheel	EA	\$179
L1K65	KUPGEN1027	Spare 235/80R16 8 Bolt LR E Black Mod Steel Wheel	EA	\$236
L3K00	KUPGEN1855	Spare ST215/75R17.5 8 Lug Black Steel Wheel	EA	\$429
L1K05	KUPGEN1028	Spare 205/75R15 5 Bolt LR C Silver Mod Steel Wheel	EA	\$150
L1K25	KUPGEN1029	Spare 225/75R15 6 Bolt LR D Silver Mod Steel Wheel	EA	\$179
L1K65	KUPGEN1030	Spare 235/80R16 8 Bolt LR E Silver Mod Steel Wheel	EA	\$236
L3K00	KUPGEN1854	Spare ST215/75R17.5 8 Lug Silver Steel Wheel	EA	\$429
L1K65	KUPGEN1031	Spare 205/75R15 5 Bolt LR C Black Aluminum Wheel	EA	\$236
L1K90	KUPGEN1032	Spare 225/75R15 6 Bolt LR D Black Aluminum Wheel	EA	\$271
L2K30	KUPGEN1033	Spare 235/80R16 8 Bolt LR E Black Aluminum Wheel	EA	\$329
L4K75	KUPGEN1857	Spare ST215/75R17.5 8 Lug Black Aluminum Wheel	EA	\$679
L1K65	KUPGEN1231	Spare, 205/75R15 5 Bolt LR C Silver Aluminum Wheel	EA	\$236
L1K90	KUPGEN1231	Spare, 225/75R15 6 Bolt LR D Silver Aluminum Wheel	EA	\$271
L2K30	KUPGEN1231	Spare, 235/80R16 8 Bolt LR E Silver Aluminum Wheel	EA	\$329
L4K75	KUPGEN1856	Spare ST215/75R17.5 8 Lug Silver Aluminum Wheel	EA	\$679





EXTERIOR SKIN

SKU	UPG	DESCRIPTION	UOM	MSRP	
L8K	KUPGEN1692	Color Option, 030 Cargo Green	LF	\$11	
L0K	KUPGEN1283	Color Option, 030 Crystal White	LF	\$0	
L0K	KUPGEN1001	Color Option, 030 Black	LF	\$0	
L1K5	KUPGEN1904	Color Upgrade, 030 Brandywine	LF	\$21	
L0K	KUPGEN1570	Color Upgrade, 030 Charcoal	LF	\$0	
L8K	KUPGEN1008	Color Option, 030 Indigo Blue	LF	\$11	
L8K	KUPGEN1002	Color Option, 030 Matte Black	LF	\$11	
L0K	KUPGEN1288	Color Option, .030 Pewter	LF	\$0	
L0K	KUPGEN1569	Color Upgrade, 030 Silver	LF	\$0	
L8K	KUPGEN1006	Color Option, 030 Schneider Orange	LF	\$11	
L8K	KUPGEN1005	Color Option, 030 Victory Red	LF	\$11	
L8K	KUPGEN1691	Color Option, 030 Yellow	LF	\$11	
L8K	KUPGEN1009	Color Option, .030 BEIGE	LF	\$11	
L2K0	KUPGEN1289	Color Option, .040 White	LF	\$29	
L2K0	KUPGEN1290	Color Option, .040 Black	LF	\$29	
L5K	KUPGEN1693	Semi-Screwless Exterior	LF	\$7	
L1K2	KUPGEN1694	Screwless Exterior (Must be 16" OC Tube)	LF	\$17	
L1K3	KUPGEN2131	Upgrade to Composite Exterior from .030 Metal Exterior – 5w/6w (White/Black/Silver/Charcoal)	LF	\$19	
L8K	KUPGEN1849	Upgrade to Composite Exterior from .030 Metal Exterior – 7w-8.5w (White/Black/Silver/Charcoal)	LF	\$12	
L8K	KUPGEN2084	Two-tone Exterior Color	LF	\$11	





EXTERIOR TRIM

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K0	KUPGEN2110	Upgrade to Blackout Trim	LF	\$15
L5K	KUPGEN2106	Upgrade to 2.5" Top Trim	EA	\$7
L5K0	KUPGEN1508	Split Skin Stripe - Black	EA	\$71
L5K0	KUPGEN1509	Split Skin Stripe - Blue Indigo	EA	\$71
L5K0	KUPGEN1510	Split Skin Stripe - Champagne Beige	EA	\$71
L5K0	KUPGEN1511	Split Skin Stripe - Charcoal	EA	\$71
L5K0	KUPGEN1512	Split Skin Stripe - Chrome Polished	EA	\$71
L5K0	KUPGEN1513	Split Skin Stripe - Crystal White	EA	\$71
L5K0	KUPGEN1514	Split Skin Stripe - Matte Black	EA	\$71
L5K0	KUPGEN1515	Split Skin Stripe - Red	EA	\$71
L5K0	KUPGEN1516	Split Skin Stripe - Silver Frost	EA	\$71
L6K5	KUPGEN1711	ATP Nose Cap	EA	\$93
L7K0	KUPGEN2104	Chrome Nose Cap	EA	\$100
L6K5	KUPGEN1754	Bright Aluminum - Front V-Nose	EA	\$93
L7K5	KUPGEN1755	ATP Front Corners	PR	\$107
L1K05	KUPGEN1758	Bright Aluminum - Front Corners	PR	\$150
L7K5	KUPGEN1834	ATP Rear Trim to Cover Ramp Door	EA	\$107
L8K5	KUPGEN1806	ATP Rear Hoop	EA	\$121
L7K5	KUPGEN1587	Vapor Barrier to Protect Rear Hoop	EA	\$107
L1K15	KUPGEN1810	Bright Aluminum Rear Hoop	EA	\$164
L5K0	KUPGEN2105	Upgrade to 24" Stoneguard	EA	\$71
L1K0	KUPGEN1820	Bright Aluminum Skirting (6" High)	LF	\$14
L3K5	KUPGEN1821	Bright Aluminum Skirting (24" High)	LF	\$50
L1K8	KUPGEN1822	Bright Aluminum Skirting (12" High)	LF	\$26
L1K0	KUPGEN1831	ATP Skirting (6" High)	LF	\$14
L3K5	KUPGEN1832	ATP Skirting (24" High)	LF	\$50
L1K8	KUPGEN1833	ATP Skirting (12" High)	LF	\$26
L5K	KUPGEN1757	D.O.T. Reflective Tape	LF	\$7
L0K	KUPGEN1329	No Decal Option	EA	\$0
L1K80	KUPGEN1275	Rear Flare with (2) LED Loading Lights	EA	\$258
L1K65	KUPGEN1274	Rear Flare with LED Loading Light	EA	\$236

STEPS

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K30	KUPGEN1144	Single Steel Fold-Out RV Step	EA	\$186
L1K75	KUPGEN1145	Double Steel Fold-Out RV Step	EA	\$250
L6K75	KUPGEN1146	Aluminum Slide Out Step (48in)	EA	\$964
L6K75	KUPGEN1242	Aluminum Slide Out Step (36in)	EA	\$964
L6K75	KUPGEN1243	Aluminum Slide Out Step (32in)	EA	\$964
L3K75	KUPGEN1824	Rear Step 12" (Must Have Rear Double Doors)	EA	\$536





SIDE DOORS

SKU	UPG	DESCRIPTION	UOM	MSRP
L0K	KUPGEN1632	Side Entry Door 24x58	EA	\$0
L2K50	KUPGEN1532	Side Entry Door 32in Wide	EA	\$358
L3K50	KUPGEN1533	Side Entry Door with Recessed Step 32in Wide	EA	\$500
L4K00	KUPGEN1744	Upgrade 32" Side Door to RV Door with Window & Screen	EA	\$571
L3K15	KUPGEN1534	Side Entry Door 36in Wide	EA	\$450
L3K75	KUPGEN1535	Side Entry Door with Recessed Step 36in Wide	EA	\$536
L5K15	KUPGEN1742	Upgrade 36" Side Door to RV Door with Window & Screen	EA	\$736
L3K25	KUPGEN1536	Side Entry Door 48in Wide	EA	\$464
L4K35	KUPGEN1537	Side Entry Door with Recessed Step 48in Wide	EA	\$621
L3K50	KUPGEN1629	Escape Door with Flush Lock - 48 x 48	EA	\$500
L4K00	KUPGEN1630	Escape Door with Flush Lock - 48 x 54	EA	\$571
L4K35	KUPGEN1631	Escape Door with Flush Lock - 54 x 54	EA	\$621
L9K00	KUPGEN1237	UTV Escape Door (Req. Min 84" Int. Height)	EA	\$1,286
L2K650	KUPGEN1745	Ultimate Escape Door - STD Axles	EA	\$3,786
L2K900	KUPGEN1572	Car Hauler Escape Door Package Spread Axle	EA	\$4,143
L8K00	KUPGEN1743	Double Side Doors 60" Wide (Purchased)	EA	\$1,143
L1K050	KUPGEN1746	Double Side Doors 72" Wide	EA	\$1,500
L7K00	KUPGEN1741	Add Side Ramp Door with Spring Assist 60" Wide	EA	\$1,000
L1K250	KUPGEN1747	Front Ramp Door in Wedge with Spring Assist (Must Have Extended V-Nose)	EA	\$1,786

REAR DOORS

SKU	UPG	DESCRIPTION	UOM	MSRP
L3K85	KUPGEN1098	Summit Style Ramp Door (Tapered End on Ramp Door No Ramp Extension - 8.5W	EA	\$550
L2K25	KUPGEN1501	Ramp Door Upgrade - 250 Series (from 150 Series)	EA	\$321
L3K75	KUPGEN1502	Ramp Door Upgrade - 400 Series (from 250 Series)	EA	\$536
L3K75	KUPGEN1503	Ramp Door Upgrade - 550 Series (from 400 Series)	EA	\$536
L2K50	KUPGEN1504	Ramp Door Upgrade - 250 Series Knife Edge (from 250 Series)	EA	\$357
L2K50	KUPGEN1505	Ramp Door Upgrade - 400 Series Knife Edge (from 400 Series)	EA	\$357
L6K00	KUPGEN1506	Ramp Door Upgrade - 400 Series Knife Edge (from 250 Series)	EA	\$857
L6K00	KUPGEN1507	Ramp Door Upgrade - 550 Series Knife Edge (from 400 Series)	EA	\$857
L0K	KUPGEN1562	Rear Swing Door - 5ft Wide Trailers	EA	\$0
L1K8	KUPGEN2099	Choice of Barn Style Double Door in Lieu of Standard Ramp Door	EA	\$26
L1K00	KUPGEN1610	Rear Double Doors - 5ft Wide Trailers	EA	\$143





RAMP ACCESSORIES

SKU	UPG	DESCRIPTION	UOM	MSRP
L5K0	KUPGEN1094	High Performance Ramp Extension - 12in x 3/4in	EA	\$71
L7K0	KUPGEN1095	High Performance Ramp Extension - 16in x 3/4in	EA	\$100
L7K5	KUPGEN1753	High Performance Ramp Extension Hingeless - 12in x 3/4in	EA	\$107
L9K5	KUPGEN1752	High Performance Ramp Extension Hingeless - 16in x 3/4in	EA	\$136
L3K00	KUPGEN1099	High Performance 24in x 3/4in Ramp Extension w/ 3in Dock Bumpers (4) Aluminum Supports	EA	\$429
L3K75	KUPGEN1101	High Performance 24in x 3/4in w/ ATP Covered Ramp Extension w/ 3in Dock Bumpers (4) Aluminum Supports	EA	\$536
L4K50	KUPGEN1100	High Performance 36in x 3/4in Ramp Extension w/ 5in Dock Bumpers (4) Aluminum Supports	EA	\$643
L5K25	KUPGEN1102	High Performance 36in x 3/4in w/ ATP Covered Ramp Extension w/ 5in Dock Bumpers (4) Aluminum Supports	EA	\$750
L7K5	KUPGEN1760	Bullnose Transition Extrusion and Perimeter Angle for Ramp Extension	EA	\$107
L1K00	KUPGEN1266	Upgrade From Wood Ramp Flap to Steel Ramp Flap	EA	\$143
L1K50	KUPGEN1106	Aluminum 12in Transition Hinge Cover - 5W	EA	\$214
L1K35	KUPGEN1278	Heavy Duty 12in Steel Transition Hinge Cover	EA	\$193
L3K00	KUPGEN1763	Aluminum Tread Plate Over Existing Ramp Flooring, .045	EA	\$429

RAMP ACCESSORIES

SKU	UPG	DESCRIPTION	UOM	MSRP
L3K0	KUPGEN1096	Vice Lock - Side Door	EA	\$43
L6K0	KUPGEN1097	Vice Lock - Rear Door	PR	\$86
L4K75	KUPGEN1109	Recessed Cam Lock	EA	\$679
L4K5	KUPGEN1276	Add Zinc Bar Lock for Side Door (Each)	EA	\$65
L1K50	KUPGEN1104	Additional Cam Lock Bar Rear Door	EA	\$214
L1K5	KUPGEN1110	Additional Strap Hinge	EA	\$21
L1K3	KUPGEN1111	Additional Ramp Door Hinge	EA	\$19
L8K	KUPGEN1611	Upgrade to Aluminum Side Door Holdback	EA	\$11
L7K	KUPGEN1112	Second Aluminum Grab Handle	EA	\$10
L6K	KUPGEN1105	Additional Door Rubber Bumpers	EA	\$9

ACCESS DOORS

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K25	KUPGEN1147	Add 14in x 14in Fuel Door	EA	\$179
L2K20	KUPGEN1150	Add 26in x 26in Roof Access Hatch (Does Not Include Ladder)	EA	\$314
L2K00	KUPGEN1312	Add 16in x 16in Cable Splicing Door w/Brush Seal (LH Hinge)	EA	\$286
L3K00	KUPGEN1149	Add 36in Wide x 33in Height Heavy Duty Access Door with Key Lock (Side Hinge)	EA	\$429
L2K35	KUPGEN1739	Add 24" x 24" Heavy Duty Access Door with Flush Lock	EA	\$336
L2K70	KUPGEN1740	Add 24" x 36" Heavy Duty Access Door with Flush Lock	EA	\$386





CONCESSION

SKU	UPG	DESCRIPTION	UOM	MSRP
L4K48	KUPGEN1862	Solid Awning Door with Gas Shocks - 48 x 48	EA	\$640
L5K60	KUPGEN1863	Solid Awning Door with Gas Shocks - 60 x 48	EA	\$800
L6K72	KUPGEN1864	Solid Awning Door with Gas Shocks - 72 x 48	EA	\$960
L7K84	KUPGEN1865	Solid Awning Door with Gas Shocks - 84 x 48	EA	\$1,120
L8K96	KUPGEN1866	Solid Awning Door with Gas Shocks - 96 x 48	EA	\$1,280
L3K36	KUPGEN1867	Solid Awning Door with Gas Shocks - 48 x 36	EA	\$480
L4K20	KUPGEN1868	Solid Awning Door with Gas Shocks - 60 x 36	EA	\$600
L5K04	KUPGEN1869	Solid Awning Door with Gas Shocks - 72 x 36	EA	\$720
L5K88	KUPGEN1870	Solid Awning Door with Gas Shocks - 84 x 36	EA	\$840
L6K72	KUPGEN1871	Solid Awning Door with Gas Shocks - 96 x 36	EA	\$960
L5K76	KUPGEN1872	Split Awning 16" Sign Section w/ Lexan Insert - 48 x 48	EA	\$823
L7K20	KUPGEN1873	Split Awning 16" Sign Section w/ Lexan Insert - 60 x 48	EA	\$1,029
L8K64	KUPGEN1874	Split Awning 16" Sign Section w/ Lexan Insert - 72 x 48	EA	\$1,234
L1K008	KUPGEN1875	Split Awning 16" Sign Section w/ Lexan Insert - 84 x 48	EA	\$1,440
L1K152	KUPGEN1876	Split Awning 16" Sign Section w/ Lexan Insert - 96 x 48	EA	\$1,646
L4K32	KUPGEN1877	Split Awning 16" Sign Section w/ Lexan Insert - 48 x 36	EA	\$617
L5K40	KUPGEN1878	Split Awning 16" Sign Section w/ Lexan Insert - 60 x 36	EA	\$771
L6K48	KUPGEN1879	Split Awning 16" Sign Section w/ Lexan Insert - 72 x 36	EA	\$926
L7K56	KUPGEN1880	Split Awning 16" Sign Section w/ Lexan Insert - 84 x 36	EA	\$1,080
L8K64	KUPGEN1881	Split Awning 16" Sign Section w/ Lexan Insert - 96 x 36	EA	\$1,234
L1K280	KUPGEN1882	Concession Window with Awning Door, Tempered Glass & Screen - 48 x 48	EA	\$1,829
L1K600	KUPGEN1883	Concession Window with Awning Door, Tempered Glass & Screen - 60 x 48	EA	\$2,286
L1K920	KUPGEN1884	Concession Window with Awning Door, Tempered Glass & Screen - 72 x 48	EA	\$2,743
L2K240	KUPGEN1885	Concession Window with Awning Door, Tempered Glass & Screen - 84 x 48	EA	\$3,200
L2K560	KUPGEN1886	Concession Window with Awning Door, Tempered Glass & Screen - 96 x 48	EA	\$3,657
L9K60	KUPGEN1887	Concession Window with Awning Door, Tempered Glass & Screen - 48 x 36	EA	\$1,371
L1K200	KUPGEN1888	Concession Window with Awning Door, Tempered Glass & Screen - 60 x 36	EA	\$1,714
L1K440	KUPGEN1889	Concession Window with Awning Door, Tempered Glass & Screen - 72 x 36	EA	\$2,057
L1K680	KUPGEN1890	Concession Window with Awning Door, Tempered Glass & Screen - 84 x 36	EA	\$2,400
L1K920	KUPGEN1891	Concession Window with Awning Door, Tempered Glass & Screen - 96 x 36	EA	\$2,743

WINDOWS

SKU	UPG	DESCRIPTION	UOM	MSRP
L2K50	KUPGEN1159	Add 30in Wide x 15in Height Radius Horizontal Slider Window	EA	\$357
L3K25	KUPGEN1160	Add 30in Wide x 30in Height Radius Horizontal Slider Window	EA	\$464
L4K25	KUPGEN1847	Add 48in Wide x 27in Radius Horizontal Slider Window	EA	\$607
L6K35	KUPGEN1162	Add 30in Wide x 22in Height Egress Radius Horizontal Slider Window (LQ Goosenecks)	EA	\$907
L4K50	KUPGEN1163	Add 30in Wide by 30in Height Frameless Radius Egress Window	EA	\$643
L2K50	KUPGEN1161	Add 15in Wide x 30in Height Radius Vertical Slider Window	EA	\$357
L1K75	KUPGEN1848	Add 15in Wide x 21in Radius Vertical Slider Window to Side Door	EA	\$250





VENTS

SKU	UPG	DESCRIPTION	UOM	MSRP
L4K5	KUPGEN1154	Nonpowered 14in x 14in Roof Vent with Screen (No Fan)	EA	\$64
L9K0	KUPGEN1155	Powered 14in x 14in 12V Roof Vent with Screen and Fan	EA	\$129
L1K05	KUPGEN1156	Powered 14in x 14in 110V Roof Vent with Screen and Fan	EA	\$150
L3K00	KUPGEN1158	Powered 12V Fantastic Fan Roof Vent w/ Built-In Thermostat	EA	\$429
L6K5	KUPGEN1157	Max-Air Roof Vent Cover	EA	\$93
L3K0	KUPGEN1151	Plastic Flow Thru Sidewall Vent	EA	\$43
L1K55	KUPGEN1152	Salem 2-Way Aluminum Sidewall Vent - Pair	EA	\$221
L1K25	KUPGEN1153	Upgrade From Flow Thru Vents to 2-Way Salem Aluminum Sidewall Vents	EA	\$179

AWNINGS

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K000	KUPGEN2085	Manual Awning 8ft (Choice of White or Black Fade)	EA	\$1,429
L1K000	KUPGEN2086	Manual Awning 10ft (Choice of White or Black Fade)	EA	\$1,429
L1K050	KUPGEN2087	Manual Awning 12ft (Choice of White or Black Fade)	EA	\$1,500
L1K100	KUPGEN2088	Manual Awning 14ft (Choice of White or Black Fade)	EA	\$1,571
L1K100	KUPGEN2089	Manual Awning 15ft (Choice of White or Black Fade)	EA	\$1,571
L1K150	KUPGEN2090	Manual Awning 16ft (Choice of White or Black Fade)	EA	\$1,643
L1K200	KUPGEN2091	Manual Awning 18ft (Choice of White or Black Fade)	EA	\$1,714
L1K250	KUPGEN2092	Manual Awning 20ft (Choice of White or Black Fade)	EA	\$1,786
L1K350	KUPGEN2093	Manual Awning with Center Support 22ft (Choice of White or Black Fade)	EA	\$1,929
L1K500	KUPGEN2094	Manual Awning with Center Support 24ft (Choice of White or Black Fade)	EA	\$2,143
L1K500	KUPGEN2095	Manual Awning with Center Support 25ft (Choice of White or Black Fade)	EA	\$2,143
L1K600	KUPGEN2096	Power Awning 10ft (Choice of White Fade and Shield with Grey Tube or Black Fade, Shield, and Tube)	EA	\$2,286
L1K700	KUPGEN2097	Power Awning 12ft (Choice of White Fade and Shield/Grey Tube or Black Fade, Shield, and Tube)	EA	\$2,429
L1K700	KUPGEN1713	Power Awning 14ft	EA	\$2,429
L1K800	KUPGEN1714	Power Awning 16ft	EA	\$2,571
L1K800	KUPGEN1715	Power Awning 18ft	EA	\$2,571
L1K950	KUPGEN1716	Power Awning 20ft	EA	\$2,786

LADDER RACKS

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K00	KUPGEN1282	Standard Duty Ladder Rack (Each)	EA	\$143
L1K60	KUPGEN1280	Heavy Duty Ladder Rack (Each)	EA	\$229
L3K25	KUPGEN1281	Heavy Duty Ladder Rack with Roller Bar (Each)	EA	\$464
L3K00	KUPGEN1903	Removable Wall Mount Aluminum Ladder - 16in Wide	EA	\$429
L2K25	KUPGEN1639	Stationary Wall Mount Aluminum Ladder - 16in Wide	EA	\$321





CEILINGS

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K1	KUPGEN1724	Lauan Ceiling Liner	LF	\$16
L1K9	KUPGEN1244	White Vinyl Ceiling Liner (Linear Foot)	LF	\$28
L3K8	KUPGEN1725	White Aluminum Ceiling Liner	LF	\$54
L9K	KUPGEN1279	Foil Ray Insulated Ceiling-Ceiling Liner Required (LF)	LF	\$13
L2K3	KUPGEN1783	Foil Ray Insulated Ceiling (Includes White Vinyl Ceiling Liner)	LF	\$33
L1K5	KUPGEN1784	Foil Ray Insulated Ceiling (Includes Lauan Ceiling Liner)	LF	\$21
L4K2	KUPGEN1785	Foil Ray Insulated Ceiling (Includes White Aluminum Ceiling Liner)	LF	\$60

WALLS

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K9	KUPGEN1246	White Vinyl Wall Liner 9mm	LF	\$28
L2K2	KUPGEN1835	Sidewall Liner 3/4" ILO High Performance Wall Liner	LF	\$31
L5K0	KUPGEN1842	Aluminum Wall Liner	LF	\$71
L1K9	KUPGEN1577	Foil Ray Insulated Walls-Wall Liner Required (LF)	LF	\$27
L4K00	KUPGEN1836	Partition Wall (No Door) Covered with Wall Liner (96"H Max)	EA	\$571
L5K50	KUPGEN1837	Partition Wall (24" or 32" Door) Covered with Wall Liner (96"H Max)	EA	\$786
L7K25	KUPGEN1838	Partition Wall (Pocket Door) Covered with Wall Liner (96"H Max)	EA	\$1,036
L2K50	KUPGEN1839	Partition Wall Gooseneck Step Deck wall (No Access Door)	EA	\$357
L4K00	KUPGEN1840	Partition Wall Gooseneck Step Deck Wall with Access Door	EA	\$571

FLOORS

SKU	UPG	DESCRIPTION	UOM	MSRP
L2K25	KUPGEN1815	Beavertail 24" or 48"	EA	\$321
L2K50	KUPGEN1761	Drive Over Wheel Boxes (45 Degree)	PR	\$357
L2K70	KUPGEN1801	ATP Over Wheel Boxes	PR	\$386
L4K5	KUPGEN1769	Treated 3/4" Plywood ILO Standard 3/4" Flooring	LF	\$64
L3K0	KUPGEN1768	Double Existing 3/4" Engineered Wood Flooring	LF	\$43
L4K0	KUPGEN1766	Black Quad NUDO ILO Standard 3/4" Flooring	LF	\$57
L1K5	KUPGEN1764	Treated Decking 2x6 ILO Engineered Flooring	LF	\$21
L1K0	KUPGEN1762	Treated Decking 2x6 ILO Treated Flooring	LF	\$14
L3K5	KUPGEN1291	Black Coin Flooring in Trailer (LF)	LF	\$50
L3K8	KUPGEN1263	Black Rubber Tread Flooring in Trailer	LF	\$55
L3K0	KUPGEN1765	Marble Vinyl Flooring	LF	\$43
L3K0	KUPGEN1767	Black and White Checkerboard Vinyl Flooring	LF	\$43
L4K5	KUPGEN1770	Aluminum Tread Plate Over Existing Flooring, .045	LF	\$64





INTERIOR TRIM

SKU	UPG	DESCRIPTION	UОМ	MSRP
L1K6	KUPGEN1841	Black Carpet Along Bottom of Wall 36" High	LF	\$23
L6K	KUPGEN1793	High Performance 3/4" Kick Plate 12" High	LF	\$9
L1K2	KUPGEN1795	High Performance 3/4" Kick Plate 24" High	LF	\$17
L1K3	KUPGEN1794	ATP .045 Kick Plate 12" High	LF	\$19
L1K5	KUPGEN1247	White Interior Aluminum Trim	LF	\$21
L1K5	KUPGEN1248	Black Interior Aluminum Trim	LF	\$21
L1K5	KUPGEN1249	Silver Interior Aluminum Trim	LF	\$21
L2K5	KUPGEN1250	Charcoal Interior Aluminum Trim	LF	\$36
L2K5	KUPGEN1251	Matte Black Interior Aluminum Trim	LF	\$36
L2K5	KUPGEN1252	ATP Interior Aluminum Trim	LF	\$36
L1K5	KUPGEN1253	Black ATP Interior Aluminum Trim	LF	\$21
L1K5	KUPGEN1255	Pewter Interior Aluminum Trim	LF	\$21
L1K5	KUPGEN1256	Red Interior Aluminum Trim	LF	\$21
L1K5	KUPGEN1257	Blue Interior Aluminum Trim	LF	\$21

CABINETS AND COUNTERTOPS

SKU	UPG	DESCRIPTION	иом	MSRP
L5K25	KUPGEN1723	Closet (24 x 24 x Full Height)	EA	\$750
L5K60	KUPGEN1259	White Helmet Cabinet with Black Trim and Coat Rack - 4ft	EA	\$800
L4K25	KUPGEN1517	Configuration 1: Straight Overhead Cabinet - White	EA	\$608
L5K00	KUPGEN1517	Configuration 1: Straight Overhead Cabinet - Black	EA	\$714
L8K70	KUPGEN1518	Configuration 2: Straight Base Cabinet - White	EA	\$1,243
L5K50	KUPGEN1519	Configuration 3: Straight Base Cabinet w/Toolbox Compartment - White	EA	\$786
L1K100	KUPGEN1520	Configuration 4: Straight Base Cabinet & Overhead Cabinet - White	EA	\$1,572
L1K035	KUPGEN1521	Configuration 5: Straight Base Cabinet & Overhead Cabinet w/Toolbox Compartment - White	EA	\$1,479
L1K180	KUPGEN1522	Configuration 6: Straight Base & Overhead Cabinet w/Half Closet and Toolbox Storage - White	EA	\$1,686
L1K310	KUPGEN1523	Configuration 7: Straight Base & Overhead Cabinet w/Full Height Closet - White	EA	\$1,871
L9K80	KUPGEN1524	Configuration 8: L Shape Base Cabinet - White	EA	\$1,400
L8K40	KUPGEN1525	Configuration 9: L Shape Base Cabinet w/Toolbox Storage - White	EA	\$1,200
L1K535	KUPGEN1526	Configuration 10: L Shape Base w/Overhead Cabinet - White	EA	\$2,193
L1K350	KUPGEN1527	Configuration 11: L Shape Base & Overhead Cabinet w/Toolbox Storage - White	EA	\$1,929
L1K495	KUPGEN1528	Configuration 12: L Shape Base & Overhead Cabinet w/Half Closet & Toolbox Storage - White	EA	\$2,136
L1K656	KUPGEN1529	Configuration 13: L Shape Base & Overhead Cabinet w/Full Height Closet - White	EA	\$2,366
L1K656	KUPGEN1529	Configuration 13: L Shape Base & Overhead Cabinet w/Full Height Closet - Silver	EA	\$2,366
L1K5	KUPGEN1789	Shelf in Cabinet (Not Adjustable)	EA	\$21
L2K00	KUPGEN1790	Drawer in Base Cabinet	EA	\$286
L3K0	KUPGEN1791	Interior Countertop Mill Finish 22"D - Fold Down	EA	\$43
L2K0	KUPGEN1792	Interior Countertop Mill Finish 22"D - Stationary	EA	\$29
L4K5	KUPGEN1803	Tip Out Hinge Countertop - Mill Finish 12"D	EA	\$64
L4K5	KUPGEN1804	Tip Out Hinge Countertop Removable - Mill Finish 12"D	EA	\$64





FIXTURES

SKU	UPG	DESCRIPTION	UOM	MSRP
L3K00	KUPGEN1721	Aluminum Fold Down Bench Seat 24"W x 24"D x 16"H	EA	\$429
L3K35	KUPGEN1722	Aluminum Fold Down Bench Seat 48"W x 24"D x 16"H	EA	\$479
L1K950	KUPGEN1811	Camper Package w/ Double Bed (Must be 6ft 6in Interior)	EA	\$2,786
L2K650	KUPGEN1812	Camper Package w/ Queen Bed (Must be 6ft 6in Interior)	EA	\$3,786
L7K35	KUPGEN1530	Sleeping Quarters Prep Package	EA	\$1,050
L2K520	KUPGEN1796	Concession One Sink Package	EA	\$3,600
L3K025	KUPGEN1732	Concession Two Sink Package	EA	\$4,321
L3K900	KUPGEN1733	Concession Three Sink Package w/ Hand Sink	EA	\$5,571
L4K00	KUPGEN1635	Aluminum Formed Shelf - 96in Long Max	EA	\$571

CARGO CONTROL

SKU	UPG	DESCRIPTION	UOM	MSRP
L7K50	KUPGEN1085	Superwinch S5000 (Includes Wireless Remote Battery and Battery Box)	EA	\$1,071
L3K75	KUPGEN1083	Recessed Winch Box w/ Roller in Frame	EA	\$536
L1K25	KUPGEN1084	Two Inch Receiver Tube Recessed in Floor for Winch Stand	EA	\$179
L1K0	KUPGEN1071	Surface Mounted Rope Ring (Screwed) Into Steel Post	EA	\$14
L2K5	KUPGEN1082	Winch Plate	EA	\$36
L1K1	KUPGEN1072	Floor Mount 2500lb recessed D-Ring w/ Steel Plate (Bolted)	EA	\$16
L1K0	KUPGEN1073	D-Ring (5000lb) w/ Steel Plate (Bolted Backer)	EA	\$15
L1K5	KUPGEN1707	D-Ring (5000lb) w/ Steel Plate (Welded Backer)	EA	\$22
L2K2	KUPGEN1571	D-Ring (5000lb) w/ Aluminum Plate (Bolted)	EA	\$31
L1K6	KUPGEN1074	Recessed Wall Mount E-Track w/ Steel Backer	EA	\$23
L1K5	KUPGEN1075	Surface Mounted E-Track w/ Steel Backer	EA	\$21
L1K6	KUPGEN1076	Recessed Mount Floor E-Track w/ Steel Backer	EA	\$23
L2K5	KUPGEN1077	Aluminum E-Track	EA	\$36
L1K7	KUPGEN1706	Surface Floor Mounted E-Track w/16" OC Floor	EA	\$24
L1K7	KUPGEN1750	Vertical Surface Mount Wall E-Track	EA	\$24
L1K9	KUPGEN1751	Vertical Recessed Wall E-Track w/ Steel Backer	EA	\$27
L6K5	KUPGEN1078	Removable Wheel Chock (Tube Style)	EA	\$93
L1K05	KUPGEN1079	Recessed 24in Motorcycle Wheel Chock	EA	\$150





EXTERIOR LIGHTS

SKU	UPG	DESCRIPTION	UOM	MSRP
L5K0	KUPGEN1164	LED Mid Ship Turn Signal (3-Way)	PR	\$71
L1K2	KUPGEN1704	Additional LED Marker Light	EA	\$17
L0K	KUPGEN1167	Additional Pair LED Stop, Tail, Turn Lights	EA	\$0
L9K0	KUPGEN1798	Additional LED Stop/Turn/Reverse Tail Lights	PR	\$129
L4K5	KUPGEN1171	Exterior 12V LED Porch Light w/ Switch	EA	\$64
L5K0	KUPGEN1589	Exterior Loading Light, 12V Angled Black	EA	\$71
L1K20	KUPGEN1185	LED 22in 12V Black Loading Light w/ Switch	EA	\$171
L4K25	KUPGEN1168	Side Mount 12V LED Docking Light	EA	\$607
L4K25	KUPGEN1204	Recessed 110V 50W LED Light w/ Switch	EA	\$607
L3K00	KUPGEN2111	K70 LED Scene Light w/ Switch	EA	\$429
L4K50	KUPGEN1260	Scene Light 9 x 7, K90 with High Low Switch	EA	\$643
L9K00	KUPGEN1261	One Pair Scene Lights 9 x 7, K90 with High Low Switch	EA	\$1,286
L5K0	KUPGEN1265	Amber 12V Strobe Light	EA	\$71

INTERIOR LIGHTS

SKU	UPG	DESCRIPTION	UOM	MSRP
L3K0	KUPGEN1172	Interior 12V LED Dome Light	EA	\$43
L5K0	KUPGEN1173	LED 12V Deluxe 11in Dome Light	EA	\$71
L3K0	KUPGEN1174	Upgrade 12V Standard Interior Dome Unit to LED Deluxe 12V 11in Light	EA	\$43
L7K5	KUPGEN1175	Deluxe 18in 12V Dome Light w/ Chrome Bezel	EA	\$107
L2K0	KUPGEN1703	Move Dome Light to Roof Bow	EA	\$29
L1K00	KUPGEN1201	LED 110v 4ft Ceiling Light	EA	\$143
L3K5	KUPGEN1202	ATP .045 Backer for 4ft LED Light	EA	\$50
L2K75	KUPGEN1203	Swing-Out 110V LED Light (Requires Switch)	EA	\$393
L5K25	KUPGEN1544	Light Package 30 amp - Ceiling Liner Required	EA	\$750
L8K00	KUPGEN1545	Light Package 50 amp - Ceiling Liner Required	EA	\$1,143

SWITCHES

SKU	UPG	DESCRIPTION	UOM	MSRP
L2K5	KUPGEN1176	Interior 12V Wall Switch	EA	\$36
L7K5	KUPGEN1177	Interior 3-Way 12V Wall Switch	PR	\$107
L4K0	KUPGEN1090	Top Fuel Switch 1 Gang Cover w/ Toggle Switch (2 Way)	EA	\$57
L5K0	KUPGEN1091	Top Fuel Switch 2 Gang Cover w/ (2) Toggle Switches	EA	\$71
L6K0	KUPGEN1092	Top Fuel Switch 3 Gang Cover w/ (3) Toggle Switches	EA	\$86
L7K0	KUPGEN1093	Top Fuel Switch 4 Gang cover w/ (4) Toggle Switches	EA	\$100
L1K00	KUPGEN1327	Top Fuel Switch 1 Gang cover w/ (1) Toggle Switch (3-Way)	PR	\$143
L1K10	KUPGEN1326	Top Fuel Switch 2 Gang cover w/ (2) Toggle Switches (3-Way)	PR	\$157
L1K20	KUPGEN1325	Top Fuel Switch 3 Gang cover w/ (3) Toggle Switches (3-Way)	PR	\$171
L1K30	KUPGEN1324	Top Fuel Switch 4 Gang cover w/ (4) Toggle Switches (3-Way)	PR	\$186





12V ELECTRICAL

SKU	UPG	DESCRIPTION	UOM	MSRP
L3K0	KUPGEN1169	Upgrade to 7 Way From 4-way	EA	\$43
L1K0	KUPGEN1238	Plug Holder 7-Way	EA	\$14
L2K50	KUPGEN1705	Deep Cycle Battery 12V w/Trickle Charger	EA	\$357
L3K20	KUPGEN1178	Deep Cycle 12V Battery in Battery Box w/ Fuse Panel (Interior)	EA	\$457
L3K10	KUPGEN1179	Deep Cycle 12V Battery in Plastic Battery Box w/ Fuse Panel (Exterior Tongue Mount)	EA	\$443
L5K85	KUPGEN1180	Recessed Battery Box in Frame w/ 12V Deep Cycle Battery and Fuse Panel (Interior)	EA	\$836
L6K0	KUPGEN1241	Disconnect Switch for 12V Battery	EA	\$86
L7K5	KUPGEN1181	Fuse Panel - 12V - 6 Circuit	EA	\$107
L6K0	KUPGEN1188	Receptacle 12V	EA	\$86
L7K5	KUPGEN1189	USB 12V and 12V Receptacle Wall Plate Charging Center	EA	\$107
L7K5	KUPGEN1190	Smoke and CO Detector - 12V	EA	\$107
L6K00	KUPGEN1269	Boss/Kicker Stereo System w/ (4) Speakers & Antennae	EA	\$857
L6K00	KUPGEN1269	JBL Stereo System - White Covering	EA	\$857
L6K00	KUPGEN1269	JBL Stereo System - Black Covering	EA	\$857
L6K00	KUPGEN1269	JBL Stereo System - Red Covering	EA	\$857
L6K00	KUPGEN1269	JBL Stereo System - Silver Covering	EA	\$857

GENERATORS

SKU	UPG	DESCRIPTION	UOM	MSRP
L2K50	KUPGEN1148	Add 36in Wide x 33in Height Vented Generated Door with Key Lock Without Box	EA	\$357
L2K70	KUPGEN1737	Add 36" x 24" Vented Generator Door with Flush Lock	EA	\$386
L3K50	KUPGEN1738	Add 48" x 36" Vented Generator Door with Flush Lock	EA	\$500
L3K50	KUPGEN1226	Insulated Generator Compartment	EA	\$500
L2K25	KUPGEN1227	Generator Slides for Portable Generator 350lb (Ship Loose)	PR	\$321
L7K50	KUPGEN1547	Generator Prep Package - 30 Amp	EA	\$1,071
L8K25	KUPGEN1548	Generator Prep Package - 50 Amp	EA	\$1,179
L1K400	KUPGEN1775	Onan 2500W Portable Gas Generator	EA	\$2,000
L2K350	KUPGEN1776	Onan 4500W Portable Gas Generator	EA	\$3,357
L1K950	KUPGEN1777	Onan 9500W Portable Dual Fuel Gas or LP Generator	EA	\$2,786
L7K500	KUPGEN1778	Onan 5500W Stationary Gas Generator Package	EA	\$10,714
L8K750	KUPGEN1779	Onan 7000W Stationary Gas Generator Package	EA	\$12,500
L1K6000	KUPGEN1780	Onan 10000W Stationary Diesel Generator Package	EA	\$22,857
L1K7500	KUPGEN1781	Onan 12000W Stationary Diesel Generator Package	EA	\$25,000
L2K05	KUPGEN1229	Automatic 30A Transfer Switch Wired to Box	EA	\$293
L3K25	KUPGEN1230	Automatic 50A Transfer Switch Wired to Box	EA	\$464

CONVERTERS AND CHARGERS

SKU	UPG	DESCRIPTION	UOM	MSRP
L2K50	KUPGEN1182	Power Converter/Charger- 45 Amp (110V/12V)	EA	\$357
L1K25	KUPGEN1184	Trickle Battery Charger - 110V	EA	\$179
L1K60	KUPGEN1187	Battery Tender 12V .75 Amp Includes 110V Receptacle	EA	\$229
L2K185	KUPGEN1546	RV 4000 Series 30 Amp AC-DC Service Panel 45 Amp Converter Package	EA	\$3,121





120V ELECTRICAL

SKU	UPG	DESCRIPTION	UOM	MSRP
L2K55	KUPGEN1209	Panel Box 30A w/ 25ft Shoreline, 30A Motorbase, and 25ft Motorbase Cord	EA	\$364
L5K50	KUPGEN1210	Panel Box 50A w/ 25ft Shoreline, 50A Motorbase, and 25ft Motorbase Cord	EA	\$786
L1K00	KUPGEN1211	Panel Box 100A (Must Be Hard Wired) and Cable Hatch	EA	\$143
L3K5	KUPGEN1193	Interior 110V Wall Switch	EA	\$50
L1K00	KUPGEN1194	Interior 110V 3-Way Wall Switch (15A)	PR	\$143
L4K0	KUPGEN1195	Interior 110V Receptacle 2 Gan (15A)	EA	\$57
L6K5	KUPGEN1196	Interior 110V Receptacle 2 Gang (20A) 12-2 w/ Ground Wire	EA	\$93
L6K0	KUPGEN1197	GFI Wall Receptacle Interior (15A)	EA	\$86
L7K0	KUPGEN1199	GFI Wall Receptacle Interior (20A)	EA	\$100
L9K0	KUPGEN1198	GFI Wall Receptacle Exterior (15A)	EA	\$129
L1K05	KUPGEN1200	GFI Wall Receptacle Exterior (20A)	EA	\$150
L9K0	KUPGEN2103	Exterior 15A Motorbase Plug w/ (1) 15A Receptacle (No Breaker Panel)	EA	\$129
L2K50	KUPGEN1208	Exterior 15A Motorbase Plug w/ (1) 15A GFI w/ Breaker Panel	EA	\$357
L1K50	KUPGEN1323	Motorbase - 30A Plug and 30A Female Plug with Yellow Boot and 30A Power Cord	EA	\$214
L2K5	KUPGEN1170	Round Plastic Cable Hatch Cover	EA	\$36

WIRING

SKU	UPG	DESCRIPTION	UOM	MSRP
L7K0	KUPGEN1191	Wire for 12V Options/Stub Wire Only (Specify Location)	EA	\$100
L2K75	KUPGEN1192	CSA Wiring Upgrade	EA	\$393
L1K00	KUPGEN1205	Stub 14-2 Wire Only for 110V Options (Specify Location)	EA	\$143
L1K20	KUPGEN1206	Stub 12-2 Wire Only for 110V Options (Specify Location)	EA	\$171
L2K50	KUPGEN1207	Stub 8-3 Wire Only for 110V Options (Specify Location)	EA	\$357
L1K50	KUPGEN1240	Wire for 20A 12V Options/Stub Wire Only (Specify Location)	EA	\$214





PROPANE

SKU	UPG	DESCRIPTION	UOM	MSRP
L3K85	KUPGEN1220	Double 20lb LP Tank with Hoses Mounted to A-Frame	EA	\$550
L5K00	KUPGEN1221	Double 30lb LP Tank with Hoses Mounted to A-Frame	EA	\$714
L3K5	KUPGEN1222	Run Black Gas Pipe Line (Not Hooked Up) (Per Ft)	LF	\$50

HVAC

SKU	UPG	DESCRIPTION	UOM	MSRP
L1K65	KUPGEN1212	Electric 4ft Baseboard Heater (110V) w/ Thermostat	EA	\$236
L5K25	KUPGEN1239	Wall Mount Heater 1000/2000, 750/1500 Watt	EA	\$750
L2K150	KUPGEN1224	LP Gas Furnace 20,000 BTU (Not Ducted)	EA	\$3,071
L3K400	KUPGEN1225	LP Gas Furnace 30,000 BTU ducted Along Ceiling	EA	\$4,857
L3K50	KUPGEN1788	Snowmobile Boot Warmer (Must Have Ducted LP Furnace)	EA	\$500
L5K0	KUPGEN1214	Frame Only for Air Conditioner	EA	\$71
L1K25	KUPGEN1215	Frame and Wire Only for Air Conditioner	EA	\$179
L9K00	KUPGEN1217	Roof 13,500 BTU Air Conditioner w/ Heat Strip (Black)	EA	\$1,286
L1K000	KUPGEN1218	Roof 15,000 BTU Air Conditioner w/ Heat Strip (Black)	EA	\$1,429
L1K300	KUPGEN1677	Roof 15,000 BTU Air Conditioner w/ Heat Strip & Thermostat (Black)	EA	\$1,857
L1K200	KUPGEN1676	Roof 13,500 BTU Air Conditioner w/ Heat Strip & Thermostat (Black)	EA	\$1,714
L1K00	KUPGEN1216	Upgrade to Low Profile Air Conditioner	EA	\$143
L1K60	KUPGEN1219	Wall Mount Thermostat for Roof Mount Air Conditioner (Battery Assembly Required)	EA	\$229
L7K5	KUPGEN1787	Carbon Monoxide Sensor	EA	\$107

