



WALTON

**Trailer Catalog
Q1 - 2024**



Trailer Models

Type	Model	Description	GVWR Options	Page
DUMP	DST	<i>Dump Standard Duty: 60" Bed Width</i>	5K, 7K, 10K	4
	DMD	<i>Dump Medium Duty: 77" Bed Width</i>	10K, 14K	5
	DHV	<i>Dump Heavy Duty: 83" Bed Width</i>	14K, 16K	6
	DHO	<i>Dump Heavy Deck-Over: 92" Bed Width</i>	14K, 16K, 20k, 21K, 24K, 30K	7
TILT	TMX	<i>Tilt Mini: 72" between fenders</i>	7K	11
	TSX	<i>Tilt Skid-steer: 85" between fenders</i>	14K, 16K, 20K, 21K	12
	THO	<i>Tilt Heavy Deck-Over: 96.5" Width</i>	20K, 24K, 30K	14
FLATBED	FBS	<i>Flatbed Skid-steer: 85" between fender</i>	10K, 14K	18
	FBH	<i>Flatbed Heavy Duty: 101" Width</i>	14K, 16K	20
	FBX	<i>Flatbed Extreme Duty: 101" Width</i>	20K, 21K, 24K, 30K	22

Walton Trailers are now backed by a
3 Year Limited Structural Warranty

WALTON TRAILER CODES

Model **Axle Pkg** **Length** **Pull Type**
X X X **X X X** **- X X X**

of Axles **Axle Weight**
DHV **207** **-14B**
14' **Bumper**



Dump Trailers



DST

DUMP STANDARD DUTY

GVWR: 5,000 - 10,000 lbs

Available Sizes: 8' x 60", 10' x 60", 12' x 60"



Model	GVWR	Axles	Suspension	Pull Option	MSRP
DST105-8B	5,000	1 - 5,200 lb	Slipper Spring	Bumper	\$7,556
DST235-10B	7,000	2 - 3,500 lb	Slipper Spring	Bumper	\$9,041
DST205-12B	10,000	2 - 5,200 lb	Slipper Spring	Bumper	\$10,637

Standard Features

BRAKES: Self-Adjust Electric Drum Brakes
BATTERY/CHARGER: Battery with 110V 5amp Charger
COUPLER: 2-5/16" - 15,000 lb Demco EZ-Latch
CROSS-MEMBERS: 3" Channel on 16" Centers
FENDERS: 1/8" Diamond Plate
FRAME: 5" Channel (6" for 10,000 lb GVWR)
GATE: Barn Door
HOIST: Scissor Hoist
JACK: 8,000 lb Drop-Leg
LIGHTS: DOT Approved LED
SIDES: 24", (12 ga Sides with 10 ga Floor)
STAKE POCKETS: 2" Stake Pockets and Tarp Rod
STORAGE: Standard Toolbox
TARP: Heavy Duty Mesh Tarp
TIRES: ST205/75R15 Radial
WHEEL COLOR: Black
WARRANTY: 3 Year Limited Structural

Powder Coat Options



Popular Add-ons

10 ga. Sides
32" Sides
Board Bracket Side Extensions
12" Fold Down Wall (32"+)
Drivers Side Step
Chain Tray
Wireless Remote
Solar Charging System
Extra D-Rings
Matching Spare

For additional options see options index at the end of this section

DMD

DUMP MEDIUM DUTY

GVWR: 10,000 - 14,000 lbs

Available Sizes: 12' x 77", 14' x 77"



Model	GVWR	Axles	Suspension	Pull Option	MSRP
DMD205-12B	10,000	2 - 5,200 lb	Slipper Spring	Bumper	\$11,711
DMD205-14B	10,000	2 - 5,200 lb	Slipper Spring	Bumper	\$12,064
DMD207-12B	14,000	2 - 7,000 lb	Slipper Spring	Bumper	\$12,832
DMD207-14B	14,000	2 - 7,000 lb	Slipper Spring	Bumper	\$13,184

Standard Features

BRAKES: Self-Adjust Electric Drum Brakes
BATTERY/CHARGER: Battery with 110V 5amp Charger
COUPLER: 2-5/16" - 15,000 lb Demco EZ-Latch
CROSS-MEMBERS: 3" Channel on 16" Centers
FENDERS: 3/16" Diamond Plate Heavy Duty
FRAME: 6" Channel
GATE: Spreader Gate Combo
HOIST: Scissor Hoist
JACK: 8,000 lb Drop-Leg (12k for 14K GVWR)
LIGHTS: DOT Approved LED
SIDES: 24", (12 ga Sides with 10 ga Floor)
STAKE POCKETS: 2" Stake Pockets and Tarp Rod
STORAGE: Standard Toolbox
TARP: Heavy Duty Mesh Tarp
TIE DOWNS: 4 - 5/8" D-Rings
TIRES: ST225/75R15 Radial, ST230/80R16 Radial (14k)
WHEEL COLOR: Black
WARRANTY: 3 Year Limited Structural

Powder Coat Options



Popular Add-ons

32" / 40" Sides
Board Bracket Side Extensions
12" Fold Down Wall
16" Fold Down Wall
12K Hydraulic Jack
Drivers Side Step
Chain Tray
Wireless Remote
Solar Charging System
Extra D-Rings
Matching Spare

For additional options see options index at the end of this section

DHV

DUMP HEAVY DUTY

GVWR: 14,000 - 16,000 lbs

Available Sizes: 14' x 83", 16' x 83"



Model	GVWR	Axles	Suspension	Pull Option	MSRP
DHV207-14	14,000	2 - 7,000 lb	Slipper Spring	Bumper, Goose	\$13,680
DHV207-16	14,000	2 - 7,000 lb	Slipper Spring	Bumper, Goose	\$14,031
DHV208-14	16,000	2 - 8,000 lb	Slipper Spring	Bumper, Goose	\$16,479
DHV208-16	16,000	2 - 8,000 lb	Slipper Spring	Bumper, Goose	\$16,832

Standard Features

BRAKES: Self-Adjust Electric Drum Brakes

BATTERY/CHARGER: Battery with 110V 5amp Charger

COUPLER: 2-5/16" - 15,000 lb Demco EZ-Latch

CROSS-MEMBERS: 3" Channel on 16" Centers

FENDERS: 3/16" Diamond Plate Heavy Duty

FRAME: 6" Channel

GATE: Spreader Gate Combo

HOIST: Scissor Hoist

JACK: 12,000 lb Drop-Leg

LIGHTS: DOT Approved LED

RAMPS: Heavy Duty 72" Slide-in Ramps

SIDES: 24", (12 ga Sides with 10 ga Floor)

STAKE POCKETS: 2" Stake Pockets and Tarp Rod

STORAGE: Standard Toolbox

TARP: Heavy Duty Mesh Tarp

TIRES: ST235/80R16 Radial

WHEEL COLOR: Black

WARRANTY: 3 Year Limited Structural

Powder Coat Options

Incl.



Black



Gunmetal
Gray



Desert
Tan



Gray

Popular Add-ons

10 ga. Sides

7 ga. Floor

32" / 40" Sides

Board Bracket Side Extensions

16" Fold Down Wall

12K Hydraulic Jack (Single/Dual)

Drivers Side Step

Wireless Remote

Solar Charging System

G-Rated Tire Upgrade (14K upgrade)

Matching Spare

For additional options see options index at the end of this section

DHO

DUMP HEAVY DECKOVER

GVWR: 14,000 - 30,000 lbs

Available Sizes: 14' x 92", 16' x 92", 20' x 92"



Model	GVWR	Axles	Suspension	Pull Option	MSRP
DHO207-14	14,000	2 - 7,000 lb	Slipper Spring	Bumper, Goose	\$14,200
DHO207-16	14,000	2 - 7,000 lb	Slipper Spring	Bumper, Goose	\$14,551
DHO208-14	16,000	2 - 8,000 lb	Slipper Spring	Bumper, Goose	\$16,479
DHO208-16	16,000	2 - 8,000 lb	Slipper Spring	Bumper, Goose	\$16,832
DHO210-16G	20,000	2 - 10,000 lb	Slipper Spring	Goose	\$23,697
DHO212-16G	24,000	2 - 12,000 lb	Slipper Spring	Goose	\$24,987
DHO212-20G	24,000	2 - 12,000 lb	Slipper Spring	Goose	\$25,691
DHO215-20G	30,000	2 - 15,000 lb	Slipper Spring	Goose	\$28,661

– See Standard Features and Options on next page –

*Empty weights are approximations. It is the customers responsibility to verify exact weight.

DHO

DUMP HEAVY DECKOVER

GVWR: 14,000 - 30,000 lbs

Available Sizes: 14' x 92", 16' x 92", 20' x 92"



Standard Features

BRAKES: Self-Adjust Electric Drum Brakes
BATTERY/CHARGER: Battery with 110V 5amp Charger
COUPLER: 2-5/16" - 15,000 lb Demco EZ-Latch
CROSS-MEMBERS: 3" Channel on 16" Centers
FRAME: 6" Channel (14k), 8" Channel (16k),
10" x 19 lb I-Beam (20k/24k), 10" x 22 lb I-Beam (30k)
GATE: Spreader Gate Combo
HOIST: Scissor Hoist
JACK: 12,000 lb Drop-Leg (2 -12k for 20K+ GVWR)
LIGHTS: DOT Approved LED
RAMPS: Heavy Duty 96" Slide-in Ramps
SIDES: 24", (12 ga Sides with 10 ga Floor)
STAKE POCKETS: 2" Stake Pockets and Tarp Rod
STORAGE: Standard Toolbox
TARP: Heavy Duty Mesh Tarp
TIE DOWNS: 4 - 5/8" D-Rings
TIRES: ST235/80R16 Radial
WHEEL COLOR: Black
WARRANTY: 3 Year Limited Structural

Powder Coat Options



Popular Add-ons

10 ga. Sides
7 ga. Floor
32"/40" Sides (40" standard on 20k+)
Board Bracket Side Extensions
16" Fold Down Wall
12K Hydraulic Jack (Single/Dual)
Drivers Side Step
Chain Tray
Wireless Remote
Solar Charging System
G-Rated Tire Upgrade (14K upgrade)

For additional options see options index at the end of this section



Dump Trailer Options - Index

Add-On	Available on
Surge Brakes (Bumper Pull Only)	DST, DMD, DHV
Gooseneck	DHV, DHO
10 ga. Sides	All Models
7 ga. Floor	DMD, DHV, DHO
32" Sides	All Models
40" Sides - standard on 20k GVWR and above	DMD, DHV, DHO
Fold Down Wall (Whole) - 24" Only	DHO
Fold Down Wall (Split) - 32"+	All Models
Board Bracket Side Extension	All Models
Grain Gate	DMD, DHV, DHO
HD 72" Slide-In Ramps	DMD
Rear Stabilizer Drop Legs	DHV, DHO
12K Jack Upgrade	DST, DMD
12K Hydraulic Jack (Single / Dual)	DMD, DHV, DHO
Paint + Primer	All Models
3" Channel on 12" Centers	DHV, DHO
Surge Coupler (Bumper Pull Only)	DST, DMD, DHV
Gooseneck Air Ride Coupler (Gooseneck Only)	DHV, DHO
Drivers Side Step	All Models
Extra Storage Box in Uprights (Gooseneck Only)	DHV, DHO
Chain Tray	All Models
Wireless Remote	All Models
Solar Charging System	All Models
Extra D-Rings	All Models
G-Rated Upgrade (14k package and below)	DMD, DHV, DHO
Matching Spare	All Models
Custom Paint Color	All Models

Tilt Trailers





TMX

Mini Tilt

GVWR: 7,000 lbs

Available Sizes: 12' x 85"

Model	GVWR	Axles	Suspension	Pull Option	MSRP
TMX107-12B	7,000	1 - 7,000 lb	Torsion	Bumper	\$7,295

Standard Features

BRAKES: Self-Adjust Electric Drum Brakes
COUPLER: 2-5/16" - 15,000 lb Demco EZ-Latch
CROSS-MEMBERS: 2.5" Angle on 16" Centers
FENDERS: 1/8" Diamond Plate
FRAME: 4" x 6" x 5/16" Angle
TILT: Hydraulic
TILT ANGLE: 10 degrees
DECK: Full Tilt
FLOOR: 3/16" Smooth Plate w / Expanded Metal
JACK: 8,000 lb Drop-Leg
LIGHTS: DOT Approved LED
SPARE MOUNT: Included
STORAGE: Standard Toolbox
TAIL: Knife Edge
TIE DOWNS: 7 - 5/8" D-Rings
TIRES: ST235/80R16 Radial
WHEEL COLOR: Black
WARRANTY: 3 Year Limited Structural

Powder Coat Options



Popular Add-ons

Extra D-Rings
Matching Spare

For additional options see options index at the end of this section

TSX

Skid-steer Tilt

GVWR: 14,000 - 21,000 lbs

Available Sizes: 16' x 85", 20' x 85", 22' x 85", 24' x 85", 26' x 85"



Model	GVWR	Axles	Suspension	Pull Option	MSRP
TSX207-16	14,000	2 - 7,000 lb	Torsion	Bumper	\$10,369
TSX207-20	14,000	2 - 7,000 lb	Torsion	Bumper	\$11,074
TSX207-22	14,000	2 - 7,000 lb	Torsion	Bumper	\$11,425
TSX207-24	14,000	2 - 7,000 lb	Torsion	Bumper	\$11,777
TSX208-20	16,000	2 - 8,000 lb	Torsion	Bumper, Goose	\$13,692
TSX208-22	16,000	2 - 8,000 lb	Torsion	Bumper, Goose	\$14,044
TSX208-24	16,000	2 - 8,000 lb	Torsion	Bumper, Goose	\$14,395
TSX307-20	21,000	3 - 7,000 lb	Torsion	Bumper, Goose	\$14,656
TSX307-22	21,000	3 - 7,000 lb	Torsion	Bumper, Goose	\$15,008
TSX307-24	21,000	3 - 7,000 lb	Torsion	Bumper, Goose	\$15,359
TSX307-26	21,000	3 - 7,000 lb	Torsion	Bumper, Goose	\$15,711

– See Standard Features and Options on next page –

TSX

Skid-steer Tilt

GVWR: 14,000 - 21,000 lbs

Available Sizes: 16' x 85", 20' x 85", 22' x 85", 24' x 85", 26' x 85"



Standard Features

BRAKES: Self-Adjust Electric Drum Brakes

COUPLER: 2-5/16" - 15,000 lb Demco EZ-Latch

CROSS-MEMBERS: 3" Channel on 16" Centers

FENDERS: 3/16" Diamond Plate Heavy Duty

FRAME: 2" x 5" x 1/4" Tube

TILT: Hydraulic w/ Metering Valve

TILT ANGLE: 10 degrees

DECK: 4' Stationary Deck at the Front

FLOOR: 2" x 10" Treated Lumber

JACK: 12,000 lb Drop-Leg

LIGHTS: DOT Approved LED

SPARE MOUNT: Included

STAKE POCKETS: 2x5/16" Rubrail w/ 2" Stake Pockets

STORAGE: Standard Toolbox

SUSPENSION: Torsion

TAIL: Knife Edge

TIE DOWNS: 10 - 5/8" D-Rings

TIRES: ST235/80R16 Radial

WHEEL COLOR: Black

WARRANTY: 3 Year Limited Structural

Powder Coat Options

Incl.



Black



Gunmetal
Gray



Desert
Tan



Gray

Popular Add-ons

Rock Crawler Package

Hydraulic Power Tilt (incl. Power Unit)

Graytex Runners

12K Hydraulic Jack

3" Channel on 12" Centers

Chain Tray

Chain Spool b/w Stake Pockets

Extra D-Rings

Matching Spare

For additional options see options index at the end of this section

THO

Tilt Heavy Deckover

GVWR: 20,000 - 30,000 lbs

Available Sizes: 24' x 96.5", 26' x 96.5", 28' x 96.5", 30' x 96.5"



Model	GVWR	Axles	Suspension	Pull Option	MSRP
THO210-24	20,000	2 - 10,000 lb	Slipper Spring	Bumper, Goose	\$22,850
THO210-26	20,000	2 - 10,000 lb	Slipper Spring	Bumper, Goose	\$23,202
THO210-28	20,000	2 - 10,000 lb	Slipper Spring	Bumper, Goose	\$23,553
THO212-24	24,000	2 - 12,000 lb	Slipper Spring	Bumper, Goose	\$26,680
THO212-26	24,000	2 - 12,000 lb	Slipper Spring	Bumper, Goose	\$27,032
THO212-28	24,000	2 - 12,000 lb	Slipper Spring	Bumper, Goose	\$27,383
THO215-30	30,000	2 - 15,000 lb	Slipper Spring	Bumper, Goose	\$31,658

– See Standard Features and Options on next page –

THO

Tilt Heavy Deckover

GVWR: 20,000 - 30,000 lbs

Available Sizes: 24' x 96.5", 26' x 96.5", 28' x 96.5", 30' x 96.5"



Standard Features

BRAKES: Self-Adjust Electric Drum Brakes

COUPLER: 2-5/16" - 21,000 lb Demco EZ-Latch

CROSS-MEMBERS: 3" Channel on 16" Centers

FRAME: 10" x 19 lb I-Beam

TILT: Hydraulic

TILT ANGLE: 11 degrees

DECK: 3' Stationary Deck at the Front

FLOOR: 2" x 10" Treated Lumber

JACK: 2-12,000 lb Drop-Legs

LIGHTS: DOT Approved LED

SPARE MOUNT: Included

STAKE POCKETS: 2x5/16" Rubrail w/ 2" Stake Pockets

STORAGE: Standard Toolbox

SUSPENSION: Slipper Spring

TAIL: Knife Edge w/ Flip Over Ramps

TIE DOWNS: 12 - 1" D-Rings

TIRES: ST235/80R16 Radial (Dually)

WHEEL COLOR: Black

WARRANTY: 3 Year Limited Structural

Powder Coat Options

Incl.



Black



Gunmetal
Gray



Desert
Tan



Gray

Popular Add-ons

Hydraulic Power Tilt (incl. Power Unit)

12K Hydraulic Jack (Dual)

3" Channel on 12" Centers

Chain Tray

Chain Spool b/w Stake Pockets

Extra D-Rings

Matching Spare

For additional options see options index at the end of this section



Tilt Trailer Options - Index

Add-On	Available on
Rock Crawler Package	TSX
Gooseneck	TSX, THO
Hydraulic Power Tilt	TSX, THO
Metering Valve (incl. on TSX models)	THO
Graytex Runners	TSX
Tred Cleat (tail to wheel well)	TSX, THO
2 Speed Bulldog Jack	THO
12K Hydraulic Jack (Single / Dual)	TSX, THO
Paint + Primer	All Models
3" Channel on 12" Centers	TSX, THO
Pintle Ring	TSX, THO
Gooseneck Air Ride Coupler	TSX, THO
Underslung Storage Box	THO
Chain Tray	TSX, THO
Chain Spool Between Stake Pockets	TSX, THO
Extra D-Rings	All Models
G-Rated Upgrade (14k and 21k packages)	TSX, THO
Matching Spare (price based on tire size)	All Models
Custom Paint Color	All Models

Flatbed Trailers



FBS

Flatbed Skid-steer

GVWR: 10,000 - 14,000 lbs

Available Sizes: 16' x 85", 20' x 85"



Model	GVWR	Axles	Suspension	Pull Option	MSRP
FBS205-16B	10,000	2 - 5,200 lb	Slipper Spring	Bumper	\$8,794
FBS207-20B	14,000	2 - 7,000 lb	Slipper Spring	Bumper	\$9,771

Standard Features

BRAKES: Self-Adjust Electric Drum Brakes

COUPLER: 2-5/16" - 15,000 lb Demco EZ-Latch

CROSS-MEMBERS: 3" Channel on 16" Centers

FRAME: 5" Channel (6" for 10,000 lb GVWR)

FLOOR: 2" x 10" Treated Lumber

LOADING STYLE: 2 - 5' Spring Assisted Ramps

LIGHTS: DOT Approved LED

JACK: 8,000 lb Drop-Leg

STORAGE: Standard Toolbox

TIE DOWNS: 8 - 5/8" D-Rings

TIRES: ST235/80R16 Radial

WHEEL COLOR: Black

WARRANTY: 3 Year Limited Structural

Powder Coat Options

Incl.



Black



Gunmetal
Gray



Desert
Tan



Gray

Popular Add-ons

12K Hydraulic Jack

Chain Tray

Extra D-Rings

Matching Spare

For additional options see options index at the end of this section

FBH

Flatbed Heavy Duty

GVWR: 14,000 - 16,000 lbs

Available Sizes: 20' x 101", 22' x 101", 24' x 101", 26' x 101"



Model	GVWR	Axles	Suspension	Pull Option	MSRP
FBH207-20	14,000	2 - 7,000 lb	Slipper Spring	Bumper, Goose	\$9,432
FBH207-22	14,000	2 - 7,000 lb	Slipper Spring	Bumper, Goose	\$10,018
FBH207-24	14,000	2 - 7,000 lb	Slipper Spring	Bumper, Goose	\$10,604
FBH207-26	14,000	2 - 7,000 lb	Slipper Spring	Bumper, Goose	\$11,190.15
FBH208-22	16,000	2 - 8,000 lb	Slipper Spring	Bumper, Goose	\$13,092.30
FBH208-24	16,000	2 - 8,000 lb	Slipper Spring	Bumper, Goose	\$13,679.55

– See Standard Features and Options on next page –

FBH

Flatbed Heavy Duty

GVWR: 14,000 - 16,000 lbs

Available Sizes: 20' x 101", 22' x 101", 24' x 101", 26' x 101"



Standard Features

BRAKES: Self-Adjust Electric Drum Brakes

COUPLER: 2-5/16" - 15,000 lb Demco EZ-Latch

CROSS-MEMBERS: 3" Channel on 16" Centers

FRAME: 10" x 15 lb I-Beam (19 lb for 16k GVWR)

FLOOR: 2" x 10" Treated Lumber

LOADING STYLE: Mega Ramps

LIGHTS: DOT Approved LED

JACK: 12,000 lb Drop-Leg

SIDE RAIL: 5" Channel

STAKE POCKETS: 2x5/16" Rubrail w/ 2" Stake Pockets

STORAGE: Standard Toolbox

TIRES: ST235/80R16 Radial

WHEEL COLOR: Black

WARRANTY: 3 Year Limited Structural

Powder Coat Options

Incl.



Black



Gunmetal
Gray



Desert
Tan



Gray

Popular Add-ons

Straight Deck w/ Slide-out Ramps

12K Hydraulic Jack (Single / Dual)

4" Channel on 16" Centers

Torque Tube

Pintle Ring

Chain Tray

Extra D-Rings (Per D-Ring)

G-Rated Tire Upgrade (14k only)

Matching Spare

Chain Spool b/w Stake Pockets


For additional options see options index at the end of this section

FBX

Flatbed Max

GVWR: 20,000 - 30,000 lbs

Available Sizes: 24' x 101", 26' x 101", 28' x 101", 30' x 101", 32' x 101", 40' x 101"



**Available in 2-5/16" coupler, pintle ring, and gooseneck*



Model	GVWR	Axles	Suspension	Pull Option	MSRP
FBX210-24	20,000	2 - 10,000 lb	Slipper Spring	Bumper, Goose	\$15,059
FBX210-26	20,000	2 - 10,000 lb	Slipper Spring	Bumper, Goose	\$15,647
FBX210-28	20,000	2 - 10,000 lb	Slipper Spring	Bumper, Goose	\$16,232
FBX307-24	21,000	3 - 7,000 lb	Torsion	Bumper, Goose	\$15,633
FBX307-26	21,000	3 - 7,000 lb	Torsion	Bumper, Goose	\$16,219
FBX212-24	24,000	2 - 12,000 lb	Slipper Spring	Bumper, Goose	\$17,014
FBX212-26	24,000	2 - 12,000 lb	Slipper Spring	Bumper, Goose	\$17,599
FBX212-28	24,000	2 - 12,000 lb	Slipper Spring	Bumper, Goose	\$18,186
FBX212-30	24,000	2 - 12,000 lb	Slipper Spring	Bumper, Goose	\$18,773
FBX212-32	24,000	2 - 12,000 lb	Slipper Spring	Bumper, Goose	\$19,359
FBX215-28	30,000	2 - 15,000 lb	Slipper Spring	Bumper, Goose	\$22,889
FBX215-30	30,000	2 - 15,000 lb	Slipper Spring	Bumper, Goose	\$24,127
FBX215-32	30,000	2 - 15,000 lb	Slipper Spring	Bumper, Goose	\$24,713
FBX215-40	30,000	2 - 15,000 lb	Slipper Spring	Bumper, Goose	\$27,058

– See Standard Features and Options on next page –

FBX

Flatbed Max

GVWR: 20,000 - 30,000 lbs

Available Sizes: 24' x 101", 26' x 101", 28' x 101", 30' x 101", 32' x 101", 40' x 101"



Standard Features

BRAKES: Self-Adjust Electric Drum Brakes

COUPLER: 2-5/16" - 21,000 lb Demco EZ-Latch

CROSS-MEMBERS: 3" Channel on 16" Centers

FRAME: 10" x 19 lb I-Beam (22 lb for 30k GVWR)

FLOOR: 2" x 10" Treated Lumber

LOADING STYLE: Mega Ramps

LIGHTS: DOT Approved LED

JACK: 2-12,000 lb Drop-Legs

SIDE RAIL: 5" Channel

STAKE POCKETS: 2x5/16" Rubrail w/ 2" Stake Pockets

STORAGE: Standard Toolbox

TIRES: 215/75R17.5 Radial

WHEEL COLOR: Black

WARRANTY: 3 Year Limited Structural

Powder Coat Options

Incl.



Black



Gunmetal
Gray



Desert
Tan



Gray

Popular Add-ons

Straight Deck w/ Slide-out Ramps

12K Hydraulic Jack (Single / Dual)

4" Channel on 16" Centers

Torque Tube

Pintle Ring

Chain Tray

Extra D-Rings (Per D-Ring)

G-Rated Tire Upgrade (14k only)

Matching Spare

Chain Spool b/w Stake Pockets

For additional options see options index at the end of this section

*Trailers listed with a pull type designated only come in that option

Flatbed Trailer Options - Index



Add-On	Available on
Gooseneck	FBH, FBX
Taller Gooseneck (6")	FBH, FBX
Straight Deck w/ 96" Slide Out Ramps	FBH, FBX
2 - 5' Spring Assisted Ramps w/ Pop-up Middle Section	FBH, FBX
2 - 25K Two Speed Bulldog Jacks	FBH, FBX
12K Hydraulic Jack (Single / Dual)	FBH, FBX
Paint + Primer	All Models
3" Channel on 12" Centers	All Models
4" Channel on 16" Centers	FBH, FBX
4" Channel on 12" Centers	FBH, FBX
6" Side Rail (Incl. in upgrade to 4" channel cross members)	FBH, FBX
Pintle Ring	FBH, FBX
Receiver Tube Hitch	FBH, FBX
Torque Tube (standard on 30'+ lengths)	FBH, FBX
Gooseneck Air Ride Coupler (Gooseneck Only)	FBH, FBX
Deck on Neck	FBH, FBX
Underslung Storage Box	FBH, FBX
Chain Tray	All Models
Extra Storage Box in Uprights (Gooseneck Only)	FBH, FBX
Ratchet Straps (Weld-on)	FBH, FBX
Ratchet Slide Track (per side)	FBH, FBX
Chain Spool Between Stake	
Pockets	FBH, FBX
Extra D-Rings	All Models
G-Rated Upgrade (14k and 21k packages)	All Models
Matching Spare (price based on tire size)	All Models
Extra Length Per Foot (for lengths not shown)	FBH, FBX
Custom Paint Color	All Models